

MATERIAL SAFETY DATA SHEET

DATE PRINTED: FEB 26, 2010
MSDS NO. 82755
All Purpose Joint Sealer

OUTBOUND



SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

PRODUCT NAME
All Purpose Joint Sealer
TRADE NAME

MANUFACTURER(4)
Saint-Gobain Abrasives, Inc.
One New Bond Street
Worcester, MA, 01606
(508) 795-5000
EMERGENCY CONTACT

EMERGENCY TELEPHONE #1

REVISION DATE
2/18/2010
MSDS PRINT FORMAT
AUTOUSA

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

SUBSTANCE DESCRIPTION	PERCENT	CAS#
Acrylic polymer	0.000	9003-01-4
Calcium Carbonate	0.000	1317-65-3
Plasticizer	0.000	N/A
@Crystalline Silica, Quartz	0.240	14808-60-7
OTHER		

SECTION 3. HAZARDS IDENTIFICATION

INHALATION ACUTE EXPOSURE EFFECTS
No known effects from long term exposure. No other health hazards are known at this time.
INHALATION CHRONIC EXPOSURE EFFECTS
None established
SKIN CONTACT ACUTE EXPOSURE EFFECTS
None established.
EYE CONTACT ACUTE EXPOSURE EFFECTS
None established.
INGESTION ACUTE EXPOSURE EFFECTS
Ingestion not recommended.
MEDICAL CONDITIONS AGGRAVATED
N/E (not established)

SECTION 4. FIRST AID MEASURES

INHALATION
Remove to fresh air. Obtain medical assistance if needed.

SKIN CONTACT

Wash affected areas with soap and water. Obtain medical assistance, if needed.

EYE CONTACT

Flush with large amounts of water, lifting upper and lower lids. Continue for at least 15 minutes. Get medical attention.

INGESTION

Obtain medical assistance.

SECTION 5. FIRE FIGHTING MEASURES

FIRE FIGHTING PROCEDURES

Full emergency equipment with self-contained breathing apparatus and protective clothing should be worn by fire fighters.

HAZARDOUS PRODUCTS/COMBUSTION

Not Applicable

FIRE AND EXPLOSION HAZARDS

Not Applicable

EXTINGUISHING METHOD

Foam, alcohol foam, CO2, dry chemical, water fog.

FLASH POINT

F C N/A

FLASH METHOD

N/A

UPPER EXPLOSION LIMIT

N/A

LOWER EXPLOSION LIMIT

N/A

HAZARD RATING SOURCE

HMIS

HEALTH

1

FLAMMABILITY

0

REACTIVITY

0

OTHER

SECTION 6. ACCIDENTAL RELEASE MEASURES

CLEAN-UP

Avoid spill in sand, earth or other suitable material. Transfer to appropriate container for disposal.

SECTION 7. HANDLING AND STORAGE

HANDLING

Change soiled workclothes frequently. Wash hands thoroughly after handling.

STORAGE

Use normal warehousing area for storage. Handle in compliance with common hygienic practices. Change soiled workclothes frequently. Clean hands thoroughly after handling.

GENERAL COMMENTS

None.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

VENTILATION PROTECTION

Use exhaust when general ventilation is not sufficient to keep airborne contaminant concentration below TLV.

RESPIRATORY PROTECTION

Not required.

SKIN PROTECTION

Typical full cover clothing.

EYE PROTECTION

Wear suitable safety eyewear.

OTHER PROTECTION

Not Applicable

EXPOSURE LIMITS/REGULATORY INFORMATION

SUBSTANCE DESCRIPTION	UNITS	OSHA	ACGIH	MOL
Acrylic polymer	PPM	0.0000	0.0000	0.0000
Calcium Carbonate	MG/M3	15.0000	10.0000	0.0000
Plasticizer	MG/M3	5.0000	0.0000	0.0000
@Crystalline Silica, Quartz	MG/M3	0.1000	0.1000	0.0000

LEGEND:

EXPOSURE LIMIT DESCRIPTIONS

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE & ODOR

White paste with little or no odor.

SPECIFIC GRAVITY

1.5

Water = 1

VAPOR PRESSURE (mm Hg)

N/A

VAPOR DENSITY (Air = 1.0)

Heavier than air

EVAPORATION RATE

Slower than ether

VOLATILE %

SOLUBILITY IN WATER

Soluble and/or dispersable

BOILING POINT

F

C N/A

SECTION 10. STABILITY AND REACTIVITY

INCOMPATIBILITIES

Avoid strong oxidizing agents, acids, bases.

DECOMPOSITION

By fire: carbon dioxide, carbon monoxide, oxides of nitrogen.

POLYMERIZATION

Will not occur.

CONDITIONS TO AVOID

Keep away from incompatibilities.

STABILITY

Stable.

SECTION 11. TOXICOLOGICAL INFORMATION

INHALATION EFFECTS

May cause nose and throat irritation.

DERMAL EFFECTS

May cause irritation.

INGESTION EFFECTS

Can cause gastrointestinal irritation.

SECTION 12. ECOLOGICAL INFORMATION

CHEMICAL FATE

Not Applicable

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL

Dispose of in accordance with federal, state, and local regulations.

SECTION 14. TRANSPORT INFORMATION

DOT SHIPPING NAME

No Information

SECTION 15. OTHER INFORMATION

CARCINOGENICITY

Crystalline Silica, Quartz - IARC-1, NIOSH-X, NTP-R

CA PROP 65

This product contains chemical(s) known to the State of California to cause cancer.

TSCA

Section 8(b) - Inventory Status

All components of this product are registered under the regulations of the Toxic Substance Control Act.

DOMESTIC SUBSTANCE LIST

All components of this product are found on the Domestic Substance List of the country of Canada.

DISCLAIMER

The information and recommendations set forth herein are taken from sources believed to be accurate as of the date hereof; however, the Company makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.

EQ=Equal

AP=Approximately

=

LT=Less Than

TR=TRace

GT=Greater Than

ND=No Data available



SAFETY DATA SHEET

Issuing Date January 5, 2015

Revision Date September 3, 2015

Revision Number 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Clorox® Original Bleach

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Laundry and household bleach

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Address

Clorox Commercial Company
Ave. Chardón #350
Torre Chardón, Suite 325
San Juan, PR 00918

Phone: 1-787-641-4943

Emergency telephone number

Emergency Phone Numbers

For Medical Emergencies, call: 1-800-446-1014

For Transportation Emergencies, call Chemtrec: 1-800-424-9300


2. HAZARDS IDENTIFICATION**Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Serious eye damage/eye irritation

Category 2A

GHS Label elements, including precautionary statements**Emergency Overview**

Signal word		Warning	
Hazard Statements Causes serious eye irritation			
			
Appearance	Clear, pale yellow	Physical State	Liquid
		Odor	Bleach

Precautionary Statements - Prevention

Wash hands and any exposed skin thoroughly after handling.
Wear eye protection/face protection such as safety glasses.

Precautionary Statements - Response

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Precautionary Statements - Storage

None

Precautionary Statements - Disposal

None

Hazards not otherwise classified (HNOC)

Not applicable.

Unknown Toxicity

None of the mixture consists of ingredient(s) of unknown toxicity

Other information

Toxic to aquatic life with long lasting effects.

Interactions with Other Chemicals

Reacts with other household chemicals such as toilet bowl cleaners, rust removers, acids, and ammonia-containing products to produce hazardous gases, such as chlorine and other chlorinated compounds.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
Sodium hypochlorite	7681-52-9	1 - 5	*

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES**First aid measures****General Advice**

Show this safety data sheet to the doctor in attendance.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.

Skin Contact

Take off contaminated clothing. Rinse skin with plenty of water. If irritation develops, call a doctor.

Inhalation

Move to fresh air. If breathing is affected, call a doctor.

Ingestion

Drink a glassful of water. Call a poison control center or doctor immediately. DO NOT induce vomiting unless told to do so by a poison control center or doctor.

Protection of First-aiders

Avoid contact with skin, eyes, or clothing. Use personal protective equipment as required. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed**Most Important Symptoms and Effects**

Stinging and irritation of eyes.

Indication of any immediate medical attention and special treatment needed**Notes to Physician**

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

No information available.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with eyes, skin, and clothing. Use personal protective equipment as required.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental Precautions See Section 12 for ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Absorb and containerize. Wash residual down to sanitary sewer. Contact the sanitary treatment facility in advance to assure ability to process washed-down material.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Products Toilet bowl cleaners, rust removers, acids, and ammonia-containing products.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hypochlorite 7681-52-9	None	None	None

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

Appropriate engineering controls**Engineering Measures**

Showers
Eyewash stations
Ventilation systems

Individual protection measures, such as personal protective equipment**Eye/Face Protection**

If splashes are likely to occur: Wear safety glasses with side shields (or goggles). None required for consumer use.

Skin and Body Protection

Wear rubber or neoprene gloves if there is the potential for repeated or prolonged skin contact.

Respiratory Protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene Measures

Remove and wash contaminated clothing before re-use. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES**Physical and Chemical Properties**

Physical State	Liquid	Odor	Bleach
Appearance	Clear	Odor Threshold	No information available
Color	Pale yellow		

<u>Property</u>	<u>Values</u>	<u>Remarks/ Method</u>
pH	~12	None known
Melting/freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash Point	Not flammable	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limits in Air		
Upper flammability limit	No data available	None known
Lower flammability limit	No data available	None known
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Specific Gravity	~1.05	None known
Water Solubility	Soluble in water	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/water	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Explosive Properties	Not explosive	
Oxidizing Properties	No data available	

Other Information

Softening Point	No data available
VOC Content (%)	No data available
Particle Size	No data available
Particle Size Distribution	No data available

10. STABILITY AND REACTIVITY**Reactivity**

Reacts with other household chemicals such as toilet bowl cleaners, rust removers, acids, and ammonia-containing products to produce hazardous gases, such as chlorine and other chlorinated compounds.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Toilet bowl cleaners, rust removers, acids, and ammonia-containing products.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure****Product Information**

Inhalation	Exposure to vapor or mist may irritate respiratory tract.
Eye Contact	May cause eye irritation.
Skin Contact	Prolonged contact may cause irritation.
Ingestion	Ingestion may cause irritation to mucous membranes and gastrointestinal tract, nausea, vomiting, and diarrhea.

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium hypochlorite 7681-52-9	8200 mg/kg (Rat)	>10000 mg/kg (Rabbit)	-

Information on toxicological effects

Symptoms May cause redness and tearing of the eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Sodium hypochlorite 7681-52-9	-	Group 3	-	-

IARC (International Agency for Research on Cancer)
Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive Toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Chronic Toxicity Carcinogenic potential is unknown.

Target Organ Effects Respiratory system, eyes, skin, gastrointestinal tract (GI).

Aspiration Hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-dust/mist)

72 mg/L

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Toxic to aquatic life with long lasting effects.

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Dispose of in accordance with all applicable federal, state, and local regulations.

Contaminated Packaging

Do not reuse empty containers. Dispose of in accordance with all applicable federal, state, and local regulations.

14. TRANSPORT INFORMATION**DOT**

Not restricted.

TDG

Not restricted for road or rail.

ICAO

Not restricted, as per Special Provision A197, Environmentally Hazardous Substance exception.

IATA

Not restricted, as per Special Provision A197, Environmentally Hazardous Substance exception.

IMDG/IMO

Not restricted, as per IMDG Code 2.10.2.7, Marine Pollutant exception.

15. REGULATORY INFORMATION**Chemical Inventories****TSCA**

All components of this product are either on the TSCA 8(b) Inventory or otherwise exempt from listing.

DSL/NDSL

All components are on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hypochlorite 7681-52-9	100 lb			X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sodium hypochlorite 7681-52-9	100 lb	-	RQ 100 lb final RQ RQ 45.4 kg final RQ

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Sodium hypochlorite 7681-52-9	X	X	X	X	

International Regulations**Canada****WHMIS Hazard Class**

D2B - Toxic materials



16. OTHER INFORMATION

<u>NFPA</u>	Health Hazard	2	Flammability	0	Instability	0	Physical and Chemical Hazards	-
<u>HMIS</u>	Health Hazard	2	Flammability	0	Physical Hazard	0	Personal Protection	B

Prepared By Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Revision Date September 3, 2015

Revision Note Revisions Sections 3, 8, 9, 11, 14, 15.

Reference 1096330/171553.001

General Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



SAFETY DATA SHEET

Issuing Date January 5, 2015

Revision Date New

Revision Number 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Clorox® Bleach Wipes

Other means of identification

EPA Registration Number 67619-12-5813

Recommended use of the chemical and restrictions on use

Recommended use Moistened disinfecting bleach wipes

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Address

The Clorox Company
1221 Broadway
Oakland, CA 94612

Phone: 1-510-271-7000

Emergency telephone number

Emergency Phone Numbers

For Medical Emergencies call: 1-800-446-1014
For Transportation Emergencies, call Chemtrec: 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

This product is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

GHS Label elements, including precautionary statements

Emergency Overview

This product is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Appearance Clear, colorless liquid
absorbed into white, non-woven wipes

Physical State Thin liquid absorbed into
non-woven wipes

Odor Fruity, floral, bleach

Precautionary Statements - Prevention

None

Precautionary Statements - Response

None

Precautionary Statements - Storage

None

Precautionary Statements - Disposal

None

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

21.8% of the mixture consists of ingredient(s) of unknown toxicity

Other information

No information available

Interactions with Other Chemicals

Reacts with other chemicals such as ammonia, toilet bowl cleaners, rust removers or acids to produce hazardous gases, such as chlorine and other chlorinated compounds.

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product contains no substances that at their given concentrations are considered to be hazardous to health.

4. FIRST AID MEASURES

First aid measures

General Advice	Show this safety data sheet to the doctor in attendance.
Eye Contact	Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. If present, remove contact lenses after the first 5 minutes of rinsing, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.
Skin Contact	Rinse skin with plenty of water. If irritation persists, call a doctor.
Inhalation	Move to fresh air. If breathing problems develop, call a doctor.
Ingestion	Drink a glassful of water. Call a doctor or poison control center.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Effects	Liquid may cause eye irritation.
--	----------------------------------

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

Hazardous Combustion Products

Oxides of carbon.

Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Avoid contact with eyes.
Other Information	Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental Precautions	See Section 12 for additional ecological information.
---------------------------	---

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Cleaning Up	Absorb and containerize. Wash residual down to sanitary sewer. Contact the sanitary treatment facility in advance to assure ability to process washed-down material.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes, skin, and clothing. Do not eat, drink, or smoke when using this product.
----------	--

Conditions for safe storage, including any incompatibilities

Storage	Keep containers tightly closed in a dry, cool, and well-ventilated place.
Incompatible Products	Ammonia, toilet bowl cleaners, rust removers, and acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines	This product does not contain any ingredients with occupational exposure limits that are at concentrations below their cut-off values/concentrations and that contribute to the hazard classification of the product.
---------------------	---

Appropriate engineering controls

Engineering Measures	Showers Eyewash stations Ventilation systems
----------------------	--

Individual protection measures, such as personal protective equipment

Eye/Face Protection	No special protective equipment required.
Skin and Body Protection	No special protective equipment required.
Respiratory Protection	No protective equipment is needed under normal use conditions. If irritation is experienced, ventilation and evacuation may be required.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State	Thin liquid absorbed into non-woven wipes		
Appearance	Clear liquid absorbed into non-woven wipes	Odor	Fruity, floral, bleach
Color	Colorless liquid - white non-woven wipes	Odor Threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks/ Method</u>
pH	12 - 12.5 (liquid)	None known
Melting/freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash Point	No data available	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limits in Air		
Upper flammability limit	No data available	None known
Lower flammability limit	No data available	None known
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Specific Gravity	~1.0 (liquid)	None known
Water Solubility	Complete (liquid)	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/water	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Explosive Properties	Not explosive	
Oxidizing Properties	No data available	

Other Information

Softening Point	No data available
VOC Content (%)	No data available
Particle Size	No data available
Particle Size Distribution	No data available

10. STABILITY AND REACTIVITY

Reactivity

Reacts with other chemicals such as ammonia, toilet bowl cleaners, rust removers or acids to produce hazardous gases, such as chlorine and other chlorinated compounds.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Ammonia, toilet bowl cleaners, rust removers, and acids.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Exposure to vapor or mist may irritate respiratory tract.
Eye Contact	Liquid may cause irritation.
Skin Contact	Liquid may cause slight irritation.
Ingestion	Ingestion of liquid may cause slight irritation to mucous membranes and gastrointestinal tract.

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium hypochlorite 7681-52-9	8200 mg/kg (Rat)	>10000 mg/kg (Rabbit)	-

Information on toxicological effects

Symptoms Liquid may cause redness and tearing of eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Sodium hypochlorite 7681-52-9	-	Group 3	-	-

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive Toxicity

No information available.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Chronic Toxicity

No known effect based on information supplied.

Target Organ Effects

Respiratory system, eyes, skin, gastrointestinal tract (GI).

Aspiration Hazard

No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

No information available.

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Dispose of in accordance with all applicable federal, state, and local regulations.

Contaminated Packaging

Do not reuse empty containers. Dispose of in accordance with all applicable federal, state, and local regulations.

14. TRANSPORT INFORMATION

DOT

Not regulated.

TDG

Not regulated.

ICAO

Not regulated.

IATA

Not regulated

IMDG/IMO

Not regulated

15. REGULATORY INFORMATION

Chemical Inventories

TSCA All components of this product are either on the TSCA 8(b) Inventory or otherwise exempt from listing.

DSL/NDSL All components are on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hypochlorite 7681-52-9	100 lb			X
Sodium hydroxide 1310-73-2	1000 lb			X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sodium hypochlorite 7681-52-9	100 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ
Sodium hydroxide 1310-73-2	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION: Liquid causes moderate eye irritation. Do not get in eyes or on clothing. Avoid contact with clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. For sensitive skin or prolonged use, wear gloves.

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Sodium hypochlorite 7681-52-9	X	X	X	X	
Sodium hydroxide 1310-73-2	X	X	X	X	

International Regulations**Canada****WHMIS Hazard Class**

Non-controlled

16. OTHER INFORMATION

NFPA Health Hazard 1 Flammability 0 Instability 0 Physical and Chemical Hazards -

HMIS Health Hazard 1 Flammability 0 Physical Hazard 0 Personal Protection -

Prepared By Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Preparation/Revision Date January 5, 2015

Revision Note New

Reference 1047092/153737.001

General Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



Glance RTU Glass & Multi-Surface Cleaner

Revision: 2019-03-08

Version: 02.0

1. IDENTIFICATION

Product name: Glance RTU Glass & Multi-Surface Cleaner
Product Code: 04705, 04554
SDS #: MS0800662
Recommended use:

- Glass Cleaner
- This product is intended to be used neat.

Uses advised against: Uses other than those identified are not recommended

Manufacturer, importer, supplier:
 US Headquarters
 Diversey, Inc.
 1300 Altura Rd., Suite 125
 Fort Mill, SC 29708
 Phone: 1-888-352-2249
 SDS Internet Address: <https://sds.diversey.com>

Canadian Headquarters
 Diversey Canada, Inc.
 3755 Laird Road Units 8-11
 Mississauga, Ontario L5L 0B3
 Phone: 1-800-668-7171

Emergency telephone number: 1-800-851-7145; 1-651-917-6133 (Int'l)

2. HAZARDS IDENTIFICATION

Classification for the undiluted product

This product is not classified as hazardous according to OSHA 29CFR 1910.1200 (HazCom 2012-GHS) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

Hazard Statements

None required.

Precautionary Statements

None required.

Health hazards not otherwise classified (HHNOC) - Not applicable

Physical hazards not otherwise classified (PHNOC) - Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Classified Ingredients

Ingredient(s)	CAS #	Weight %
Sodium lauryl sulfate	68585-47-7	> 0.1 - < 1%

*Exact percentages are being withheld as trade secret information

4. FIRST AID MEASURES

Undiluted Product:

Eyes: Rinse with plenty of water. If irritation occurs and persists, get medical attention.

Skin: No specific first aid measures are required.

Inhalation: No specific first aid measures are required.

Glance RTU Glass & Multi-Surface Cleaner

Ingestion: Rinse mouth with water.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

Aggravated Medical Conditions: None known.

5. FIRE-FIGHTING MEASURES

Specific methods: No special methods required
Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.
Specific hazards: None known.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Put on appropriate personal protective equipment (see Section 8.).
Environmental precautions and clean-up methods: Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling: Handle in accordance with good industrial hygiene and safety practice. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage: Keep tightly closed in a dry, cool and well-ventilated place.

Aerosol Level (if applicable) : Not applicable.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Undiluted Product:

Engineering measures to reduce exposure:
No special ventilation requirements.

Personal Protective Equipment

Eye protection:	No personal protective equipment required under normal use conditions.
Hand protection:	No personal protective equipment required under normal use conditions.
Skin and body protection:	No personal protective equipment required under normal use conditions.
Respiratory protection:	No personal protective equipment required under normal use conditions.
Hygiene measures:	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid	Color: Clear, Light, Blue
Evaporation Rate: No information available	Odor: Ammonia
Odor threshold: No information available.	Boiling point/range: Not determined
Melting point/range: Not determined	Decomposition temperature: Not determined
Autoignition temperature: No information available	Solubility: Completely Soluble
Solubility in other solvents: No information available	Relative Density (relative to water): 1
Density: 8.34 lbs/gal 1 Kg/L	Vapor density: No information available
Bulk density: No information available	Vapor pressure: No information available.
Flash point (°F): > 200 °F > 93.3 °C	Partition coefficient (n-octanol/water): No information available
Viscosity: No information available	Elemental Phosphorus: 0.00 % by wt.
VOC: 0.3 % *	pH: 10.5
Flammability (Solid or Gas): Not applicable	Corrosion to metals: Not corrosive
Sustained combustion: Not applicable	
Explosion limits: - upper: Not determined - lower: Not determined °C	

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Reactivity:	Not Applicable
Stability:	The product is stable
Hazardous decomposition products:	None reasonably foreseeable.
Materials to avoid:	Do not mix with any other product or chemical unless specified in the use directions.
Conditions to avoid:	No information available.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Skin contact, Inhalation, Eye contact

Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Skin contact: Unlikely to be irritant in normal use.

Eye contact: May be mildly irritating to eyes.

Ingestion: No information available.

Inhalation: No information available.

Sensitization: No known effects.

Target Organs (SE): None known

Target Organs (RE): None known

Numerical measures of toxicity

ATE - Oral (mg/kg): >5000 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products (undiluted product): This product, as sold, if discarded or disposed, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class (undiluted product): Not Regulated

Contaminated Packaging: Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT/TDG/IMDG: The information provided below is the full transportation classification for this product. This description does not account for the package size(s) of this product, that may fall under a quantity exception, according to the applicable transportation regulations. When shipping dangerous goods, please consult with your internal, certified hazardous materials specialist to determine if any exceptions can be applied to your shipment.

DOT (Ground) Bill of Lading Description: NOT REGULATED

IMDG (Ocean) Bill of Lading Description: NOT REGULATED

15. REGULATORY INFORMATION

International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

RIGHT TO KNOW (RTK)

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Diethylene glycol butyl ether	112-34-5	-	X	-	-
2-butoxyethanol	111-76-2	X	X	X	-
Sodium lauryl sulfate	68585-47-7	-	-	-	-

CERCLA/ SARA

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Diethylene glycol butyl ether	112-34-5	> 0.1 - < 1%			X
2-butoxyethanol	111-76-2	> 0.1 - < 1%			X

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
Diethylene glycol butyl ether	X		
2-butoxyethanol	X		

Canadian Regulations

Ingredient(s)	CAS #	NPRI
Diethylene glycol butyl ether	112-34-5	X
2-butoxyethanol	111-76-2	X

16. OTHER INFORMATION**NFPA (National Fire Protection Association)**

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 0

Flammability 0

Instability 0

Special Hazards -

Revision: 2019-03-08

Version: 02.0

Reason for revision:

Not applicable

Prepared by:

North American Regulatory Affairs

Additional advice:

• Does not contain an added fragrance

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.



MATERIAL SAFETY DATA SHEET

According to 91/155/EEC, 93/112/EC, 2001/58/EC

Page 1 of 5

Date of issue : July 2018
Date of revision : June 2023

FOR EMERGENCY AND GENERAL INFORMATION

TOLL FREE HELPLINE : 1800 209 2095

Diversey India Hygiene Pvt. Ltd., 501, 5th Floor, Ackruti Centre Point,
MIDC Central Road, Andheri (East), Mumbai - 400093, INDIA
Tel.: +91 22 66444222 Fax : +91 22 66444223

SECTION 1 - PRODUCT IDENTIFICATION

Product Name : Virex II 256

Application of the product :

SECTION 2 - HAZARDS IDENTIFICATION

Classification :



C, Corrosive

Emergency Overview : Danger. Corrosive. Causes Skin and Eye burns. Harmful or fatal if swallowed. Combustible liquid and vapour.

Principle routes of exposure : Eye contact. Skin contact. Inhalation.

Eyes : Corrosive. Causes permanent damage including blindness.

Skin : Corrosive. Causes permanent damage.

Inhalation : May cause irritation and corrosive effects to nose, throat and respiratory tract.

Ingestion : May be irritating to mouth, throat and stomach.

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterization

Description : Mixture in water of non-dangerous ingredients and the substances listed below.

Hazardous ingredients :

CAS	Ingredients	% by Weight	LD50 Oral-Rat (mg/kg)	LD50 Dermal-Rabbit	LC50 Inhalation-Rat
1643-20-5	Lauryl dimethyl amine oxide	0.1-1.5%	Not available	Not available	Not available
64-17-5	ethyl alcohol	1-5%	7060	Not available	=124.7 mg/l (4 h)
68424-85-1	N-Alkyl Dimethyl Benzyl Ammonium Chloride	5-10%	426	Not available	Not available
7173-51-5	Didecyl Dimethyl Ammonium Chloride	5-10%	84	Not available	Not available

SECTION 4 - FIRST AID MEASURES

Inhalation : If breathing is affected, remove to fresh air. If person is not breathing, call an ambulance and then give artificial respiration, preferably by mouth to mouth, if possible. Get medical attention immediately.

Skin contact : Take off contaminated clothing. Rinse immediately with plenty of water for 15-20 minutes. Get medical attention immediately.

Eye contact : Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Get medical attention immediately.

Ingestion : Call a doctor or poison control center immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Never give anything by mouth to an unconscious person.

Notes to Physician : Probable mucosal damage may contraindicate the use of gastric lavage.



MATERIAL SAFETY DATA SHEET

According to 91/155/EEC, 93/112/EC, 2001/58/EC

Page 2 of 5

Product Name : Virex II 256

Aggravated Medical Conditions : Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.

SECTION 5 - FIRE FIGHTING MEASURES

Suitable extinguishing media : Use dry chemical, CO₂, water spray or "alcohol" foam.

Specific hazards : Although this product has a flash point below 200°F, it is an aqueous solution containing an alcohol and does not sustain combustion.

Unusual hazards : Corrosive material (see Sections 8 and 10)

Specific methods : No special methods required.

Special protective equipment for firefighters : As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons : No information available.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Protection of personnel : Put on appropriate personal protective equipment (see Section 8)

Environmental precautions and Clean-up Method : Clean-up methods - Large spillage. Remove all sources of ignition. Absorb spill with inert material (eg. dry sand or earth), then place in a chemical waste container. Use a water rinse for a final clean-up.

SECTION 7 - HANDLING AND STORAGE

Handling (see also sections 8 and 15)

Avoid contact with eyes, skin and clothing. Do not taste or swallow. Avoid breathing vapors or spray mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. COMBUSTIBLE LIQUID AND VAPOUR. Keep away from open flames, hot surfaces and sources of ignition. Use only in well-ventilated areas. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage : Protect from freezing. Keep tightly closed in a dry cool and well-ventilated place.. KEEP OUT OF REACH OF CHILDREN.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

Engineering Controls : Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if food ventilation is maintained.

Personal Protection Equipment:

Breathing equipment : In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

Protection of hands : Chemical resistant gloves.

Eye protection : Chemical splash goggles.

Skin and body protection : Protective footwear. If major exposure is possible wear suitable protective clothing and footwear.

Hygiene measures : If major exposure is possible, wear suitable protective clothing and footwear.

CAS	Ingredients	ACGIH	OSHA	Mexico
64-17-5	ethyl alcohol	1000 ppm (STEL)	1000 ppm (TWA) 1900 mg/m ³ (TWA)	1000 ppm (TWA) 1900 mg/m ³ (TWA)



MATERIAL SAFETY DATA SHEET

According to 91/155/EEC, 93/112/EC, 2001/58/EC

Page 3 of 5

Product Name : Virex II 256

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

General information :

Form :	Liquid
Appearance :	Aqueous solution
Colour :	Clear Blue
Odour :	Minty
Specific gravity :	1.0
Bulk Density :	No information available
Evaporation rate :	No information available
Vapor density :	No information available
Change in condition :	
Melting point/ Melting range :	Not determined
Boiling point/ Boiling range :	Not determined
Decomposition temperature :	Not determined
Autoignition temperature :	No information available
Solubility :	Completely Soluble
Solubility in other solvents :	No information available
Partition coefficient : (n-octanol/water)	No information available
Elemental phosphorus :	0.00% by wt.
Density :	8.34 lbs/gal 1 kg/l.
Flash point :	> 187°F > 86.1°C
Viscosity :	No information available
VOC :	3.1%*
pH-value :	10.2
Dilution pH:	8.8@1:256
Explosion limits :	
upper :	Not determined
lower :	Not determined

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

SECTION 10 - STABILITY AND REACTIVITY

Stability : The product is stable.

Polymerization: Hazardous polymerization does not occur.

Hazardous decomposition products : None reasonably foreseeable.

Materials to avoid : Oxidizing agents.

Conditions to avoid: Keep away from heat. Keep away from open flames, hot surfaces and sources of ignition.

SECTION 11 - TOXICOLOGICAL INFORMATION

Acute toxicity : Corrosive. Oral LD50 estimated to be between 1000-2000 mg/kg. Dermal LD50 estimated to be >2000 mg/kg

Component information : See Section 3

Chronic toxicity : None known.

Specific Effects :



MATERIAL SAFETY DATA SHEET

According to 91/155/EEC, 93/112/EC, 2001/58/EC

Page 4 of 5

Product Name : Virex II 256

Carcinogenic effects : None known

Mutagenic effects : None known

Reproductive toxicity : None known

Target organ effects : None known

SECTION 12 - ECOLOGICAL INFORMATION

Environmental information : No data available.

SECTION 13 - DISPOSAL CONSIDERATIONS

Do not contaminate water, food or feed by storage or disposal.

Storage : Store in original container in areas inaccessible to children. Open dumping is prohibited. Do not reuse empty container.

Container Disposal : See product label for complete disposal instructions. Always dispose of according to all federal, state and local applicable regulations.

SECTION 14 - TRANSPORT INFORMATION

Land transport ADR/RID (cross-border)



ADR/RID Class : 8 Corrosive substances

Kemler Number : 80

UN-Number : 1903

Packaging Group : III

Label : 8

Proper Shipping Name : DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (DIDECYL DIMETHYL AMMONIUM CHLORIDE, ALKYL DIMETHYL BENZYL AMMONIUM CHLORIDE)

Maritime transport IMDG :



IMDG Class : 8

UN-Number : 1903

Label : 8

Packaging Group : III

Proper Shipping Name : DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (DIDECYL DIMETHYL AMMONIUM CHLORIDE, ALKYL DIMETHYL BENZYL AMMONIUM CHLORIDE)

Air transport ICAO-TI and IATA-DGR :



ICAO / IATA Class: 8



MATERIAL SAFETY DATA SHEET

According to 91/155/EEC, 93/112/EC, 2001/58/EC

Page 5 of 5

Product Name : Virex II 256

UN-Number : 1903
Label : 8
Packaging Group : III
Proper Shipping Name : DISINFECTANT, LIQUID, CORROSIVE, N.O.S, (DIDECYL DIMETHYL AMMONIUM CHLORIDE, ALKYL DIMETHYL BENZYL AMMONIUM CHLORIDE)

Transport / Additional Information : Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15 - REGULATORY INFORMATION

International Inventories at CAS# Level : All components of this product are listed on the following inventories : U.S.A. (TSCA)

US Regulations :

EPA Reg. No. : 70627-24

California Proposition 65 : This product is not subject to the reporting requirements under California's Proposition 65

CERCLA/SARA

SARA 311/312 Hazard Categories :

Immediate : X
Delayed : -
Fire : X
Reactivity : -
Sudden Release of Pressure : -

SECTION 16 - OTHER INFORMATION

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract.

Department issuing material safety data sheet:

Contact :

Diversey India Hygiene Pvt. Ltd.

501, 5th Floor, Ackruti Centre Point, MIDC Central Road,

Andheri (East), Mumbai - 400093. INDIA

Tel.: +91 2266444222. Fax: +91 2266444223

** In case of local regulation change or formulation change this MSDS may undergo revision before the stated revision date.*



MATERIAL SAFETY DATA SHEET

prepared 11/19/10

Akzo Nobel Paints

15885 Sprague Road Strongsville, Ohio 44136

EMERGENCY TELEPHONE NO. (800) 545-2643

GLIDDEN NEW DRYWALL PRIMER - PVA

1030U

HAZARDS IDENTIFICATION

(ANSI Section 3)

Primary route(s) of exposure : Inhalation, skin contact, eye contact, ingestion.

Effects of overexposure :

Inhalation : Irritation of respiratory tract. Prolonged inhalation may lead to chest pain, coughing, difficulty of breathing, pneumoconiosis.

Skin contact : Irritation of skin.

Eye contact : Irritation of eyes.

Ingestion : Ingestion may cause mouth and throat irritation, gastro-intestinal disturbances.

Medical conditions aggravated by exposure : Eye, skin, respiratory disorders.

FIRST-AID MEASURES

(ANSI Section 4)

Inhalation : Remove to fresh air. Restore and support continued breathing. Get emergency medical attention. Have trained person give oxygen if necessary. Get medical help for any breathing difficulty. Remove to fresh air if inhalation causes eye watering, headaches, dizziness, or other discomfort.

Skin contact : Wash thoroughly with soap and water. If any product remains, gently rub petroleum jelly, vegetable or mineral/baby oil onto skin. Repeated applications may be needed. Remove contaminated clothing.

Eye contact : Flush immediately with large amounts of water, especially under lids for at least 15 minutes. If irritation or other effects persist, obtain medical treatment.

Ingestion : If swallowed, obtain medical treatment immediately.

FIRE-FIGHTING MEASURES

(ANSI Section 5)

Fire extinguishing media : Dry chemical or foam closed containers may burst if exposed to extreme heat or fire.

Fire fighting procedures : Water may be used to cool and protect exposed containers. Firefighters should use full protective clothing, eye protection, and self-contained breathing apparatus.

Hazardous decomposition or combustion products : Carbon monoxide, carbon dioxide.

ACCIDENTAL RELEASE MEASURES

(ANSI Section 6)

Steps to be taken in case material is released or spilled : Comply with all applicable health and environmental regulations. Ventilate area. Place collected material in proper container.

HANDLING AND STORAGE

(ANSI Section 7)

Handling and storage : Store below 100f (38c). Keep from freezing.

Other precautions : Use only with adequate ventilation. Do not take internally. Keep out of reach of children. Avoid contact with skin and eyes, and breathing of vapors. Wash hands thoroughly after handling, especially before eating or smoking. Keep containers tightly closed and upright when not in use.

EXPOSURE CONTROLS/PERSONAL PROTECTION

(ANSI Section 8)

Respiratory protection : Control environmental concentrations below applicable exposure standards when using this material. When respiratory protection is determined to be necessary, use a NIOSH/MSHA (Canadian z94.4) Approved elastomeric sealing- surface facepiece respirator outfitted with organic vapor cartridges and paint spray (dust/mist) prefilters. Determine the proper level of protection by conducting appropriate air monitoring. Consult 29CFR1910.134 For selection of respirators (Canadian z94.4).

Ventilation : Provide dilution ventilation or local exhaust to prevent build-up of vapors.

Personal protective equipment : Eye wash, safety shower, safety glasses or goggles. Impervious gloves.

STABILITY AND REACTIVITY

(ANSI Section 10)

Under normal conditions : Stable see section 5 fire fighting measures

Materials to avoid : Oxidizers.

Conditions to avoid : Freezing.

Hazardous polymerization : Will not occur

TOXICOLOGICAL INFORMATION

(ANSI Section 11)

Supplemental health information : No additional effects are anticipated

Carcinogenicity : In a lifetime inhalation study, exposure to 250 mg/m³ titanium dioxide resulted in the development of lung tumors in rats. These tumors occurred only at dust levels that overwhelmed the animals' lung clearance mechanisms and were different from common human lung tumors in both type and location. The relevance of these findings to humans is unknown but questionable. The international agency for research on cancer (IARC) has classified titanium dioxide as possibly carcinogenic to humans (group 2b) based on inadequate evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.

Reproductive effects : No reproductive effects are anticipated

Mutagenicity : No mutagenic effects are anticipated

Teratogenicity : No teratogenic effects are anticipated

ECOLOGICAL INFORMATION

(ANSI Section 12)

No ecological testing has been done by akzo nobel paints llc on this product as a whole.

DISPOSAL CONSIDERATIONS

(ANSI Section 13)

Waste disposal : Dispose in accordance with all applicable regulations.

REGULATORY INFORMATION

(ANSI Section 15)

As of the date of this MSDS, all of the components in this product are listed (or are otherwise exempt from listing) on the TSCA inventory. This product has been classified in accordance with the hazard criteria of the CPR (controlled products regulations) and the MSDS contains all the information required by the CPR.

Physical Data (ANSI Sections 1, 9, and 14)

Product Code	Description	Wt. / Gal.	VOC gr. / ltr.	% Volatile by Volume	Flash Point	Boiling Range	HMIS	DOT, proper shipping name
1030U	glidden new drywall primer white	9.88	36.23	85.21	none	212-212	310	paint**protect from freezing**

Ingredients Product Codes with % by Weight (ANSI Section 2)

Chemical Name	Common Name	CAS. No.	1030U
titanium oxide	titanium dioxide	13463-67-7	1-5
2-propenoic acid, butyl ester, polymer with ethenyl acetate	vinyl acrylic latex	25067-01-0	1-5
ceramic materials and wares, chemicals	calcined kaolin clay	66402-68-4	10-20
water	water	7732-18-5	70-80

Chemical Hazard Data (ANSI Sections 2, 8, 11, and 15)

Common Name	CAS. No.	ACGIH-TLV				OSHA-PEL				S.R. Std.	S2	S3	CC					
		8-Hour TWA	STEL	C	S	8-Hour TWA	STEL	C	S					H	M	N	I	O
titanium dioxide	13463-67-7	10 mg/m3	not est.	not est.	not est.	10 mg/m3	not est.	not est.	not est.	not est.	n	n	n	n	n	y	y	n
vinyl acrylic latex	25067-01-0	not est.	not est.	not est.	not est.	not est.	not est.	not est.	not est.	not est.	n	n	n	n	n	n	n	n
calcined kaolin clay	66402-68-4	not est.	not est.	not est.	not est.	not est.	not est.	not est.	not est.	not est.	n	n	n	n	n	n	n	n

Footnotes:
C=Ceiling - Concentration that should not be exceeded, even instantaneously.

S=Skin - Additional exposure, over and above airborne exposure, may result from skin absorption.

n/a=not applicable
not est=not established
CC=CERCLA Chemical

ppm=parts per million
mg/m3=milligrams per cubic meter
Sup Conf=Supplier Confidential

S2=Sara Section 302 EHS
S3=Sara Section 313 Chemical
S.R.Std.=Supplier Recommended Standard

H=Hazardous Air Pollutant, M=Marine Pollutant
P=Pollutant, S=Severe Pollutant
Carcinogenicity Listed By:
N=NTP, I=IARC, O=OSHA, y=yes, n=no



Safety Data Sheet

Issue Date: 9-Oct-2014

Revision Date: 25-Jan-2017

Version 2

1. IDENTIFICATION

Product Identifier

Product Name High Power Wax Remover

Other means of identification

SDS # High Power Wax Remover

Recommended use of the chemical and restrictions on use

Recommended Use Cleaning Compound

Details of the supplier of the safety data sheet

Supplier Address

Lundmark Wax Company
350 S La Londe Ave
Addison, IL 60101

Emergency Telephone Number

Company Phone Number (630) 628-1199
Emergency Telephone (24 hr) 800-535-5053 Infotrac

2. HAZARDS IDENTIFICATION

Physical State Liquid

Classification

Skin corrosion/irritation	Category 1C
Serious eye damage/eye irritation	Category 1

Hazards Not Otherwise Classified (HNOC)

None

Signal Word

Danger

Hazard Statements

Causes skin irritation
Causes serious eye Damage



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
Do not breathe dust/fume/gas/mist/vapors/spray
Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention
Take off contaminated clothing and wash it before reuse
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse Mouth.
IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a Poison Center or doctor/physician.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Precautionary Statements – Storage:

Store Locked Up

Other Hazards:

None Known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Isopropanol	67-63-0	1-5
2-butoxyethanol	111-76-2	1-5
Monoethanolamine	141-43-5	1-5
Potassium Hydroxide	1310-58-3	1-5
Sodium Silicate	1344-09-8	<1

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES**First Aid Measures**

Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin Contact	Wash with soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
Inhalation	Remove to fresh air.
Ingestion	Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects

Symptoms	Contact may cause irritation and redness.
-----------------	---

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Non-flammable solution.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Use personal protection recommended in Section 8. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid breathing vapors or mists.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Exposure limits noted for ingredient(s)

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol 111-76-2	TWA: 25 ppm	TWA: 50 ppm	-
Potassium Hydroxide 1310-58-3	2 mg/m ³	2 mg/m ³	-
Monoethanolamine 141-43-5	STEL: 6 ppm TWA: 3 ppm	TWA: 3 ppm TWA: 6 mg/m (vacated) TWA: 3 ppm (vacated) TWA: 8 mg/m (vacated) STEL: 6 ppm (vacated) STEL: 15 mg/m	IDLH: 30 ppm ³ TWA: 3 ppm TWA: 8 mg/m STEL: 6 ppm STEL: 15 mg/m
Isopropanol 67-63-0	TWA: 200 ppm	980 mg/M3 400 ppm	-

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Avoid contact with eyes.

Skin and Body Protection Wear suitable protective clothing.

Respiratory Protection Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Liquid	Odor	Not determined
Appearance	Not determined	Odor Threshold	Not determined
Color	Not determined		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	Not determined	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	Not determined	
Flash Point	Not determined	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	n/a-liquid	
Upper Flammability Limits	Not determined	
Lower Flammability Limit	Not determined	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Specific Gravity	Not determined	
Water Solubility	Not determined	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure****Product Information**

Eye Contact	Avoid contact with eyes.
Skin Contact	May cause an allergic skin reaction. Causes skin irritation. May be harmful in contact with skin.
Inhalation	Avoid breathing vapors or mists.
Ingestion	Do not taste or swallow.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-Butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 2270 mg/kg (Rat) = 220 mg/kg (Rabbit)	= 2.21 mg/L (Rat) 4 h = 450 ppm (Rat) 4 h
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	-
Monoethanolamine 141-43-5	= 1720 mg/kg (Rat)	= 1 mL/kg (Rabbit) = 1025 mg/kg (Rabbit)	-
Isopropanol 67-63-0	= 5840 mg/Kg (Rat)	> 12800 mg/Kg (Rabbit)	> 10000 ppm, 6h, Vapor rat

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Not classifiable as a human carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
*Diethanolamine 111-42-2	A3	Group 2B		X

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

**Present in Monoethanolamine at trace levels.*

Numerical measures of toxicity

Calculated ATE (Oral) of this mixture is >4300 mg.kg.

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
2-Butoxyethanol 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50		1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50

Sodium Silicate 1344-09-8	-	2320: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static	-	EC50: 247 mg/L; <i>Daphnia</i> 48h
Sodium hydroxide 1310-73-2		45.4: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static		
Monoethanolamine 141-43-5	15: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50	227: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 3684: 96 h <i>Brachydanio rerio</i> mg/L LC50 static 300 - 1000: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 114 - 196: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static 200: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through		65: 48 h <i>Daphnia magna</i> mg/L EC50
Isopropanol 67-63-0	ErC50 green algae, static test, growth rate inhibition, 72 h: >1000 mg/L	LC50 fathead minnow, flow-through test, 96h: 9640 mg/L	-	LC50 water flea, immobilization, 24 h: >1000 mg/L

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
2-Butoxyethanol 111-76-2	0.81
Monoethanolamine 141-43-5	-1.91
Isopropanol 67-63-0	1.1

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

15. REGULATORY INFORMATION**International Inventories**

Not determined

US Federal Regulations**Cercla:**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hydroxide 1310-73-2	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

SARA 313

This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372).

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
2-Butoxyethanol	111-76-2	1-5	1.0
Isopropanol	67-63-0	1-5	1.0

US State Regulations**California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Diethanolamine - 111-42-2	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-Butoxyethanol 111-76-2	X	X	X
Sodium hydroxide 1310-73-2	X	X	X
Monoethanolamine 141-43-5	X	X	X
Isopropanol: 67-63-0	X	X	X

16. OTHER INFORMATION

Issue Date: 9-Oct-2014
Revision Date: 9-Oct-2014
Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

1. Identification

Product identifier Cucumber Melon Premium Foam Soap

Other means of identification

SDS number 11SAM1175B

Product code HIL00398

Recommended use Hand Soap

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Manufacturer

Company name HILLYARD INDUSTRIES

Address 302 North Fourth St.
St. Joseph, MO 64501

Contact person Regulatory Affairs

Telephone number (816) 233-1321 (Ext. 8285)

Fax (816) 383-8485

E-mail regulatoryaffairs@hillyard.com

Emergency telephone # (800) 424-9300
(Only in the event of chemical emergency involving a spill, leak, fire, exposure or accident involving chemicals)

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.

Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices. Avoid contact with eyes

Response If skin irritation or rash occurs, discontinue use.

Storage Store away from incompatible materials.

Disposal Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law. Waste from normal use may be sewered to a public-owned treatment works in compliance with applicable federal, state and local requirements.

Hazard(s) not otherwise classified (HNOC) None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Glycerine USP 99.7%		56-81-5	3 - < 5
Other components below reportable levels			90 - 100

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	If skin irritation or rash occurs: Get medical advice/attention.
Eye contact	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Use standard firefighting procedures and consider the hazards of other involved materials.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	<p>This product is miscible in water.</p> <p>Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water.</p> <p>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</p> <p>Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.</p>
Environmental precautions	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and storage

Precautions for safe handling	Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Glycerine USP 99.7% (CAS 56-81-5)	PEL	5 mg/m ³	Respirable fraction.
		15 mg/m ³	Total dust.

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls No special ventilation requirements.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes.

Skin protection

Hand protection Not applicable.

Other Not applicable.

Respiratory protection Not applicable.

Thermal hazards Not applicable.

General hygiene considerations Avoid contact with eyes. Keep away from food and drink.

9. Physical and chemical properties

Appearance Clear, light green liquid

Physical state Liquid.

Form Liquid.

Color Light green

Odor Cucumber melon fragrance added

Odor threshold Not available

pH 6.5 - 7.5

Melting point/freezing point Not applicable / Not available

Initial boiling point and boiling range 206 °F (96.67 °C)

Flash point > 200.0 °F (> 93.3 °C) Tag Closed Cup

Evaporation rate < 1 Ethyl ether = 1

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 17.58 mm Hg

Vapor density 0.63 AIR=1

Relative density 1.022 at 77°F

Solubility(ies)

Solubility (water) complete

Partition coefficient (n-octanol/water) Not available

Auto-ignition temperature Not available

Decomposition temperature Not available

Viscosity Not available

Other information

Density 8.52 lb/gal

Percent volatile 91.5 - 92.5 %

VOC (Weight %) 0 %

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials. None known.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products None known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.
Skin contact No adverse effects due to skin contact are expected.
Eye contact Direct contact with eyes may cause temporary irritation.
Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not available.

Product	Species	Test Results
Cucumber Melon Premium Foam Soap		
Acute		
<i>Dermal</i>		
LD50	Rabbit	17555.5547 ml/kg estimated
<i>Oral</i>		
LD50	Guinea pig	8888.8887 g/kg estimated
	Monkey	41666.668 g/kg estimated
	Mouse	16659.3242 g/kg estimated
	Rat	35086.2695 g/kg estimated

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye irritation Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard Prolonged inhalation may be harmful.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Product	Species	Test Results
Cucumber Melon Premium Foam Soap		
Aquatic		
Fish	LC50 Fish	8282.3398 mg/l, 96 hours estimated

* Estimates for product may be based on additional component data not shown.

Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Waste from normal product use may be sewered to a public owned treatment works (POTW) in compliance with applicable Federal, State, and local pretreatment requirements.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Triple rinse (or equivalent). Then offer clean, dry container for recycling or reconditioning.

14. Transport information

DOT

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations	This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List or Exempt.
-------------------------------	---

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
--------------------------	--

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical	No
--	----

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Safe Drinking Water Act (SDWA)	Not regulated.
---------------------------------------	----------------

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

Glycerine USP 99.7% (CAS 56-81-5)

US. New Jersey Worker and Community Right-to-Know Act

Glycerine USP 99.7% (CAS 56-81-5)

US. Pennsylvania Worker and Community Right-to-Know Law

Glycerine USP 99.7% (CAS 56-81-5)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	04-08-2015
Revision date	07-07-2015
Version #	02
Further information	This product meets Green Seal™ Standard GS-41A based on effective performance and protective limits on VOCs and human & environmental toxicity. GreenSeal.org.
HMIS® ratings	Health: 0 Flammability: 0 Physical hazard: 0
Disclaimer	No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or disposal of these products.
Revision Information	Physical & Chemical Properties: Multiple Properties Physical and chemical properties: Odor

1. Identification

Product identifier	SUPROX	
Other means of identification		
SDS number	548N-84A	
Product code	HIL00704	
Recommended use	General Cleaner	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/Distributor information		
Manufacturer		
Manufacturer		
Company name	HILLYARD INDUSTRIES	
Address	302 North Fourth St. St. Joseph, MO 64501	
Contact person	Regulatory Affairs	
Telephone number	(816) 233-1321 (Ext. 8285)	
Fax	(816) 383-8485	
E-mail	regulatoryaffairs@hillyard.com	
Emergency telephone #	(800) 424-9300	
	(Only in the event of chemical emergency involving a spill, leak, fire, exposure, or accident involving chemicals.)	

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Serious eye damage/eye irritation	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	

Label elements



Signal word	Danger
Hazard statement	Causes serious eye damage. May be harmful if swallowed. May cause respiratory irritation. May cause skin irritation.
Precautionary statement	
Prevention	Do not get in eyes, on skin, and clothing. Do not ingest. If prolonged or repeated contact with concentrate is possible, wear rubber or other impervious gloves and splash goggles. Use only as directed: Improper dilution can lead to adverse health effects.
Response	If swallowed: Rinse mouth. Do NOT induce vomiting. Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If on skin: Wash with plenty of water. Get medical attention if irritation develops and persists. If inhaled: Remove person to fresh air and keep comfortable for breathing.
Storage	Store away from incompatible materials.
Disposal	Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law. Waste from normal use may be sewered to a public-owned treatment works in compliance with applicable federal, state and local requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Q3 Videt			9
Hydrogen Peroxide		7722-84-1	5 - < 10
Fragrance			< 0.3
Other components below reportable levels			80 - < 90

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth thoroughly. If swallowed, do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	<p>This product is miscible in water.</p> <p>Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.</p> <p>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</p> <p>Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.</p>
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not get this material in contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Hydrogen Peroxide (CAS 7722-84-1)	PEL	1.4 mg/m3
		1 ppm

US. ACGIH Threshold Limit Values

Components	Type	Value
Hydrogen Peroxide (CAS 7722-84-1)	TWA	1 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Hydrogen Peroxide (CAS 7722-84-1)	TWA	1.4 mg/m3
		1 ppm

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection

Do not get in eyes. Chemical safety goggles when working with concentrate.

Skin protection

Hand protection

Wear protective gloves. Neoprene or butyl rubber gloves are recommended.

Other

Avoid contact with the skin. Wear suitable protective clothing and gloves. Wear suitable protective clothing.

Respiratory protection

Not normally required with adequate ventilation.

Thermal hazards

None known.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Clear, yellow liquid (yellow color fades with age)

Physical state

Liquid.

Form

Liquid.

Color

Colourless to light yellow.

Odor

Citrus odor

Odor threshold

Not Available

pH

3.5 - 4.6
6.5 - 7.5 Diluted 1:25

Melting point/freezing point

Not Available

Initial boiling point and boiling range

206 °F (96.67 °C)

Flash point

> 200.0 °F (> 93.3 °C) Tag Closed Cup

Evaporation rate

< 1 Ethyl ether = 1

Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	17.6 mm Hg
Vapor density	0.62 Air=1
Relative density	1.027 at 77°F
Solubility(ies)	
Solubility (water)	Complete
Partition coefficient (n-octanol/water)	Not Available
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available
Viscosity	Not Available
Other information	
Density	8.55 lb/gal
Percent volatile	92 - 94 %
Specific gravity	1.03
VOC (Weight %)	0 %

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Metals. Strong reducing agents. Alkalies. Combustible material. Heavy Metal Salts
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Causes serious eye damage.
Ingestion	Expected to be a low ingestion hazard.
SUPROX	5000 mg/kg

Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
---	--

Information on toxicological effects

Acute toxicity	Not available.
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.
Serious eye damage/eye irritation	Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	This product is not expected to cause skin sensitization.

Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
-------------------------------	--

Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
------------------------	---

IARC Monographs. Overall Evaluation of Carcinogenicity

Hydrogen Peroxide (CAS 7722-84-1)	3 Not classifiable as to carcinogenicity to humans.
-----------------------------------	---

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Prolonged inhalation may be harmful.
Chronic effects	Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Waste from normal product use may be sewered to a public owned treatment works (POTW) in compliance with applicable Federal, State, and local pretreatment requirements.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Triple rinse (or equivalent). Then offer clean, dry container for recycling or reconditioning.

14. Transport information

DOT

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.
-------------------------------	---

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Hydrogen Peroxide (CAS 7722-84-1) 1000 LBS

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
--------------------------	---

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity	Threshold planning quantity	Threshold planning quantity, lower value	Threshold planning quantity, upper value
---------------	------------	---------------------	-----------------------------	--	--

Hydrogen Peroxide	7722-84-1	1000	1000 lbs		
-------------------	-----------	------	----------	--	--

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)
Not regulated.

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

Hydrogen Peroxide (CAS 7722-84-1)

US. New Jersey Worker and Community Right-to-Know Act

Hydrogen Peroxide (CAS 7722-84-1)

US. Pennsylvania Worker and Community Right-to-Know Law

Hydrogen Peroxide (CAS 7722-84-1)

US. Rhode Island RTK

Hydrogen Peroxide (CAS 7722-84-1)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 02-24-2015

Version # 01

Further information This product meets Green Seal™ Standard GS-37 based on effective performance, concentrated volume, minimized/recycled packaging and protective limits on: VOCs and human & environmental toxicity. Acute toxicity, skin and eye damage met requirements at the as-used dilution, as specified for closed dilution systems. GreenSeal.org.

HMIS® ratings
Health: 3
Flammability: 0
Physical hazard: 1

Disclaimer No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or disposal of these products.

Safety Data Sheet

Date prepared: December 29, 2017

Revision number: 0

Section 1: Product and Company Identification

Product identifier

Product Name:..... **THE HOME STORE GLASS CLEANER**

Recommended Use:..... Glass Cleaner Spray. No restrictions on use.
Use only for the purpose on the product label.

Manufacturer:

Thornton Industries Inc.
2000 N Ashley Road
Morris, Illinois 60450

Nonemergency Contact Number:

Thornton Industries Inc. (815) 942-2224

In case of medical emergencies, please contact your local poison control center.

Section 2: Hazard(s) Identification

Classification of the substance or mixture:

Globally Harmonized System (GHS) Classification

This product does not meet the criteria for classification in any hazard class according to regulation OSHA Hazard Communication Standard (29 CFR 1910.1200).

GHS Label elements, including precautionary statements:

None identified

Section 3: Composition/Information on Ingredients

Pure substance/mixture:..... Mixture

This product does not contain hazardous chemicals at or above a reportable level as defined by OSHA 29 CFR 1910.1200.

Section 4: First-Aid Measures

Description of first aid measures

Inhalation: Remove individual to fresh air and contact physician if symptoms develop or persist.

Safety Data Sheet

Date prepared: December 29, 2017

Revision number: 0

Skin Contact: Rinse affected area with large amounts of mild soap and water until no evidence of product remains. Get medical attention if irritation persists.

Eye Contact: Immediately flush eyes with water for 15-20 minutes. If discomfort or irritation persists, seek medical attention.

Ingestion: Do not induce vomiting. Contact a Physician or Poison Control Center immediately.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Effects....No adverse effects expected when used as directed.

Indication of any immediate medical attention and special treatment needed

Note to Physician: All treatment should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Section 5: Fire-Fighting Measures

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available.

Special Hazards arising from the substance or mixture

Unusual Fire and Explosion hazards:No data available.

Hazardous Combustion Products:No data available.

Explosion Data

Sensitivity to Mechanical Impact.....No

Sensitivity to Static Discharge.....No

Firefighters Recommendations

Special Protective Equipment

As in any fire, wear self-contained breathing apparatus pressure demand, MSHA/NOISH(approved or equivalent) and full protective gear.

Section 6: Accidental Release Measures

Personal Precautions:

Safety Data Sheet

Date prepared: December 29, 2017

Revision number: 0

None under normal use conditions.

Emergency Procedure:

As a precautionary measure, isolate spill or leak area. Eliminate all ignition sources and keep unauthorized personnel away.

Environmental Precautions:

Avoid run off to waterways and sewers.

Methods and material for containment and clean up:

Contain the spill. Sweep up and shovel into suitable containers for disposal.

Section 7: Handling and Storage

Precautions for safe handling

Handling: No unusual handling is required when using the product for the intended use. Keep out of reach of children.

Conditions for safe storage, including any incompatibilities

Storage: Keep out of reach of children. Keep container tightly closed in a dry, cool and well-ventilated place.

Section 8: Exposure Control/Personal Protection

Exposure Guidelines : Exposure guidelines are not relevant when product is used as intended in a household setting.

Engineering measure: No information available.

Personal protection equipment (PPE)

Eye/Face protection: Not required under normal use.

Hand protection: Not required under normal use.

Skin/Body protection: Not required under normal use.

Respiratory protection: Not required under normal use.

Hygienic measures: No special measures required.

Section 9: Physical and Chemical Properties

Appearance: Clear liquid

Physical State: Water thin liquid

Color: Light Blue

Odor: Characteristic

Odor Threshold: No information available

Safety Data Sheet

Date prepared: December 29, 2017

Revision number: 0

pH as is: 10.7 @25°C
Viscosity: No information available
Relative Density: 1.0 g/ml @25°C
Water Solubility: Soluble
Flash Point: No information available
Vapor Density: No information available
Melting Point/Freezing Point: No information available
Boiling Point and Boiling Range: No information available
Evaporation Rate: No information available
Flammability (solid, gas): Does not sustain combustion
Upper/lower flammability or explosive limits: .. No information available
Vapor Pressure: No information available
Partition coefficient: No information available
n-Octanol/water
Auto-ignition Temperature: No information available
Decomposition Temperature: Heating can release hazardous gases.

VOC Content (%) : Product comply with US state and federal regulations for VOC content in consumer products.

Section 10: Stability and Reactivity

Chemical Stability: Stable under normal temperatures and pressures.
Reactivity: No dangerous reactions under normal conditions of normal use.
Possibility of Hazardous Reactions: If accidental mixing occurs with incompatible materials toxic gas is formed, exit area immediately.
Conditions to Avoid: Direct sources of heat.
Incompatible Materials: Do not mix with bleach or any other household cleaners. Strong bases.
Hazardous Decomposition Products: Thermal decomposition can lead to release of irritating gases and vapors.

Section 11: Toxicological Information

Routes of Exposure

Acute Health Hazard

Safety Data Sheet

Date prepared: December 29, 2017

Revision number: 0

Inhalation: Specific data not available. Health effects are not expected from vapor generated at normal temperatures. If first-aid is required move victim to fresh air.
Skin: Specific data not available. Overexposure may cause a skin reaction such as redness.
Eye: May cause redness or irritation.
Ingestion: Specific data not available. May be harmful if swallowed. May cause irritation, nausea or vomiting.

Chronic Health Hazard

Chronic toxicity: Specific data not available. Product is not expected to cause chronic symptoms from short or long term exposure.

Skin sensitization : No known effect
Respiratory sensitization : No known effect
Germ cell mutagenicity : No known effect
Neurological Effects : No known effect
Reproductive toxicity : No known effect
Developmental toxicity : No known effect
Teratogenicity : No known effect
STOT single exposure : No known effect
STOT repeated exposure : No known effect
Target Organ Effects : No known effect
Aspiration hazard : No known effect
Carcinogenicity : No known effect

Section 12: Ecological Information

Ecotoxicity: This product is not expected to be hazardous to the environment.
Persistence and Degradability: No information available.
Bioaccumulative Potential: No information available.
Mobility in Soil: No information available.
Other Adverse Effects: No information available.

Section 13: Disposal Considerations

Waste Treatment Methods

Waste from Residues / Unused Products

- Dispose of content accordance with local, regional, national, and/or international regulations.

Contaminated Packaging

- Dispose of container accordance with local, regional, national, and/or international regulations.

Safety Data Sheet

Date prepared: December 29, 2017

Revision number: 0

Section 14: Transport Information

DOT: Not regulated.

TDG: Not regulated.

MEX: Not regulated.

ICAO: Not regulated.

IATA: Not regulated.

IMDG/IMO: Not regulated.

RID: Not regulated

ADR: Not regulated

ADN: Not regulated

Section 15: Regulatory Information

U.S. Federal Regulations

Toxic Substances Control Act (TSCA): Complies

SARA 313 Toxic Chemicals: Section 313 of Title III of the Superfund Amendments and Reauthorized Act of 1986(SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

CERCLA : This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

California Proposition 65: No California Prop 65 chemicals are known to be present and is not subject to warning labeling under California Proposition 65.

U.S. State Right to Know Regulation (RTK)

Chemical Name	CAS number	New Jersey	Massachusetts	Pennsylvania
Ammonium Hydroxide	1336-21-6			X

International Regulations

Canadian Environmental Protection Act ...All components of this product are on the Canadian DSL/NDSL list.

Canada WHMIS Hazard Class.....Non-controlled

Safety Data Sheet

Date prepared: December 29, 2017

Revision number: 0

Section 16: Other Information

NFPA.....health hazards 1.....Flammability 0.....Reactivity 0

HMIS.....health hazards 1.....Flammability 0.....Reactivity 0

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designed and may not be valid for such material used in combination with other materials or in any process, unless specified in the text.

Issue date: 12-29-2017

Revision: 0

Prepared by: Thornton Industries Inc

End of Safety Data Sheet

MATERIAL SAFETY DATA SHEET

Version Number: 1

Preparation date: 2005-10-21

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: SKYLIGHT NA - USE SOLUTION (1:25)
MSDS #: MS0100416D
Product code: F-00424.001D
Recommended use: Industrial/Institutional. Cleaning product.

Manufacturer, importer, supplier:
US Headquarters
JohnsonDiversey, Inc.
8310 16th St.
Sturtevant, Wisconsin 53177-0902
Ramsey Information Phone: 1-800-421-2768
MSDS Internet Address:
www.ramseycompany.com

Emergency telephone number: 1-800-851-7145 (Prosar); 1-651-917-6133 (Int'l Prosar); 01-800-710-3400 (México)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

- The product contains no substances which at their given concentration, are considered to be hazardous to health

Principle routes of exposure: Eye contact. Skin contact. Inhalation. Ingestion.
Eye contact: None known.
Skin contact: None known.
Inhalation: None known.
Ingestion: None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components None

4. FIRST AID MEASURES

Eye contact: Rinse with plenty of water.
Skin contact: Rinse with plenty of water.
Inhalation: No specific first aid measures are required.
Ingestion: No specific first aid measures are required.
Aggravated Medical Conditions: None known.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:
Not applicable

Extinguishing media which must not be used for safety reasons:
No information available

Special protective equipment for firefighters:
As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Specific hazards: Not applicable

Unusual hazards: None known

Specific methods: No special methods required

NEPA

Health: 0

Flammability: 0

Instability: 0

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Not applicable.

Environmental precautions and clean-up methods: No information available

7. HANDLING AND STORAGE

Handling: Handle in accordance with good industrial hygiene and safety practice. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

No special ventilation requirements.

Personal Protective Equipment

Eye protection: No special requirements under normal use conditions.
Hand protection: No special requirements under normal use conditions
Skin and body protection: No special requirements under normal use conditions.
Respiratory protection: No special requirements under normal use conditions.
Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

HMIS

Health 0

Fire Hazard 0

Reactivity 0

Personal protective equipment

None / Aucune / Ninguno

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

Color: No information available

pH: 7

Specific gravity: No information available

Bulk density: No information available

Evaporation Rate No information available

Solubility: No information available

Solubility in other solvents: No information available

Partition coefficient (n-octanol/water): No information available

Appearance: No information available

Odor: No information available

Dilution pH: No information available.

Density: No information available.

Vapor density: No information available

Viscosity: No information available

VOC: No information available

Boiling point/range:	Not determined
Melting point/range:	Not determined
Flash point:	>200°F .?°C
Decomposition temperature:	Not determined
Autoignition temperature:	No information available

10. STABILITY AND REACTIVITY

Stability: The product is stable

Polymerization: Hazardous polymerization does not occur

Hazardous decomposition products: None reasonably foreseeable.

11. TOXICOLOGICAL INFORMATION

Acute toxicity Oral LD50 estimated to be greater than 5000 mg/kg
Chronic toxicity: None known

Specific effects

Carcinogenic effects: None known
Mutagenic effects: None known
Reproductive toxicity: None known
Target organ effects: None known

12. ECOLOGICAL INFORMATION

Environmental Information: No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:
Dispose of according to all federal, state and local applicable regulations

14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

15. REGULATORY INFORMATION**International Inventories**

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL), Australia (AICS), Korea (ECL), Japan (ENCS), Philippines (PICCS), China (IECSC).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

STATE RIGHT TO KNOW

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-

CERCLA/ SARA**SARA 311/312 Hazard Categories****Canada**

WHMIS hazard class: Non-controlled.

16. OTHER INFORMATION

Reason for revision: Not applicable

Prepared by: NAPRAC

Additional advice: None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

SAFETY DATA SHEET

M103

Section 1. Identification

Product name : Spray Paint
Aluminum

Product code : M103

Other means of identification : Not available.

Product type : Aerosol.

Relevant identified uses of the substance or mixture and uses advised against

Not applicable.

Manufacturer : SHERWIN-WILLIAMS CANADA, INC.
8500 Leslie St., Suite 220
Thornhill, ON L3T 7M8

Emergency telephone number of the company : (216) 566-2917

Product Information Telephone Number : (905) 761-9185

Regulatory Information Telephone Number : (216) 566-2902

Transportation Emergency Telephone Number : (800) 424-9300

Section 2. Hazards identification

Classification of the substance or mixture : FLAMMABLE AEROSOLS - Category 1
GASES UNDER PRESSURE - Compressed gas
ACUTE TOXICITY (oral) - Category 4
SKIN CORROSION/IRRITATION - Category 2
SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
CARCINOGENICITY - Category 2
TOXIC TO REPRODUCTION (Unborn child) - Category 2
SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3
SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Narcotic effects) - Category 3
SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1
ASPIRATION HAZARD - Category 1

Percentage of the mixture consisting of ingredient(s) of unknown oral toxicity: 36.4%
Percentage of the mixture consisting of ingredient(s) of unknown dermal toxicity: 80.1%
Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 30.7%

GHS label elements

Hazard pictograms :



Signal word : Danger

Section 2. Hazards identification

Hazard statements	: Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Harmful if swallowed. Causes serious eye irritation. Causes skin irritation. Suspected of damaging the unborn child. Suspected of causing cancer. May be fatal if swallowed and enters airways. May cause respiratory irritation. May cause drowsiness or dizziness. Causes damage to organs through prolonged or repeated exposure.
Precautionary statements	
General	: Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves. Wear eye or face protection. Wear protective clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Use only outdoors or in a well-ventilated area. Do not breathe dust or mist. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Pressurized container: Do not pierce or burn, even after use.
Response	: Get medical attention if you feel unwell. IF exposed or concerned: Get medical attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth. Do NOT induce vomiting. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage	: Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a well-ventilated place.
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	DELAYED EFFECTS FROM LONG TERM OVEREXPOSURE. Contains solvents which can cause permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. Please refer to the SDS for additional information. Keep out of reach of children. Keep upright in a cool, dry place. Do not discard empty can in trash compactor.
Hazards not otherwise classified	: None known.

Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of identification	: Not available.

CAS number/other identifiers

Ingredient name	% by weight	CAS number
Toluene	33.68	108-88-3
Hydrocarbon Polymer	17.23	68240-01-7
Propane	16.32	74-98-6
Butane	15.68	106-97-8
Acetone	10	67-64-1
Aluminum	3.06	7429-90-5
Xylene	2.12	1330-20-7
Med. Aliphatic Hydrocarbon Solvent	1.34	64742-88-7

Date of issue/Date of revision	: 9/9/2017	Date of previous issue	: 4/18/2017	Version	: 3	2/18
---------------------------------------	------------	-------------------------------	-------------	----------------	-----	------

Section 3. Composition/information on ingredients

Ethylbenzene	0.37	100-41-4
--------------	------	----------

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

- Eye contact** : Causes serious eye irritation.
- Inhalation** : Can cause central nervous system (CNS) depression. May cause drowsiness or dizziness. May cause respiratory irritation.
- Skin contact** : Causes skin irritation.
- Ingestion** : Harmful if swallowed. Can cause central nervous system (CNS) depression. May be fatal if swallowed and enters airways.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:
pain or irritation
watering
redness
- Inhalation** : Adverse symptoms may include the following:
respiratory tract irritation
coughing
nausea or vomiting
headache
drowsiness/fatigue
dizziness/vertigo
unconsciousness

Section 4. First aid measures

- reduced fetal weight
increase in fetal deaths
skeletal malformations
- Skin contact** : Adverse symptoms may include the following:
irritation
redness
reduced fetal weight
increase in fetal deaths
skeletal malformations
- Ingestion** : Adverse symptoms may include the following:
nausea or vomiting
reduced fetal weight
increase in fetal deaths
skeletal malformations

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : None known.

- Specific hazards arising from the chemical** : Extremely flammable aerosol. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion. Bursting aerosol containers may be propelled from a fire at high speed.

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
metal oxide/oxides

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. In the case of aerosols being ruptured, care should be taken due to the rapid escape of the pressurized contents and propellant. If a large number of containers are ruptured, treat as a bulk material spillage according to the instructions in the clean-up section. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not swallow. Avoid breathing gas. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Protect from sunlight. Store locked up. Eliminate all ignition sources. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits (OSHA United States)

Ingredient name	Exposure limits
Toluene	OSHA PEL Z2 (United States, 2/2013). TWA: 200 ppm 8 hours. CEIL: 300 ppm AMP: 500 ppm 10 minutes. NIOSH REL (United States, 10/2016). TWA: 100 ppm 10 hours. TWA: 375 mg/m ³ 10 hours. STEL: 150 ppm 15 minutes. STEL: 560 mg/m ³ 15 minutes. ACGIH TLV (United States, 3/2016). TWA: 20 ppm 8 hours.
Hydrocarbon Polymer Propane	None. NIOSH REL (United States, 10/2016). TWA: 1000 ppm 10 hours. TWA: 1800 mg/m ³ 10 hours. OSHA PEL (United States, 6/2016). TWA: 1000 ppm 8 hours. TWA: 1800 mg/m ³ 8 hours.
Butane	NIOSH REL (United States, 10/2016). TWA: 800 ppm 10 hours. TWA: 1900 mg/m ³ 10 hours. ACGIH TLV (United States, 3/2016). STEL: 1000 ppm 15 minutes.
Acetone	ACGIH TLV (United States, 3/2016). TWA: 250 ppm 8 hours. STEL: 500 ppm 15 minutes. NIOSH REL (United States, 10/2016). TWA: 250 ppm 10 hours. TWA: 590 mg/m ³ 10 hours. OSHA PEL (United States, 6/2016). TWA: 1000 ppm 8 hours. TWA: 2400 mg/m ³ 8 hours.
Aluminum	NIOSH REL (United States, 10/2016). TWA: 5 mg/m ³ 10 hours. Form: Respirable fraction TWA: 10 mg/m ³ 10 hours. Form: Total ACGIH TLV (United States, 3/2016). TWA: 1 mg/m ³ 8 hours. Form: Respirable fraction OSHA PEL (United States, 6/2016). TWA: 5 mg/m ³ , (as Al) 8 hours. Form: Respirable fraction TWA: 15 mg/m ³ , (as Al) 8 hours. Form: Total dust
Xylene	ACGIH TLV (United States, 3/2016). TWA: 100 ppm 8 hours. TWA: 434 mg/m ³ 8 hours. STEL: 150 ppm 15 minutes. STEL: 651 mg/m ³ 15 minutes. OSHA PEL (United States, 6/2016). TWA: 100 ppm 8 hours. TWA: 435 mg/m ³ 8 hours.
Med. Aliphatic Hydrocarbon Solvent	OSHA PEL (United States, 6/2016). TWA: 100 ppm 8 hours.

Section 8. Exposure controls/personal protection

Ethylbenzene	<p>TWA: 400 mg/m³ 8 hours. ACGIH TLV (United States, 3/2016). TWA: 20 ppm 8 hours. NIOSH REL (United States, 10/2016). TWA: 100 ppm 10 hours. TWA: 435 mg/m³ 10 hours. STEL: 125 ppm 15 minutes. STEL: 545 mg/m³ 15 minutes. OSHA PEL (United States, 6/2016). TWA: 100 ppm 8 hours. TWA: 435 mg/m³ 8 hours.</p>
--------------	---

Occupational exposure limits (Canada)

Ingredient name	Exposure limits
toluene	<p>CA Alberta Provincial (Canada, 4/2009). Absorbed through skin. 8 hrs OEL: 50 ppm 8 hours. 8 hrs OEL: 188 mg/m³ 8 hours. CA British Columbia Provincial (Canada, 7/2016). TWA: 20 ppm 8 hours. CA Ontario Provincial (Canada, 7/2015). TWA: 20 ppm 8 hours. CA Québec Provincial (Canada, 1/2014). Absorbed through skin. TWAEL: 50 ppm 8 hours. TWAEL: 188 mg/m³ 8 hours. CA Saskatchewan Provincial (Canada, 7/2013). Absorbed through skin. STEL: 60 ppm 15 minutes. TWA: 50 ppm 8 hours.</p>
Propane	<p>CA Alberta Provincial (Canada, 4/2009). 8 hrs OEL: 1000 ppm 8 hours. CA British Columbia Provincial (Canada, 7/2016). TWA: 1000 ppm 8 hours. CA Québec Provincial (Canada, 1/2014). TWAEL: 1000 ppm 8 hours. TWAEL: 1800 mg/m³ 8 hours. CA Ontario Provincial (Canada, 7/2015). TWA: 1000 ppm 8 hours. CA Saskatchewan Provincial (Canada, 7/2013). STEL: 1250 ppm 15 minutes. TWA: 1000 ppm 8 hours.</p>
Butane	<p>CA Alberta Provincial (Canada, 4/2009). 8 hrs OEL: 1000 ppm 8 hours. CA British Columbia Provincial (Canada, 7/2016). TWA: 600 ppm 8 hours. STEL: 750 ppm 15 minutes. CA Québec Provincial (Canada, 1/2014). TWAEL: 800 ppm 8 hours. TWAEL: 1900 mg/m³ 8 hours. CA Ontario Provincial (Canada, 7/2015). TWA: 800 ppm 8 hours. CA Saskatchewan Provincial (Canada, 7/2013).</p>

Section 8. Exposure controls/personal protection

Acetone

STEL: 1250 ppm 15 minutes.
TWA: 1000 ppm 8 hours.

CA Alberta Provincial (Canada, 4/2009).

8 hrs OEL: 1200 mg/m³ 8 hours.
15 min OEL: 1800 mg/m³ 15 minutes.
8 hrs OEL: 500 ppm 8 hours.
15 min OEL: 750 ppm 15 minutes.

CA British Columbia Provincial (Canada, 7/2016).

TWA: 250 ppm 8 hours.
STEL: 500 ppm 15 minutes.

CA Ontario Provincial (Canada, 7/2015).

TWA: 500 ppm 8 hours.
STEL: 750 ppm 15 minutes.

CA Québec Provincial (Canada, 1/2014).

TWAEV: 500 ppm 8 hours.
TWAEV: 1190 mg/m³ 8 hours.
STEV: 1000 ppm 15 minutes.
STEV: 2380 mg/m³ 15 minutes.

CA Saskatchewan Provincial (Canada, 7/2013).

STEL: 750 ppm 15 minutes.
TWA: 500 ppm 8 hours.

Xylene

CA Alberta Provincial (Canada, 4/2009).

8 hrs OEL: 100 ppm 8 hours.
15 min OEL: 651 mg/m³ 15 minutes.
15 min OEL: 150 ppm 15 minutes.
8 hrs OEL: 434 mg/m³ 8 hours.

CA British Columbia Provincial (Canada, 7/2016).

TWA: 100 ppm 8 hours.
STEL: 150 ppm 15 minutes.

CA Québec Provincial (Canada, 1/2014).

TWAEV: 100 ppm 8 hours.
TWAEV: 434 mg/m³ 8 hours.
STEV: 150 ppm 15 minutes.
STEV: 651 mg/m³ 15 minutes.

CA Ontario Provincial (Canada, 7/2015).

STEL: 150 ppm 15 minutes.
TWA: 100 ppm 8 hours.

CA Saskatchewan Provincial (Canada, 7/2013).

STEL: 150 ppm 15 minutes.
TWA: 100 ppm 8 hours.

Med. Aliphatic Hydrocarbon Solvent

CA Québec Provincial (Canada, 1/2014).

TWAEV: 400 ppm 8 hours.
TWAEV: 1590 mg/m³ 8 hours.

CA Ontario Provincial (Canada, 7/2015).

TWA: 525 mg/m³ 8 hours.

Ethylbenzene

CA Alberta Provincial (Canada, 4/2009).

8 hrs OEL: 100 ppm 8 hours.
8 hrs OEL: 434 mg/m³ 8 hours.
15 min OEL: 543 mg/m³ 15 minutes.
15 min OEL: 125 ppm 15 minutes.

CA British Columbia Provincial (Canada, 7/2016).

TWA: 20 ppm 8 hours.

Section 8. Exposure controls/personal protection

CA Ontario Provincial (Canada, 7/2015).
TWA: 20 ppm 8 hours.
CA Québec Provincial (Canada, 1/2014).
TWA_{EV}: 100 ppm 8 hours.
TWA_{EV}: 434 mg/m³ 8 hours.
STEV: 125 ppm 15 minutes.
STEV: 543 mg/m³ 15 minutes.
CA Saskatchewan Provincial (Canada, 7/2013).
STEL: 125 ppm 15 minutes.
TWA: 100 ppm 8 hours.

Occupational exposure limits (Mexico)

Ingredient name	Exposure limits
toluene	NOM-010-STPS-2014 (Mexico, 4/2016). TWA: 20 ppm 8 hours.
Propane	NOM-010-STPS-2014 (Mexico, 4/2016). TWA: 1000 ppm 8 hours.
Butane	NOM-010-STPS-2014 (Mexico, 4/2016). TWA: 1000 ppm 8 hours.
Acetone	NOM-010-STPS-2014 (Mexico, 4/2016). TWA: 500 ppm 8 hours. STEL: 750 ppm 15 minutes.
Xylene	NOM-010-STPS-2014 (Mexico, 4/2016). STEL: 150 ppm 15 minutes. TWA: 100 ppm 8 hours.
Ethylbenzene	NOM-010-STPS-2014 (Mexico, 4/2016). TWA: 20 ppm 8 hours.

Appropriate engineering controls

: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Section 8. Exposure controls/personal protection

Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	: Liquid.
Color	: Not available.
Odor	: Not available.
Odor threshold	: Not available.
pH	: 7
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Closed cup: -29°C (-20.2°F) [Pensky-Martens Closed Cup]
Evaporation rate	: 5.6 (butyl acetate = 1)
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Lower: 1% Upper: 12.8%
Vapor pressure	: 101.3 kPa (760 mm Hg) [at 20°C]
Vapor density	: 1.55 [Air = 1]
Relative density	: 0.75
Solubility	: Not available.
Partition coefficient: n-octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Kinematic (40°C (104°F)): <0.205 cm ² /s (<20.5 cSt)
Molecular weight	: Not applicable.

Aerosol product

Type of aerosol	: Spray
Heat of combustion	: 27.547 kJ/g

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Avoid all possible sources of ignition (spark or flame).
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Toluene	LC50 Inhalation Vapor	Rat	49 g/m ³	4 hours
	LD50 Oral	Rat	636 mg/kg	-
Butane	LC50 Inhalation Vapor	Rat	658000 mg/m ³	4 hours
Acetone	LD50 Oral	Rat	5800 mg/kg	-
Xylene	LC50 Inhalation Gas.	Rat	5000 ppm	4 hours
	LD50 Oral	Rat	4300 mg/kg	-
Ethylbenzene	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	3500 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Toluene	Eyes - Mild irritant	Rabbit	-	0.5 minutes	-
				100 milligrams	
	Eyes - Mild irritant	Rabbit	-	870 Micrograms	-
	Eyes - Severe irritant	Rabbit	-	24 hours 2 milligrams	-
	Skin - Mild irritant	Pig	-	24 hours 250 microliters	-
	Skin - Mild irritant	Rabbit	-	435 milligrams	-
Acetone	Skin - Moderate irritant	Rabbit	-	24 hours 20 milligrams	-
	Skin - Moderate irritant	Rabbit	-	500 milligrams	-
	Eyes - Mild irritant	Human	-	186300 parts per million	-
	Eyes - Mild irritant	Rabbit	-	10 microliters	-
	Eyes - Moderate irritant	Rabbit	-	24 hours 20 milligrams	-
	Eyes - Severe irritant	Rabbit	-	20 milligrams	-
Xylene	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	395 milligrams	-
	Eyes - Mild irritant	Rabbit	-	87 milligrams	-

Section 11. Toxicological information

Ethylbenzene	Eyes - Severe irritant	Rabbit	-	24 hours 5 milligrams	-
	Skin - Mild irritant	Rat	-	8 hours 60 microliters	-
	Skin - Moderate irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Moderate irritant	Rabbit	-	100 Percent	-
	Eyes - Severe irritant	Rabbit	-	500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 15 milligrams	-

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Classification

Product/ingredient name	OSHA	IARC	NTP
Toluene	-	3	-
Xylene	-	3	-
Ethylbenzene	-	2B	-

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
Toluene	Category 3	Not applicable.	Respiratory tract irritation and Narcotic effects
Propane	Category 3	Not applicable.	Respiratory tract irritation and Narcotic effects
Butane	Category 3	Not applicable.	Respiratory tract irritation and Narcotic effects
Acetone	Category 3	Not applicable.	Respiratory tract irritation and Narcotic effects
Xylene	Category 3	Not applicable.	Respiratory tract irritation
Med. Aliphatic Hydrocarbon Solvent	Category 3	Not applicable.	Respiratory tract irritation and Narcotic effects
Ethylbenzene	Category 3	Not applicable.	Respiratory tract irritation and Narcotic effects

Specific target organ toxicity (repeated exposure)

Section 11. Toxicological information

Name	Category	Route of exposure	Target organs
Toluene	Category 2	Not determined	Not determined
Propane	Category 2	Not determined	Not determined
Butane	Category 2	Not determined	Not determined
Acetone	Category 2	Not determined	Not determined
Xylene	Category 2	Not determined	Not determined
Med. Aliphatic Hydrocarbon Solvent	Category 1	Not determined	Not determined
Ethylbenzene	Category 2	Not determined	Not determined

Aspiration hazard

Name	Result
Toluene	ASPIRATION HAZARD - Category 1
Propane	ASPIRATION HAZARD - Category 1
Butane	ASPIRATION HAZARD - Category 1
Xylene	ASPIRATION HAZARD - Category 1
Med. Aliphatic Hydrocarbon Solvent	ASPIRATION HAZARD - Category 1
Ethylbenzene	ASPIRATION HAZARD - Category 1

Information on the likely routes of exposure : Not available.

Potential acute health effects

- Eye contact** : Causes serious eye irritation.
- Inhalation** : Can cause central nervous system (CNS) depression. May cause drowsiness or dizziness. May cause respiratory irritation.
- Skin contact** : Causes skin irritation.
- Ingestion** : Harmful if swallowed. Can cause central nervous system (CNS) depression. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : Adverse symptoms may include the following:
pain or irritation
watering
redness
- Inhalation** : Adverse symptoms may include the following:
respiratory tract irritation
coughing
nausea or vomiting
headache
drowsiness/fatigue
dizziness/vertigo
unconsciousness
reduced fetal weight
increase in fetal deaths
skeletal malformations
- Skin contact** : Adverse symptoms may include the following:
irritation
redness
reduced fetal weight
increase in fetal deaths
skeletal malformations

Ingestion : Adverse symptoms may include the following:
nausea or vomiting
reduced fetal weight
increase in fetal deaths
skeletal malformations

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

General : Causes damage to organs through prolonged or repeated exposure.

Carcinogenicity : Suspected of causing cancer. Risk of cancer depends on duration and level of exposure.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity : Suspected of damaging the unborn child.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	1190.1 mg/kg
Dermal	10331 mg/kg
Inhalation (gases)	163281.4 ppm

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Toluene	Acute EC50 12500 µg/l Fresh water	Algae - Pseudokirchneriella subcapitata	72 hours
	Acute EC50 11600 µg/l Fresh water	Crustaceans - Gammarus pseudolimnaeus - Adult	48 hours
	Acute EC50 6000 µg/l Fresh water	Daphnia - Daphnia magna - Juvenile (Fledgling, Hatchling, Weanling)	48 hours
	Acute LC50 5500 µg/l Fresh water	Fish - Oncorhynchus kisutch - Fry	96 hours
	Chronic NOEC 1000 µg/l Fresh water	Daphnia - Daphnia magna	21 days
	Acute EC50 7200000 µg/l Fresh water	Algae - Selenastrum sp.	96 hours
	Acute LC50 6000000 µg/l Fresh water	Crustaceans - Gammarus pulex	48 hours
	Acute LC50 6900 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 5600 ppm Fresh water	Fish - Poecilia reticulata	96 hours
	Chronic NOEC 4.95 mg/l Marine water	Algae - Ulva pertusa	96 hours
Acetone	Chronic NOEC 0.016 ml/L Fresh water	Crustaceans - Daphniidae	21 days
	Chronic NOEC 0.1 ml/L Fresh water	Daphnia - Daphnia magna - Neonate	21 days

Section 12. Ecological information

Aluminum	Chronic NOEC 0.1 mg/l Fresh water	Fish - Fundulus heteroclitus	4 weeks
	Acute LC50 38000 µg/l	Daphnia - Daphnia magna	48 hours
	Acute LC50 120 µg/l Fresh water	Fish - Oncorhynchus mykiss - Embryo	96 hours
Xylene	Chronic NOEC 9 mg/l Fresh water	Aquatic plants - Ceratophyllum demersum	3 days
	Acute LC50 8500 µg/l Marine water	Crustaceans - Palaemonetes pugio	48 hours
Ethylbenzene	Acute LC50 13400 µg/l Fresh water	Fish - Pimephales promelas	96 hours
	Acute EC50 4600 µg/l Fresh water	Algae - Pseudokirchneriella subcapitata	72 hours
	Acute EC50 3600 µg/l Fresh water	Algae - Pseudokirchneriella subcapitata	96 hours
	Acute EC50 6530 µg/l Fresh water	Crustaceans - Artemia sp. - Nauplii	48 hours
	Acute EC50 2930 µg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 4200 µg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours

Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Toluene	-	-	Readily
Acetone	-	-	Readily
Xylene	-	-	Readily
Ethylbenzene	-	-	Readily

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
Toluene	-	90	low
Xylene	-	8.1 to 25.9	low

Mobility in soil






Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	IATA	IMDG
UN number	UN1950	UN1950	UN1950	UN1950	UN1950
UN proper shipping name	AEROSOLS	AEROSOLS	AEROSOLS	AEROSOLS, flammable	AEROSOLS
Transport hazard class(es)	2.1 	2.1 	2.1 	2.1 	2.1 
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.
Additional information	- <u>ERG No.</u> 126	Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.13-2.17 (Class 2). <u>ERG No.</u> 126	- <u>ERG No.</u> 126	-	<u>Emergency schedules</u> F-D, S-U

Special precautions for user : Multi-modal shipping descriptions are provided for informational purposes and do not consider container sizes. The presence of a shipping description for a particular mode of transport (sea, air, etc.), does not indicate that the product is packaged suitably for that mode of transport. All packaging must be reviewed for suitability prior to shipment, and compliance with the applicable regulations is the sole responsibility of the person offering the product for transport. People loading and unloading dangerous goods must be trained on all of the risks deriving from the substances and on all actions in case of emergency situations.

Transport in bulk according to Annex II of MARPOL and the IBC Code : Not available.

Proper shipping name : Not available.

Ship type : Not available.

Pollution category : Not available.

Section 15. Regulatory information

SARA 313

SARA 313 (40 CFR 372.45) supplier notification can be found on the Environmental Data Sheet.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	*	2
Flammability		3
Physical hazards		1

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

Procedure used to derive the classification

Classification	Justification
FLAMMABLE AEROSOLS - Category 1	On basis of test data
GASES UNDER PRESSURE - Compressed gas	Calculation method
ACUTE TOXICITY (oral) - Category 4	Calculation method
SKIN CORROSION/IRRITATION - Category 2	Calculation method
SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A	Calculation method
CARCINOGENICITY - Category 2	Calculation method
TOXIC TO REPRODUCTION (Unborn child) - Category 2	Calculation method
SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3	Calculation method
SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Narcotic effects) - Category 3	Calculation method
SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1	Calculation method
ASPIRATION HAZARD - Category 1	Calculation method

History

Date of printing : 9/9/2017

Date of issue/Date of revision : 9/9/2017

Date of previous issue : 4/18/2017

Version : 3

Key to abbreviations : ATE = Acute Toxicity Estimate
 BCF = Bioconcentration Factor
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC = Intermediate Bulk Container
 IMDG = International Maritime Dangerous Goods
 LogPow = logarithm of the octanol/water partition coefficient
 MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
 UN = United Nations

Notice to reader

Section 16. Other information

It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult resources, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. This information is provided in good faith and believed to be accurate as of the effective date herein. However, no warranty, express or implied, is given. The information presented here applies only to the product as shipped. The addition of any material can change the composition, hazards and risks of the product. Products shall not be repackaged, modified, or tinted except as specifically instructed by Sherwin-Williams, including but not limited to the incorporation of non Sherwin-Williams products or the use or addition of products in proportions not specified by Sherwin-Williams. Regulatory requirements are subject to change and may differ between various locations and jurisdictions. The customer/buyer/user is responsible to ensure that his activities comply with all country, federal, state, provincial or local laws. The conditions for use of the product are not under the control of the manufacturer; the customer/buyer/user is responsible to determine the conditions necessary for the safe use of this product. The customer/buyer/user should not use the product for any purpose other than the purpose shown in the applicable section of this SDS without first referring to the supplier and obtaining written handling instructions. Due to the proliferation of sources for information such as manufacturer-specific SDS, the manufacturer cannot be responsible for SDSs obtained from any other source.

SAFETY DATA SHEET

MSDS Number:	273, REV E PITNEY BOWES INC.	Effective Date: Revised Date:	February 17, 2006 June 18, 2010
Product Name:	E-Z Seal® Plus	Page:	1 of 5

SECTION 1 – IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name:	E-Z Seal® Plus Antimicrobial Moistening Fluid EPA Registration Number 82958-1		
Reorder Number:	EZ1-0, EZ1-2, EZ1-5, EZ1-7, EZ1-9, EZ3-1, EZ3-2, EZ4-0, EZ4-1, EZ4-2, EZ5-0, EZ6-0, EZ7-0, EZ8-0, EZ8-5		
Manufacturer:	Pitney Bowes Inc.		
Address and Phone:	1 Elmcroft Road Stamford, CT 06926-0700 United States 800-243-7824	Pitney Bowes Ltd The Pinnacles Harlow Essex, CM19 5BD +44(0) 8705 252 525	
Emergency/Chemtrec:	800-424-9300 <i>North America</i>	00-1-703-527-3887 <i>International (collect call)</i>	
For SDS Copies:	www.pb.com (go to search)		
For Additional Information:	Email: ehs@pb.com		
Product Use:	Sealing Solution for Mail Machines.		
MSDS Prepared By:	Chemical Review Board		
WHMIS Reviewed	June 18, 2010		

SECTION 2 – HAZARDS IDENTIFICATION

Emergency Overview:	Transparent blue liquid with a citrus odor. This product will not sustain combustion, however, high concentrations of vapors in a confined area may be flammable. Prolonged skin contact may cause mild irritation. Inhalation of high concentrations of vapors may cause respiratory irritation, headache and dizziness.
EU Preparation Classification (1999/45/EC):	Not Classified as Dangerous

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME	CAS NO./EINECS NO.	%	EC SUBSTANCE CLASSIFICATION (67/548/EEC)
Isopropanol (Isopropyl Alcohol)	67-63-0/200-661-7	4.945%	F, Xi, R11, R36, R67
Ammonium, alkyl(C12-C16)dimethylbenzyl-, chlorides	68424-85-1 / 270-325-2	0.023%	C, N, R21/22, R34 R50

See Section 16 for full text of EC Classification and R Phrases

SECTION 4 – FIRST AID MEASURES

Eyes:	Flush with plenty of running water, holding eye lids open to assure thorough rinsing. Get medical attention if irritation persists.
Skin:	Wash with soap and water.
Ingestion:	If swallowed, DO NOT induce vomiting. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Get medical attention.

SAFETY DATA SHEET

MSDS Number:	273, REV E PITNEY BOWES INC.	Effective Date:	February 17, 2006
Product Name:	E-Z Seal® Plus	Revised Date:	June 18, 2010
		Page:	2 of 5

SECTION 4 – FIRST AID MEASURES

Inhalation:	If symptoms occur, remove person to fresh air. If irritation or pulmonary symptoms develop, consult a physician.
--------------------	--

SECTION 5 – FIRE FIGHTING PROCEDURES

Extinguishing Media:	Use any media that is appropriate to the surrounding fire.
Fire Fighting Instructions:	Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for fires in areas where chemicals are used or stored. Cool fire exposed containers with water.
Unusual Fire and Explosion Hazards:	High concentrations of vapors in a confined area may present a fire and explosion hazard.
Known or Anticipated Hazardous Products of Combustion:	None known.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Accidental Release Measures:	Ventilate area. Remove all sources of ignition such as flames and heat sources if large amount is spilled. Collect with an inert absorbent and place in a container for proper disposal.
Personal Precautions:	Avoid contact with eyes.
Environmental Precautions:	No special precautions are needed.
Methods for Cleanup:	
Large Spill:	Evacuate spill area and keep unprotected personnel away. Remove all sources of ignition. Ventilate area. Wear appropriate protective clothing as described in Section 8. Contain and collect using inert absorbent materials and place in appropriate containers for proper disposal. Do not flush to sewer! Report releases as required by local, state and federal authorities.
Small Spill:	Collect with an inert absorbent and place in a container for disposal.

SECTION 7 – HANDLING AND STORAGE

Handling:	Avoid contact with eyes. Wash hands after use. Do not smoke when filling reservoir.
Storage:	Keep containers closed when not in use. Store in a well ventilated area. Do not store at a temperature that would freeze water. Keep out of a reach of children.
Other Precautions:	None required.

SECTION 8 - EXPOSURE CONTROLS & PERSONAL PROTECTION

Occupational Exposure Limits:	
Isopropyl Alcohol	200 ppm TWA ACGIH-TLV, 400 ppm STEL ACGIH-TLV 400 ppm ³ TWA OSHA-PEL 200 ppm TWA DFG-MAK 400 ppm TWA, 500 ppm STEL UK WEL
Engineering Controls:	None required.
Ventilation Requirements:	General office ventilation.

SAFETY DATA SHEET

MSDS Number:	273, REV E PITNEY BOWES INC.	Effective Date:	February 17, 2006
Product Name:	E-Z Seal® Plus	Revised Date:	June 18, 2010
		Page:	3 of 5

SECTION 8 - EXPOSURE CONTROLS & PERSONAL PROTECTION

Personal Protective Equipment:

Eye/Face Protection:	Avoid contact with eyes. Wear chemical goggles if splashing is possible
Skin Protection:	None normally required. For prolonged use, wear rubber gloves.
Respiratory Protection:	None required.
Other Protective Clothing or Equipment:	None required.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Transparent blue liquid with a citrus odor.
Boiling Point:	>200°F
Freezing Point:	Not applicable
Octanol/Water Partition Coefficient:	Not applicable
Odor:	Citrus odor
Percent Volatile:	>99%
pH Value:	Not applicable
Physical State:	Liquid
Solubility in Water:	Infinite
Specific Gravity or Density (Water=1):	0.989
Vapor Density:	1.0
Vapor Pressure:	33 mgHg
Volatile Organic Compounds:	49.6 g/liter
Flammable Limits in Air (% by Volume):	LEL: 2.0% UEL: 12.7%
Flash Point:	138°F (59°C) PMCC (ASTM D-93-85). This product does not sustain combustion when tested in accordance with ASTM-D-4206-89.
Autoignition Temperature:	Not applicable

SECTION 10 – STABILITY AND REACTIVITY

Stability:	Stable
Incompatibility With Other Materials:	Avoid excessive heat. Keep product away from open flames.
Hazardous Decomposition Products:	None.
Hazardous Polymerization:	Will not occur.

SECTION 11 – TOXICOLOGICAL INFORMATION

Relevant Routes of Exposure:	Skin contact, inhalation
<u>Potential Health Effects:</u>	
Eyes:	Not irritating to eyes based upon studies according to EPA OPPTS 870.2400 Eyes.
Skin:	Prolonged skin contact may cause mild irritation based with redness, dryness and itching of the skin.

SAFETY DATA SHEET

MSDS Number:	273, REV E PITNEY BOWES INC.	Effective Date:	February 17, 2006
Product Name:	E-Z Seal® Plus	Revised Date:	June 18, 2010
		Page:	4 of 5

SECTION 11 – TOXICOLOGICAL INFORMATION

Ingestion:	May cause gastrointestinal irritation with nausea and vomiting. Not expected to be acutely toxic. Swallowing large amounts may result in central nervous system effects with dizziness and drowsiness.		
Inhalation:	Breathing vapors may cause irritation of the mucous membranes, coughing and sneezing. High concentrations may cause headache, dizziness and drowsiness.		
Medical Conditions Generally Aggravated By Exposure:	Pre-existing skin disorders may be aggravated by prolonged exposure to this product.		
Carcinogenicity:	None of the component of this product are classified as carcinogens by IARC, OSHA, NTP, ACGIH, or the EU Directives.		
Acute Toxicity Data			
VALUE	ANIMAL	ROUTES	COMPONENTS
Not acutely toxic			

SECTION 12 - ECOLOGICAL INFORMATION

Ecological Information:	No data available
--------------------------------	-------------------

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal Considerations:	Dispose in accordance with local, state or provincial and federal or national regulations.
---------------------------------	--

SECTION 14 - TRANSPORT INFORMATION

Not regulated for transportation under IATA/ICAO, IMDG, US DOT, EU ADR, or Canadian TDG Regulations. (This product does not sustain combustion when tested in accordance with ASTM-D-4206-89)

SECTION 15 - REGULATORY INFORMATION

EU Regulations:	All of the components are listed on the EINECS inventory.
EU Labeling:	None Required. Not classified as a dangerous material.
German WGK:	Not determined
Canadian Regulations:	Canada: Not a controlled product.
Korea::	All of the components are listed on the Korean KECL.
Philippines::	All of the components are listed on the Philippine PICCS.
US Federal Regulations:	This product contains chemical or chemical compounds listed in the following SARA Title III categories: Extremely Hazardous Substances (302): None Toxic Chemical Release Reporting (313): None SARA 311/312 Hazards: Acute Health TSCA: All the components of this product are listed in the EPA TSCA Inventory.
US State Regulations:	This product does not contain any chemicals subject to California Proposition 65.

SAFETY DATA SHEET

MSDS Number:	273, REV E PITNEY BOWES INC.	Effective Date: Revised Date:	February 17, 2006 June 18, 2010
Product Name:	E-Z Seal® Plus	Page:	5 of 5

SECTION 16 - OTHER INFORMATION

NFPA Codes:	Health: 1 Fire: 0 Reactivity: 0
HMIS Codes:	Health: 1 Fire: 0 Reactivity: 0
EU Classes and Risk Phrases for Reference (See Sections 2 and 3):	F Highly Flammable C Corrosive N Dangerous for the Environment Xi Irritant R11 Highly Flammable R 21/22 Harmful in contact with the skin and if swallowed. R 34 Causes burns. R36 Irritating to eyes. R50 Toxic to aquatic organisms. R67 Vapors may cause drowsiness and dizziness.
Other Information:	Keep out of reach of children.

1892

PAGE 1

SECTION 1

PRODUCT IDENTIFIER 1892 INTERIOR LATEX FLAT PAINT - SWISS COFFEE
DATE OF PREPARATION SEPTEMBER 30, 2009
PRODUCT USE PROTECTIVE COATING

MANUFACTURED BY: AKZO NOBEL PAINTS LLC, 15885 WEST SPRAGUE ROAD,
STRONGSVILLE, OHIO 44136, U.S.A
ICI PAINTS (CANADA), 8200 KEELE STREET,
CONCORD, ONTARIO L4K 2A5, CANADA.

EMERGENCY AND MSDS TELEPHONE NUMBER:
1-800-545-2643

MSDS PREPARED BY: PRODUCT SAFETY AND COMPLIANCE DEPARTMENT
AKZO NOBEL PAINTS LLC

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT

WT. %:

CHEMICAL NAME TITANIUM OXIDE
COMMON NAME : TITANIUM DIOXIDE
CAS NUMBER: 13463-67-7

1-5

CHEMICAL NAME 2-PROPENOIC ACID, BUTYL ESTER, POLYMER WITH
ETHENYL ACETATE
COMMON NAME : VINYL ACRYLIC LATEX
CAS NUMBER: 25067-01-0

1-5

CHEMICAL NAME CERAMIC MATERIALS AND WARES, CHEMICALS
COMMON NAME : CALCINED KAOLIN CLAY
CAS NUMBER: 66402-68-4

10-20

CHEMICAL NAME WATER
COMMON NAME : WATER
CAS NUMBER: 7732-18-5

70-80

1892

PAGE 2

SECTION 3: HAZARDS IDENTIFICATION

PRIMARY ROUTE(S) OF EXPOSURE

INHALATION, SKIN CONTACT, EYE CONTACT, INGESTION.

EFFECTS OF OVEREXPOSURE

INHALATION IRRITATION OF RESPIRATORY TRACT. PROLONGED INHALATION MAY LEAD TO CHEST PAIN, COUGHING, DIFFICULTY OF BREATHING, PNEUMOCONIOSIS.

SKIN CONTACT IRRITATION OF SKIN.

EYE CONTACT IRRITATION OF EYES.

INGESTION INGESTION MAY CAUSE MOUTH AND THROAT IRRITATION, GASTRO-INTESTINAL DISTURBANCES.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE

EYE, SKIN, RESPIRATORY DISORDERS.

SECTION 4: FIRST-AID MEASURES

INHALATION REMOVE TO FRESH AIR. RESTORE AND SUPPORT CONTINUED BREATHING.
GET EMERGENCY MEDICAL ATTENTION.
HAVE TRAINED PERSON GIVE OXYGEN IF NECESSARY. GET MEDICAL HELP FOR ANY BREATHING DIFFICULTY.
REMOVE TO FRESH AIR IF INHALATION CAUSES EYE WATERING, HEADACHES, DIZZINESS, OR OTHER DISCOMFORT.

SKIN CONTACT WASH THOROUGHLY WITH SOAP AND WATER. IF ANY PRODUCT REMAINS, GENTLY RUB PETROLEUM JELLY, VEGETABLE OR MINERAL/BABY OIL ONTO SKIN. REPEATED APPLICATIONS MAY BE NEEDED. REMOVE CONTAMINATED CLOTHING.

EYE CONTACT FLUSH IMMEDIATELY WITH LARGE AMOUNTS OF WATER, ESPECIALLY UNDER LIDS FOR AT LEAST 15 MINUTES. IF IRRITATION OR OTHER EFFECTS PERSIST, OBTAIN MEDICAL TREATMENT.

1892

PAGE 3

SECTION 4: FIRST-AID MEASURES

INGESTION IF SWALLOWED, OBTAIN MEDICAL TREATMENT IMMEDIATELY.

SECTION 5: FIRE-FIGHTING MEASURES

FLASH POINT (SETA) NONE LOWER EXPLOSIVE LIMIT NOT AVAILABLE
UPPER EXPLOSIVE LIMIT NOT AVAILABLE

FIRE EXTINGUISHING MEDIA
DRY CHEMICAL OR FOAM

UNUSUAL FIRE AND EXPLOSION HAZARDS
CLOSED CONTAINERS MAY BURST IF EXPOSED TO EXTREME HEAT OR
FIRE.

FIRE FIGHTING PROCEDURES
WATER MAY BE USED TO COOL AND PROTECT EXPOSED CONTAINERS.
FIREFIGHTERS SHOULD USE FULL PROTECTIVE CLOTHING, EYE
PROTECTION, AND SELF-CONTAINED BREATHING APPARATUS.

HAZARDOUS DECOMPOSITION OR COMBUSTION PRODUCTS
CARBON MONOXIDE, CARBON DIOXIDE.

SECTION 6 ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED
COMPLY WITH ALL APPLICABLE HEALTH AND ENVIRONMENTAL
REGULATIONS.
VENTILATE AREA. PLACE COLLECTED MATERIAL IN PROPER
CONTAINER.

1892

PAGE 4

SECTION 7 HANDLING AND STORAGE

HANDLING AND STORAGE:

STORE BELOW 100F (38C). KEEP FROM FREEZING.

OTHER PRECAUTIONS USE ONLY WITH ADEQUATE VENTILATION. DO NOT TAKE INTERNALLY. KEEP OUT OF REACH OF CHILDREN. AVOID CONTACT WITH SKIN AND EYES, AND BREATHING OF VAPORS. WASH HANDS THOROUGHLY AFTER HANDLING, ESPECIALLY BEFORE EATING OR SMOKING. KEEP CONTAINERS TIGHTLY CLOSED AND UPRIGHT WHEN NOT IN USE.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

COMMON NAME : TITANIUM DIOXIDE

CAS NUMBER: 13463-67-7

ACGIH(TWA): 10 MG/M3

OSHA(TWA):

10 MG/M3

RESPIRATORY PROTECTION

CONTROL ENVIRONMENTAL CONCENTRATIONS BELOW APPLICABLE EXPOSURE STANDARDS WHEN USING THIS MATERIAL. WHEN RESPIRATORY PROTECTION IS DETERMINED TO BE NECESSARY, USE A NIOSH/MSHA (CANADIAN Z94.4) APPROVED ELASTOMERIC SEALING-SURFACE FACEPIECE RESPIRATOR OUTFITTED WITH ORGANIC VAPOR CARTRIDGES AND PAINT SPRAY (DUST/MIST) PREFILTERS. DETERMINE THE PROPER LEVEL OF PROTECTION BY CONDUCTING APPROPRIATE AIR MONITORING. CONSULT 29CFR1910.134 FOR SELECTION OF RESPIRATORS (CANADIAN Z94.4).

VENTILATION PROVIDE DILUTION VENTILATION OR LOCAL EXHAUST TO PREVENT BUILD-UP OF VAPORS.

PERSONAL PROTECTIVE EQUIPMENT

EYE WASH, SAFETY SHOWER, SAFETY GLASSES OR GOGGLES. IMPERVIOUS GLOVES.

1892

PAGE 5

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

VAPOR PRESSURE:	NOT AVAILABLE	SPECIFIC GRAVITY:	1.186
BOILING RANGE (F/C):	212-212/100-100	WEIGHT PER GALLON:	9.87/ 11.85IMP
%VOLATILE BY VOLUME:	85.22		
PHYSICAL STATE:	LIQUID	APPEARANCE	WHITE
SOLUBILITY IN WATER:	NOT AVAILABLE	PH:	NOT AVAILABLE

-----SECTION 10: STABILITY AND REACTIVITY

UNDER NORMAL CONDITIONS

STABLE

SEE SECTION 5 FIRE FIGHTING MEASURES

MATERIALS TO AVOID

OXIDIZERS.

CONDITIONS TO AVOID

FREEZING.

HAZARDOUS POLYMERIZATION

WILL NOT OCCUR

SECTION 11: TOXICOLOGICAL INFORMATION

COMMON NAME : TITANIUM DIOXIDE

CAS NUMBER: 13463-67-7

CARCINOGENICITY LISTED BY: NTP YES 2B IARC YES 2B OSHA NO ACGIH NO

LD50: 24.00 GM/KG ORL RAT

LC50: 6820.00 MG/M3/4HR IHL RAT

COMMON NAME : VINYL ACRYLIC LATEX

CAS NUMBER: 25067-01-0

CARCINOGENICITY LISTED BY: NTP NO IARC NO OSHA NO ACGIH NO

COMMON NAME : CALCINED KAOLIN CLAY

CAS NUMBER: 66402-68-4

CARCINOGENICITY LISTED BY: NTP NO IARC NO OSHA NO ACGIH NO

1892

PAGE 6

SECTION 11: TOXICOLOGICAL INFORMATION

SUPPLEMENTAL HEALTH INFORMATION**NO ADDITIONAL EFFECTS ARE ANTICIPATED**

CARCINOGENICITY IN A LIFETIME INHALATION STUDY, EXPOSURE TO 250 MG/M3 TITANIUM DIOXIDE RESULTED IN THE DEVELOPMENT OF LUNG TUMORS IN RATS. THESE TUMORS OCCURRED ONLY AT DUST LEVELS THAT OVERWHELMED THE ANIMALS' LUNG CLEARANCE MECHANISMS AND WERE DIFFERENT FROM COMMON HUMAN LUNG TUMORS IN BOTH TYPE AND LOCATION. THE RELEVANCE OF THESE FINDINGS TO HUMANS IS UNKNOWN BUT QUESTIONABLE.

THE INTERNATIONAL AGENCY FOR RESEARCH ON CANCER (IARC) HAS CLASSIFIED TITANIUM DIOXIDE AS POSSIBLY CARCINOGENIC TO HUMANS (GROUP 2B) BASED ON INADEQUATE EVIDENCE OF CARCINOGENICITY IN HUMANS AND SUFFICIENT EVIDENCE OF CARCINOGENICITY IN EXPERIMENTAL ANIMALS.

REPRODUCTIVE EFFECTS:**NO REPRODUCTIVE EFFECTS ARE ANTICIPATED****MUTAGENICITY****NO MUTAGENIC EFFECTS ARE ANTICIPATED****TERATOGENICITY****NO TERATOGENIC EFFECTS ARE ANTICIPATED**

SECTION 12: ECOLOGICAL INFORMATION

NO ECOLOGICAL TESTING HAS BEEN DONE BY AKZO NOBEL PAINTS LLC ON THIS PRODUCT AS A WHOLE.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL**DISPOSE IN ACCORDANCE WITH ALL APPLICABLE REGULATIONS.**

1892

PAGE 7

SECTION 14: TRANSPORT INFORMATION

DOT PAINT ** PROTECT FROM FREEZING **

IMDG NOT AVAILABLE

IATA NOT AVAILABLE

TDG NOT AVAILABLE

SECTION 15: REGULATORY INFORMATION

SARA SARA CERCLA HAZ AIR MARINE
302 313 302.4 POLLUTANT POLTNT

THIS PRODUCT CONTAINS NO SARA 302, CERCLA 302.4 OR
HAZARDOUS AIR POLLUTANT CHEMICALS. IT ALSO CONTAINS
NO CHEMICALS WHICH ARE SUBJECT TO THE REPORTING
REQUIREMENTS UNDER SARA 313.

AS OF THE DATE OF THIS MSDS, ALL OF THE COMPONENTS IN THIS
PRODUCT ARE LISTED (OR ARE OTHERWISE EXEMPT FROM LISTING)
ON THE TSCA INVENTORY.

THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE
HAZARD CRITERIA OF THE CPR (CONTROLLED PRODUCTS REGULATIONS)
AND THE MSDS CONTAINS ALL THE INFORMATION REQUIRED BY THE
CPR.

SECTION 16: OTHER INFORMATION

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA AVAILABLE
AT THE TIME OF PREPARATION OF THIS DATA SHEET AND WHICH AKZO
NOBEL PAINTS LLC BELIEVES TO BE RELIABLE. HOWEVER, NO
WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF
THIS DATA. AKZO NOBEL PAINTS LLC SHALL NOT BE RESPONSIBLE
FOR THE USE OF THIS INFORMATION, OR OF ANY PRODUCT, METHOD
OR APPARATUS MENTIONED AND YOU MUST MAKE YOUR OWN
DETERMINATION OF ITS SUITABILITY AND COMPLETENESS FOR YOUR
OWN USE, FOR THE PROTECTION OF THE ENVIRONMENT, AND THE
HEALTH AND SAFETY OF YOUR EMPLOYEES AND USERS OF THIS
MATERIAL.

1892

PAGE 8

SECTION 16: OTHER INFORMATION

COMPLIES WITH OSHA HAZARD COMMUNICATION STANDARD
29CFR1910.1200.

..
5.2
..
..

=====

MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to
comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.

=====

PRODUCT NUMBER: 713
IDENTITY: PRO-KOTE

Revision Date: 02/23/2010

Section I

Manufacturer's Name:	QUEST CHEMICAL CORPORATION	Telephone Numbers:
Address:	12255 FM 529	Emergency:
	NORTHWOODS INDUSTRIAL PARK	800/255-3924
	HOUSTON	Information:
State:	TX Zip Code:77041	713/8968188

HMIS CODES: REACTIVITY: 1 FLAMMABILITY: 0 HEALTH: 0 PERSONAL PROTECT: A

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the
ingredients contained in this product are listed on the TSCA inventory.)

=====

Name	Cas No.	OSHA PEL	ACGIH TLV	OTHER LIM	%
GLYCOL ETHER DE	111-90-0	NE	NE		
TRIBUTOXYETHYL PHOSPHATE	78-51-3	N/A	0.2mg/m3	N/A	
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS

=====

Boiling Point:	212	Specific Gravity (water=1)	1.03
Vapor Pressure(mm Hg)	18	Melting Point:	N/A
Vapor Density(AIR=1)	N/A	Evaporation Rate:	<1
Solubility in Water:	100%	(Butyl Acetate=1)	

Appearance and Odor: WHITE LIQUID WITH A POLYMER EMULSION ODOR.

Section IV: FIRE AND EXPLOSION HAZARD DATA

=====

Flash Point (Method Used):	NONE	Flammable Limits:	LEL:N/A	UEL: N/A
Extinguishing Media:	NONE			
Special Fire Fighting Procedures:	NONE			

Unusual Fire and Explosion Hazards: NONE

Section V: REACTIVITY DATA

PRODUCT NUMBER: 713

Stability: Unstable: Conditions to avoid:
Stable: X NONE KNOWN
Incompatability (Materials to Avoid): NONE KNOWN

Hazardous Decomposition or Byproducts: NONE KNOWN

Hazardous Polymerization: May Occur: Will Not Occur: X
Conditions to Avoid: NONE KNOWN

Section VI: HEALTH HAZARD DATA

Routes of Entry: Inhalation: NO Skin: YES Ingestion: YES
Health Hazards (Acute and Chronic):
INGESTION: NAUSEA. EYES: MILD IRRITANT. SKIN: MAY CAUSE MILD IRRITATION.

Carcinogenicity: NTP: NO IARC Monographs: NO OSHA Reg: NO
Signs and Symptoms of Exposure: SEE HEALTH HAZARDS

Medical Conditions Generally Aggravated by Exposure: NONE KNOWN

Emergency and First Aid Procedures: INGESTION: GIVE WATER AND CONTACT
PHYSICIAN. EYES: FLUSH WITH WATER AND CONTACT PHYSICIAN. SKIN: WASH
THOROUGHLY WITH SOAP AND WATER AND CONTACT PHYSICIAN.

Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Taken in Case Material is Released or Spilled: TRANSFER PRODUCT
TO SOUND CONTAINER. RINSE SPILLED LATEX WITH EXCESS WATER. AVOID LETTING
PRODUCT DRY AS IT MAY BE DIFFICULT TO REMOVE. IF PRODUCT DRIES, SWEEP OR
SCRAPE RESIDUE OFF FLOOR.
Waste Disposal Method: DISPOSE OF RESIDUE IN ACCORDANCE WITH FEDERAL, STATE
AND LOCAL GUIDELINES. SMALL AMOUNTS OF WASTE MAY BE DISPOSED OF BY DILUTING
WITH LARGE QUANTITIES OF WATER.

Precautions to be Taken in Handling and Storing: STORE IN A COOL, DRY AREA.
KEEP CONTAINER TIGHTLY SEALED. KEEP OUT OF REACH OF CHILDREN. AVOID OVER-
HEATING OF DRUMS OR STORAGE TANKS. AVOID FREEZING.
Other Precautions: N/A

Section VIII: CONTROL MEASURES

Respiratory Protection: N/A
Ventilation: Local Exhaust: ADEQUATE
Mechanical: N/A Special: N/A
Other: N/A
Protective Gloves: N/A
Eye Protection: SAFETY GOGGLES ARE RECOMMENDED WHENVER CHEMICALS ARE USED.
Other Protective Clothing or Equipment:
N/A
Work/Hygienic Practices:
WASH HANDS AFTER USE

□

MSDS

ITEM NUMBER: YA006

VERSION 2 EFFECTIVE DATE: 04/12/01 SUPERCEDES: 04/22/98 PREPARED BY: Ron Cepa

Section(s) Revised: HMIS, II, IV, VI, VIII

IDENTITY (As Used On Label and List): FURNITURE POLISH

EMERGENCY MEDICAL Telephone# 1-800-228-5635 (24 Hrs)

Outside of the U.S.A. Call 651-632-9275

PRODUCT HAZARD RATINGS (HMIS): - Health = 1, Fire = 2, Reactivity = 0, Protective Equipment = A

(Rating Legend: 4 = Extreme, 3 = Serious, 2 = Moderate, 1 = Slight, 0 = Minimal)

SECTION I

PRO-LINK

TELEPHONE NUMBER FOR INFORMATION: 1-800-74LINKS

DATE PRINTED: 3/1/05

Canton, MA 02021

NAME OF PREPARER: Regulatory Compliance

SECTION II - HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

Chemical Names	CAS#	SARA Title III SEC 313	ACGIH TLV-TWA/STEL	OSHA PEL-TWA/STEL	% By Wt.
Liquefied petroleum gas mixture	See below	No	--	--	1-5
Propane	74-98-6	No	1000ppm	NE	--
n-Butane	106-97-8	No	600ppm	NE	--

Balance of ingredients are non-hazardous or below reportable levels.

SECTION III - PHYSICAL CHARACTERISTICS

Boiling Point: NA

Vapor Pressure (psig): 117@130F

Specific Gravity (H2O=1): <1

Solubility/Water: 10%

Vapor Density (AIR=1): >1

Evaporation Rate (Ether=1): <1

Appearance and Odor: Lemon odor, cone spray

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Aerosol Flammability: Product is not required to be labeled as flammable as described in 16 CFR 1500.3 and 1500.45.

Flashpoint: <0F (Propellant); None even until boiling (Concentrate)

Flammable Limits - % Volume In Air (Propellant): LEL: 1.9 UEL: 9.5

Extinguishing Media: Carbon dioxide, foam and/or dry chemical may be used.

Special Fire Fighting Procedures: Containers should be cooled with water to prevent vapor pressure build up.

Use equipment or shielding, as required, to protect personnel from bursting, rupturing or venting containers.

Unusual Fire and Explosion Hazards: At elevated temperatures (over 54C-130F) containers exposed to direct flame or heat contact should be cooled with water to prevent weakening of container structure.

SECTION V - REACTIVITY DATA

Stability: Stable

Hazardous Polymerization: NA

Incompatibility (Materials to Avoid): Heat, open flame and oxidizing agents

Hazardous Decomposition Products: Carbon monoxide in small amounts and additional toxic chemicals may be formed in small amounts.

Conditions to Avoid: Do not store above 54C-130F. Keep away from heat, direct sunlight, open flames or sparks. Dropping of containers may cause bursting.

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry - Inhalation: X Eyes: X Skin: X Ingestion:

Signs and Symptoms of Exposure: Inhalation may cause dizziness, drowsiness and throat irritation. Eye contact may be irritating. Skin contact may cause slight redness. Ingestion of aerosols is not a likely route however, product is of low toxicity.

Emergency and First Aid Procedures: Eye Contact: Flush eyes with plenty of water for 15 minutes while holding eyelids open. Get medical attention if irritation persists. Skin Contact: Remove contaminated clothing. Flush skin with water; follow by washing with soap and water. If irritation occurs, get medical attention. Do not reuse clothing until cleaned. Inhalation: Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not breathing. Get medical attention. Ingestion: Get medical attention.

CARCINOGENICITY:

No regulated ingredients.

TOXICITY INFORMATION:

No data available.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Releases or Spilled: Remove all sources of ignition and ventilate area. Soak up spill with an inert absorbent and place into a designated disposal container. Consult local regulatory agency for proper disposition of material.

Waste Disposal Method: Do not puncture or incinerate containers. When contents are depleted continue to depress button until all gas is expelled. Dispose of container in accordance with local, state, and federal regulations.

Handling And Storing: Avoid breathing vapor. Keep away from heat and flame. Use with adequate ventilation. Do not puncture or incinerate containers. Do not expose to direct sunlight or store at temperatures above 130F (54C). Store as Level 1 Aerosol (NFPA 30B).

Other Precautions: Please read and follow the directions on the product label; they are your best guide to using this product in the most effective way, and give the necessary safety precautions to protect your health.

SECTION VIII - EMPLOYEE PROTECTION

Respiratory Protection (Type): None required if good ventilation is maintained. If exposure exceeds occupational exposure limits (Sec. II), use a NIOSH approved respirator to prevent overexposure.

Ventilation: General ventilation is adequate under normal conditions, mechanical ventilation is optional.

Protective Gloves: Chemical resistant gloves are recommended - consult glove manufacturer to determine the proper type for a specific operation.

Eye Protection: Chemical safety glasses are recommended.

Other Protective Clothing or Equipment: Wear impervious clothing to prevent skin contact.

Work/Hygienic Practices: Ensure strict sanitary conditions are conformed to when working around chemicals.

Protective clothing and equipment should be in accordance with 29 CFR 1910.132 and CFR 1910.133.

SECTION IX - OTHER REGULATORY CONTROLS

Governmental Listings: Ingredients of this product are listed on the EPA/TSCA Inventory of Chemical Substances.

SECTION X - TRANSPORTATION REQUIREMENTS (D.O.T. CLASSIFICATION)

Shipping Name: Consumer Commodity Hazard Class: ORM-D

NG-- Negligible NA-- Not Applicable NE-- Not Established UN-- Unavailable ND-- Not Determined

While the information set forth herein is believed to be accurate as of the date hereof, the Company makes no warranty or guarantee, express or implied, and disclaims all liability arising out of the use of this information.

EFFECTIVE DATE: 04/12/01 SUPERCEDES: 04/22/98 PREPARED BY: Ron Cepa



MATERIAL SAFETY DATA SHEET

Revision date: 18-Jul-2006

Version: 1.1

Page 1 of 8

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Pfizer Consumer Healthcare
Pfizer Inc
201 Tabor Road
Morris Plains, NJ 07950

Pfizer Ltd
Walton Oaks
Dorking Road
Tadworth
Surrey KT20 7NS, UK
+00 44 (0)1304 616161

Emergency telephone number:
1-973-385-2000
Hours of Operation - 24 Hours:
CHEMTREC (24 hours): 1-800-262-8200

Emergency telephone number:
ChemSafe (24 hours): +44 (0)208 762 8322

Material Name: PURELL Instant Hand Sanitizer

Trade Name: PURELL
Chemical Family: Mixture
Intended Use: disinfectant

2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS List	%
Ethyl alcohol (ethanol)	64-17-5	200-578-6	62
Isopropyl alcohol	67-63-0	200-661-7	*
Glycerin, USP	56-81-5	200-289-5	*
2-AMINO-2-METHYLPROPANOL	124-68-5	204-709-8	*

Ingredient	CAS Number	EU EINECS List	%
Propylene glycol	57-55-6	200-338-0	*
Water	7732-18-5	231-791-2	*
Carbomer	9007-16-3	Not listed	*
Fragrance	NOT ASSIGNED	Not listed	*
Isopropyl myristate	110-27-0	203-751-4	*
Tocopheryl acetate	7695-91-2	231-710-0	*

Additional Information: * Proprietary
Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.

3. HAZARDS IDENTIFICATION

Appearance: Clear liquid
Signal Word: DANGER

Statement of Hazard: Flammable liquid; May cause eye and respiratory tract irritation; This product contains ethanol which can cause liver changes, central nervous system effects, and birth defects in the developing fetus.
Eye Contact: May cause irritation based on components.
Skin Contact: Not expected to cause skin irritation

MATERIAL SAFETY DATA SHEET

Material Name: PURELL Instant Hand Sanitizer
Revision date: 18-Jul-2006

Page 2 of 8
Version: 1.1

Inhalation: Exposure to high concentrations may cause irritation, headache, drowsiness, and symptoms of alcohol intoxication. An Occupational Exposure Limit has been established for one or more of the ingredients (see Section 8).

Ingestion: Ingestion of large quantities may cause gastrointestinal tract irritation, headache, dizziness, nausea, vomiting, diarrhea, dehydration, and symptoms of alcohol intoxication.

Potential Health Effects: Chronic ingestion of ethanol has been associated with an increased incidence of cancer, liver cirrhosis, and, if ingested during pregnancy, congenital malformations.

EU Indication of danger: Flammable
Irritant

EU Hazard Symbols:

Xi



EU Risk Phrases:

R10 - Flammable.
R36 - Irritating to eyes.

Note: This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the active substance or its intermediates regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

4. FIRST AID MEASURES

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention immediately.

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek medical attention.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

5. FIRE FIGHTING MEASURES

Extinguishing Media: Use carbon dioxide, dry chemical, or water spray.

Hazardous Combustion Products: Formation of toxic gases is possible during heating or fire.

Fire Fighting Procedures: During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

Fire / Explosion Hazards: Flammable liquid.

6. ACCIDENTAL RELEASE MEASURES

Health and Safety Precautions: Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

MATERIAL SAFETY DATA SHEET

Material Name: PURELL Instant Hand Sanitizer
Revision date: 18-Jul-2006

Page 3 of 8
Version: 1.1

Measures for Cleaning / Collecting:	Contain the source of spill if it is safe to do so. Collect spilled material by a method that controls dust generation. A damp cloth or a filtered vacuum should be used to clean spills of dry solids. Clean spill area thoroughly.
Measures for Environmental Protections:	Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.
Additional Consideration for Large Spills:	Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.
Additional Information:	This material becomes extremely slippery when wet.

7. HANDLING AND STORAGE

General Handling:	Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding and bonding procedures. Avoid contact with eyes, skin and clothing.
Storage Conditions:	Store at room temperature in properly labeled containers. Keep away from heat, sparks and flames.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Ethyl alcohol (ethanol)	
OSHA - Final PELs - TWAs:	= 1000 ppm TWA = 1900 mg/m ³ TWA
ACGIH Threshold Limit Value (TWA)	= 1000 ppm TWA
Australia TWA	= 1000 ppm TWA = 1880 mg/m ³ TWA
Propylene glycol	
Australia TWA	= 10 mg/m ³ TWA = 150 ppm TWA = 474 mg/m ³ TWA
Isopropyl alcohol	
OSHA - Final PELs - TWAs:	= 400 ppm TWA = 980 mg/m ³ TWA
ACGIH Threshold Limit Value (TWA)	= 200 ppm TWA
ACGIH Threshold Limit Value (STEL)	= 400 ppm STEL
Australia STEL	= 1230 mg/m ³ STEL
Australia TWA	= 500 ppm STEL = 400 ppm TWA = 983 mg/m ³ TWA
Glycerin, USP	
OSHA - Final PELs - TWAs:	= 15 mg/m ³ TWA total = 5 mg/m ³ TWA
ACGIH Threshold Limit Value (TWA)	= 10 mg/m ³ TWA
Australia TWA	= 10 mg/m ³ TWA

Engineering Controls: Engineering controls should be used as the primary means to control exposures.

Personal Protective Equipment:

Hands: Wear impervious gloves if skin contact is possible.
Eyes: Safety glasses or goggles

MATERIAL SAFETY DATA SHEET

Material Name: PURELL Instant Hand Sanitizer
Revision date: 18-Jul-2006

Page 4 of 8
Version: 1.1

Skin: Use protective clothing (uniforms, lab coats, disposable coveralls, etc.) in both production and laboratory areas.

Respiratory protection: If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Physical State:	Liquid	Color:	Clear
Odor:	Citrus	Molecular Formula:	Mixture
Molecular Weight:	Mixture		
pH:	4.5 - 9.5		
Flash Point (Liquid) (°C):	30.2		

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions of use.

Conditions to Avoid: Keep away from heat, spark, flames and all other sources of ignition.

Incompatible Materials: As a precautionary measure, keep away from strong oxidizers.

11. TOXICOLOGICAL INFORMATION

General Information: The information included in this section describes the potential hazards of the individual ingredients.

Acute Toxicity: (Species, Route, End Point, Dose)

Isopropyl myristate

Mouse	Oral	LD50	49,700 mg/kg
Rabbit	Dermal	LD50	5000 mg/kg

Ethyl alcohol (ethanol)

Mouse	Oral	LD50	3450 mg/kg
Rat	Oral	LD50	7060 mg/kg
Rat	Inhalation	LC50 10h	20,000 ppm

Isopropyl alcohol

Rat	Oral	LD50	> 2000 mg/kg
Mouse	Oral	LD50	3600 mg/kg
Rat	Inhalation	LC50-8h	16,000 ppm
Rabbit	Dermal	LD50	12800 mg/kg
Rat	Inhalation	LC50	30 mg/L

Glycerin, USP

Mouse	Oral	LD50	4090 mg/kg
Rat	Oral	LD50	12.6 g/kg
Rabbit	Dermal	LD50	> 10 g/kg
Rat	Inhalation	LC50 1hr	> 570 mg/m ³
Rat	Dermal	LD 50	>21.9 g/kg

Propylene glycol

Mouse	Oral	LD50	22,000 mg/kg
-------	------	------	--------------

MATERIAL SAFETY DATA SHEET

Material Name: PURELL Instant Hand Sanitizer
Revision date: 18-Jul-2006

Page 5 of 8
Version: 1.1

Rat Oral LD50 20,000 mg/kg
Rabbit Dermal LD50 20,800 mg/kg

Acute Toxicity Comments: A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable at the highest dose used in the test.

Irritation / Sensitization: (Study Type, Species, Severity)

Ethyl alcohol (ethanol)

Eye Irritation Rabbit Severe

Isopropyl alcohol

Eye Irritation Rabbit Severe

Skin Irritation Rabbit Mild

Glycerin, USP

Eye Irritation Rabbit Mild

Propylene glycol

Skin Irritation Rabbit Mild

Eye Irritation Rabbit Mild

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Isopropyl alcohol

20 Week(s) Rat Inhalation 4000 ppm NOAEL Liver, Central nervous system

104 Week(s) Rat Inhalation 5000 ppm Kidney

Reproduction & Development Toxicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Isopropyl alcohol

Prenatal & Postnatal Development Rat Inhalation 7,000 ppm LOAEL Maternal toxicity, Fetotoxicity, Embryotoxicity

2 Generation Reproductive Toxicity Rat Oral 1000 mg/kg/day LOAEL Maternal Toxicity, Fetal mortality

Prenatal & Postnatal Development Rat Oral 1200 mg/kg/day NOAEL No effects at maximum dose

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Isopropyl alcohol

Bacterial Mutagenicity (Ames) *Salmonella* Negative

Mammalian Cell Mutagenicity HGPRT Chinese Hamster Ovary (CHO) cells Negative

In Vitro Sister Chromatid Exchange Negative

Carcinogen Status: None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

Isopropyl alcohol

IARC: Group 3

OSHA: Present

12. ECOLOGICAL INFORMATION

Environmental Overview: The environmental characteristics of this mixture have not been fully evaluated. Releases to the environment should be avoided.

Aquatic Toxicity: (Species, Method, End Point, Duration, Result)

MATERIAL SAFETY DATA SHEET

Material Name: PURELL Instant Hand Sanitizer
Revision date: 18-Jul-2006

Page 6 of 8
Version: 1.1

Ethyl alcohol (ethanol)

Rainbow Trout LC50/96h 12,900-15,300 mg/L

Glycerin, USP

Oncorhynchus mykiss (Rainbow Trout) LC-50 96 Hours 50 mg/L

Daphnia Magna (Water Flea) EC-50 24 Hours >500 mg/L

13. DISPOSAL CONSIDERATIONS

Disposal Procedures: Dispose of waste in accordance with all applicable laws and regulations.

14. TRANSPORT INFORMATION

This material is regulated for transport under DOT, ADR, IMDG, and IATA regulations.

Proper shipping name: Alcohols, n.o.s.
UN / ID No: UN 1987
Hazard class: 3
Packing group: III

If your commodity meets the definition of a limited quantity and is packaged for retail sale, it may be considered a consumer commodity and excepted from additional requirements as applicable. For small quantities, limited to inner packaging less than or equal to 5.0L (1.3 gal) and outer packaging less than or equal to 30 kg (66 lb.) gross weight, the following may be used:

IATA / ICAO

IATA Proper shipping name: Consumer Commodity
IATA UN / ID No: ID 8000
IATA Hazard Class: 9
IATA Packing Group: Not applicable

IMDG

IMDG Proper shipping name: Alcohols, n.o.s., Limited Quantity
IMDG UN / ID No: UN 1987
IMDG Hazard Class: 3
IMDG Packing Group: III
IMDG additional info: F.P. 30.2°C (86.36°F)

DOT

DOT Proper shipping name: Consumer Commodity
DOT Hazard Class: ORM-D
DOT Packing Group: Not applicable

15. REGULATORY INFORMATION

EU Symbol: Xi
EU Indication of danger: Flammable
Irritant

EU Risk Phrases:
R10 - Flammable.
R36 - Irritating to eyes.

EU Safety Phrases:

MATERIAL SAFETY DATA SHEET

Material Name: PURELL Instant Hand Sanitizer
Revision date: 18-Jul-2006

Page 7 of 8
Version: 1.1

S 2 - Keep out of the reach of children.
S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S36 - Wear suitable protective clothing.

OSHA Label:

DANGER

Flammable liquid; May cause eye and respiratory tract irritation; This product contains ethanol which can cause liver changes, central nervous system effects, and birth defects in the developing fetus.

Canada - WHMIS: Classifications

WHMIS hazard class:

Class B, Division 2

Class D, Division 2, Subdivision A

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.



Ethyl alcohol (ethanol)

California Proposition 65

developmental toxicity, initial date 10/1/87 (when in alcoholic beverages)

Inventory - United States TSCA - Sect. 8(b)

Present

Australia (AICS):

Present

EU EINECS List

200-578-6

Propylene glycol

Inventory - United States TSCA - Sect. 8(b)

Present

Australia (AICS):

Present

EU EINECS List

200-338-0

Water

Inventory - United States TSCA - Sect. 8(b)

Present

Australia (AICS):

Present

EU EINECS List

231-791-2

Isopropyl alcohol

CERCLA/SARA 313 Emission reporting

= 1.0 % de minimis concentration only if manufactured by the strong acid process, no supplier notification

Inventory - United States TSCA - Sect. 8(b)

Present

Australia (AICS):

Present

EU EINECS List

200-661-7

Glycerin, USP

Inventory - United States TSCA - Sect. 8(b)

Present

Australia (AICS):

Present

EU EINECS List

200-289-5

2-AMINO-2-METHYLPROPANOL

Inventory - United States TSCA - Sect. 8(b)

Present

Australia (AICS):

Present

MATERIAL SAFETY DATA SHEET

Material Name: PURELL Instant Hand Sanitizer
Revision date: 18-Jul-2006

Page 8 of 8
Version: 1.1

EU EINECS List	204-709-8
----------------	-----------

Isopropyl myristate

Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS List	203-751-4

Tocopheryl acetate

Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS List	231-710-0

16. OTHER INFORMATION

Prepared by: Toxicology and Hazard Communication
Pfizer Global Environment, Health, and Safety

Pfizer Inc believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied.

End of Safety Data Sheet



MATERIAL SAFETY DATA SHEET

FREQUENCY 256 Neutral
Disinfectant Cleaner
Ready to Use

MSDS No: 6087RTU
Date Prepared: 12/17/2001
Date Revised: 10/10/2003

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name/Use: FREQUENCY 256 Neutral Disinfectant Cleaner Ready to Use
A 1:256 dilution of FREQUENCY 256 Neutral Disinfectant Cleaner

Product Synonyms:

Practical Solutions FREQUENCY 256 Neutral Disinfectant Cleaner Ready-to-Use
A 1:256 dilution of Practical Solutions FREQUENCY 256 Neutral Disinfectant Cleaner
Single Solution FREQUENCY 256 Neutral Disinfectant Cleaner Ready-to-Use
A 1:256 dilution of Single Solution FREQUENCY 256 Neutral Disinfectant Cleaner Concentrate

MANUFACTURER

The Ramsey Company
8310 16th St.
Sturtevant, WI 53177-0902

Ramsey Telephone Number: 800-421-2768
Emergency Telephone (24 hours): 800-228-5635
CHEMTREC (U.S./Can.): 800-424-9300
CHEMTREC (Int'l): +1 703-527-3887

2. COMPOSITION / INFORMATION ON INGREDIENTS

<u>INGREDIENT(S)</u>	<u>CAS#</u>	<u>% BY WEIGHT</u>	<u>OSHA PEL/STEL</u>	<u>ACGIH TLV/STEL</u>
Didecyl dimethyl ammonium chloride	7173-51-5	< 0.1	NA	NA
n-Alkyl dimethylbenzyl ammonium chloride	8001-54-5	< 0.1	NA	NA

NA - Not Available

OSHA REGULATORY STATUS: This product is classified as not hazardous under OSHA regulations.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Clear, Colorless Liquid . Slight Quat Odor. May Cause Eye Irritation.

POTENTIAL HEALTH EFFECTS (See Section 11 for Toxicological Information)

PRIMARY ROUTE(S) OF EXPOSURE: ☒ Eye ☒ Skin Contact ☐ Skin Absorption
☐ Inhalation ☐ Ingestion

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: May cause eye irritation. Symptoms may include redness and pain.

SKIN: Non-irritating to the skin.

INGESTION: May cause temporary mouth, throat and stomach discomfort. Symptoms may include nausea.

INHALATION: Not expected to be irritating or harmful if inhaled.

EFFECTS OF CHRONIC EXPOSURE: None known.

MEDICAL CONDITIONS AGGRAVATED: None known.

4. FIRST AID MEASURES

EYES: Flush eyes with plenty of water while holding eyelids apart. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Do not put any medication in the victim's eyes unless instructed by a physician. Get medical attention if irritation develops.

SKIN: Flush with water, then wash with soap and water. Remove saturated clothing. Get medical attention if irritation develops.

INGESTION: Do not induce vomiting. Drink large quantities of water. Get medical attention.

INHALATION: Remove to fresh air. Get medical attention if symptoms persist.

5. FIRE FIGHTING MEASURES

FLASH POINT AND METHOD: > 93°C (200°F)TCC

FLAMMABLE LIMITS: Not applicable.

AUTOIGNITION TEMPERATURE: Not applicable.

EXTINGUISHING MEDIA: Use extinguishing media appropriate for surrounding fire.

HAZARDOUS COMBUSTION PRODUCTS: Normal products of combustion (carbon monoxide and carbon dioxide).

FIRE AND EXPLOSION HAZARDS: None known.

FIRE FIGHTING INSTRUCTIONS: This product is not flammable. As in any fire, MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear should be worn.

6. ACCIDENTAL RELEASE MEASURES

Contain spill. Use mop, absorbent, or wet vacuum to collect material for proper disposal. Rinse area with water.

7. HANDLING AND STORAGE

HANDLING: Use good personal hygiene practices. No special precautions are required for anticipated conditions of use. Remove saturated clothing.

STORAGE: No special storage practices are required. Keep container closed when not in use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: No special controls are required.

PERSONAL PROTECTION

EYE: Not required under normal conditions of use.

SKIN: Not required under normal conditions of use.

RESPIRATORY: Not required under normal conditions of use.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Slight Quat

APPEARANCE: Clear, Colorless

pH: 7.06

PERCENT VOLATILE BY WEIGHT: 99.9

VAPOR PRESSURE: Not Available

VAPOR DENSITY: Not Available

BOILING POINT: Not Available

FREEZING/MELTING POINT: Not Available

SOLUBILITY IN WATER: Complete
EVAPORATION RATE: Not Available
SPECIFIC GRAVITY: .999
VISCOSITY: Water Thin
OCTANOL/WATER PARTITION COEFFICIENT: Not Available
ODOR THRESHOLD: Not Available

10. STABILITY AND REACTIVITY

STABILITY (CONDITIONS TO AVOID): Stable.

POLYMERIZATION: Will not occur.

HAZARDOUS DECOMPOSITION: None known.

INCOMPATIBLE MATERIALS: None known.

11. TOXICOLOGICAL INFORMATION

ACUTE DATA: This product causes mild eye irritation at strongest recommended dilution.

<u>PRODUCT/INGREDIENT</u>	<u>ORAL LD₅₀ (rat)</u>	<u>DERMAL LD₅₀ (rabbit)</u>	<u>INHALATION LC₅₀ (rat)</u>
Didecyl dimethyl ammonium chloride	450 mg/kg	3342 mg/kg	Not Available
n-Alkyl dimethylbenzyl ammonium chloride	590 mg/kg	2000 mg/kg	Not Available

SENSITIZATION DATA: No data available.

CHRONIC DATA:

No data available.

REPRODUCTIVE/TERATOGENIC DATA: No data available.

CARCINOGENIC/MUTAGENIC DATA: Not listed as carcinogenic by NTP, IARC, or ACGIH or regulated as a carcinogen by OSHA.

SYNERGISTIC MATERIALS: No data available.

12. ECOLOGICAL INFORMATION

No data available.

13. DISPOSAL CONSIDERATIONS

Disposal of this material should be in accordance with local, state or provincial and federal regulations. The unused product, at its recommended use dilution, is a RCRA non-hazardous waste in accordance with 40 CFR 261. The product has not been evaluated by the Toxicity Characteristic Leachate Procedure (TCLP). According to RCRA, it is the responsibility of the waste generator to ensure proper disposal.

14. TRANSPORT INFORMATION

DOT/TDG HAZARDOUS MATERIAL DESCRIPTION: Not regulated

15. REGULATORY INFORMATION

Not meant to be all-inclusive---selected regulations represented.

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: Under 40 CFR 370.2, this product meets the following hazard categories: None.

313 REPORTABLE INGREDIENTS: Ingredients in this product are not currently subject to notification.

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: None of the ingredients in this product are reportable under CERCLA.

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA STATUS: This product complies with all TSCA inventory requirements.

REGULATIONS


STATE REGULATIONS: Product contains a mixture of surfactant and quaternary ammonium compounds below State reporting requirements.

16. OTHER INFORMATION

HMIS RATING

HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	-

NFPA CODES:



APPROVED BY: Product Safety & Regulatory

MSDS STATUS New MSDS

The information on this data sheet represents our current data and best opinion as to the proper use in handling of the product under normal foreseeable conditions. Any use of this product which is not in conformance with this data sheet or product label, or which involves using the product in combination with any other product or any other process is the responsibility of the user.

1. Identification

Product identifier	RE-JUV-NAL
Other means of identification	
SDS number	543N-29A
Product code	HIL00705
Product registration number	1839-169-1658
Recommended use	Disinfectant/Cleaner
Recommended restrictions	For Labeled Use Only
Manufacturer/Importer/Supplier/Distributor information	
Manufacturer	
Company name	HILLYARD INDUSTRIES
Address	302 North Fourth St. St. Joseph, MO 64501
Contact person	Regulatory Affairs
Telephone number	(816) 233-1321 (Ext. 8285)
Fax	(816) 383-8485
E-mail	regulatoryaffairs@hillyard.com
Emergency telephone #	(800) 424-9300 (Only in the event of chemical emergency involving a spill, leak, fire, exposure or accident involving chemicals)

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 1
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 2
	Hazardous to the aquatic environment, long-term hazard	Category 2
OSHA defined hazards	Not classified.	

Label elements



Signal word	Danger
Hazard statement	Causes skin irritation. Causes serious eye damage. Toxic to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Wash thoroughly after handling. Avoid release to the environment. Wear eye protection/face protection. Wear protective gloves.
Response	If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Collect spillage.
Storage	Store away from incompatible materials.

Disposal	Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law in compliance with applicable federal, state and local requirements. CONTAINER DISPOSAL: Triple rinse (or equivalent), then offer clean, dry container for recycling or reconditioning.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None known.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Alkyl dimethyl benzyl ammonium chloride (C12-16)		68424-85-1	2.170%
Octyl decyl dimethyl ammonium chloride		32426-11-2	1.627%
Didecyl dimethyl ammonium chloride		7173-51-5	0.814%
Diocetyl dimethyl ammonium chloride		5538-94-3	0.814%
Other components below reportable levels			94.59111008

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Rinse mouth thoroughly. Drink water as a precaution. Never give anything by mouth to a victim who is unconscious or is having convulsions. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
--	--

Methods and materials for containment and cleaning up	<p>This product is miscible in water. Prevent product from entering drains.</p> <p>Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.</p> <p>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</p> <p>Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.</p>
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Do not get this material in contact with eyes. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL. PESTICIDE STORAGE – Store in original container in a cool (temperature no lower than 50oF or higher than 120°F), dry and locked storage area inaccessible to children.

8. Exposure controls/personal protection

Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Chemical safety goggles when working with concentrate.
Skin protection	
Hand protection	Use protective gloves when dealing with the concentrate.
Other	Impervious boots and aprons where splashing of concentrate is a problem; otherwise, use uniforms or coveralls.
Respiratory protection	Not normally required with adequate ventilation.
Thermal hazards	None known.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	Clear, red liquid
Physical state	Liquid.
Form	Liquid.
Color	Red
Odor	Floral fragrance
Odor threshold	Not available
pH	6 - 7 Concentrate
Melting point/freezing point	Not applicable / Not available
Initial boiling point and boiling range	> 201 °F (> 93.89 °C)
Flash point	> 201.0 °F (> 93.9 °C) Tag Closed Cup
Evaporation rate	< 1 Ethyl ether = 1
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.

Vapor pressure	17.67 mm Hg
Vapor density	0.6319 Air =1
Relative density	1.009 at 77°F
Solubility(ies)	
Solubility (water)	100 % Complete
Partition coefficient (n-octanol/water)	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	Not available
Other information	
Density	8.34 lb/gal
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Percent volatile	91.5 - 92.5 %
VOC	0.68 %

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye damage.
Ingestion	Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.
--	---

Information on toxicological effects

Acute toxicity	Not known.
----------------	------------

Product	Species	Test Results
RE-JUV-NAL		
<u>Acute</u>		
Inhalation		
LC50	Mouse	16000 mg/l, 2 Hours estimated
		4269 mg/l, 4 Hours estimated
	Rat	32800 mg/l, 0.5 Hours estimated
		19200 mg/l, 4 Hours estimated
Oral		
LD50	Guinea pig	826 g/kg estimated
	Mouse	29318 mg/kg estimated
	Rat	9741 mg/kg estimated

Components	Species	Test Results
Didecyl dimethyl ammonium chloride (CAS 7173-51-5)		
Acute		
Dermal		
LD50	Rabbit	2730 mg/kg
Oral		
LD50	Mouse	268 mg/kg
	Rat	84 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Causes serious eye damage.
Respiratory or skin sensitization	
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
IARC Monographs. Overall Evaluation of Carcinogenicity	
Not listed.	
US. National Toxicology Program (NTP) Report on Carcinogens	
Not listed.	
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	
Not regulated.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

Product	Species		Test Results
RE-JUV-NAL			
Aquatic			
Crustacea	EC50	Daphnia	126.6858 mg/l, 48 hours estimated
Fish	LC50	Fish	58.9702 mg/l, 96 hours estimated
Components	Species		Test Results
Alkyl dimethyl benzyl ammonium chloride (C12-16) (CAS 68424-85-1)			
Aquatic			
Fish	LC50	Striped bass (Morone saxatilis)	10.4 - 19.1 mg/l, 96 hours
Didecyl dimethyl ammonium chloride (CAS 7173-51-5)			
Aquatic			
Fish	LC50	White sturgeon (Acipenser transmontanus)	0.001 - 0.01 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	
Mobility in soil	No data available.

Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.
13. Disposal considerations	
Disposal instructions	PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	CONTAINER DISPOSAL – Non-refillable container. Do not reuse or refill this container. Clean container promptly after emptying. After rinsing container, offer empty metal drums or plastic containers for recycling if available or puncture and dispose of in a sanitary landfill or by incineration. RINSING INSTRUCTIONS - Triple rinse container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
All components are on the U.S. EPA TSCA Inventory List or Exempt.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)
Not regulated.

Other federal regulations**Safe Drinking Water Act (SDWA)**

Not regulated.

FIFRA Information

FIFRA: This product is a U.S. EPA Registered pesticide, EPA Reg. No. 1839-169-1658, and is subject to certain labeling requirements under Federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide products. The hazard information required on the pesticide label is reproduced here.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS.**DANGER**

KEEP OUT OF REACH OF CHILDREN. CORROSIVE. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. May be fatal if absorbed through the skin. Harmful if swallowed. Wear goggles or face shield, rubber gloves, and protective clothing. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

FIRST AID Have the product container or label with you when calling a poison control center or doctor, or going for treatment. If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

US state regulations**US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories**Country(s) or region****Inventory name****On inventory (yes/no)***

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision**Issue date**

03-11-2015

Revision date

09-02-2016

Version #

02

HMIS® ratings

Health: 3

Flammability: 0

Physical hazard: 0

Disclaimer

No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or disposal of these products. HILLYARD cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.

Safety Data Sheet

1 – PRODUCT IDENTIFICATION

PRODUCT NAME: Carpet Shampoo
PRODUCT TYPE: Neutral Liquid Cleaning Compound
PRODUCT NUMBER: C0520XXX (Last 3 characters vary with the packaging)
CONTROL NUMBER: C0520XXX

COMPANY: **Simoniz USA, Inc.**
201 Boston Turnpike
Bolton, CT 06043
1-800-227-5536
www.simoniz.com
EMERGENCY PHONE:..... (800) 255-3924 (CHEM-TEL)

2 – HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE: Eye Irritation (2B)

SYMBOLS:.....

SIGNAL WORD:..... WARNING!

HAZARD STATEMENT:..... Causes eye irritation.

PRECAUTIONARY STATEMENTS:

PREVENTION: Wash hands thoroughly after handling.

RESPONSE:..... IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.

STORAGE: N/A

DISPOSAL: N/A

3 – COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT	C.A.S. NUMBER
Water	7732-18-5
Sodium Fatty Alcohol Sulfate	151-21-3

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals

4 – FIRST-AID MEASURES

BREATHING (INHALATION): ... If victim shows signs of discomfort or irritation, remove to fresh air. If symptoms persist, get immediate medical attention.

Safety Data Sheet

SWALLOWING (INGESTION): . DO NOT INDUCE VOMITING! Drink a large quantity of water or milk. Do not attempt to give liquids to an unconscious person.
Get immediate medical attention!

EYES: Ingestion. Not likely to be inhaled in dangerous amounts.

SKIN (DERMAL): Flush from skin and clothing with large amounts of fresh water. If irritation persists, consult physician. Wash contaminated clothing before wearing.

5 – FIRE-FIGHTING MEASURES

FLASHPOINT:..... This product is non-flammable.

EXTINGUISHING MEDIA:..... This product is non-flammable. Use extinguishing media suitable for materials already burning.

SPECIAL FIRE FIGHTING PROCEDURES:Firefighters working in areas where this product is present should be equipped with an approved, fully enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS:.....None known.

6 – ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: Dike to prevent spillage into streams or sewer systems. Consult local, state and federal authorities.

WASTE DISPOSAL: As recommended by local, state and federal authorities.

7 – HANDLING and STORAGE

STORAGE: Store in a cool, well ventilated area. Avoid overheating or freezing.

HANDLING: Under normal use according to label instructions, special protection should not be necessary. Wear eye protection if product is likely to splash.Do not place this product in an unmarked container! Keep away from children! Spilled material is slippery.

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION:Not usually needed. Vapors not normally harmful.

PROTECTIVE CLOTHING:..... Nitrile or PVC gloves, and chemical splash goggles.

ADDITIONAL MEASURES: Under normal use according to label instructions, special protection should not be necessary. Wear eye protection if product is likely to splash.Do not place this product in an unmarked container! Keep away from children! Spilled material is slippery.

Safety Data Sheet

INGREDIENT	C.A.S. NUMBER	PEL
Water	7732-18-5	No limits established
Sodium Fatty Alcohol Sulfate	151-21-3	No limit established

9 – PHYSICAL / CHEMICAL PROPERTIES

APPEARANCE & ODOR: Green transparent liquid, lemon scented.
ODOR THRESHOLD: N/A
pH: 5.0-6.0
MELTING POINT: 210 degrees F.
FREEZING POINT: N/A
BOILING POINT: 210 degrees F.
BOILING POINT RANGE: N/A
FLASHPOINT: This product is non-flammable.
EVAPORATION RATE: N/A
FLAMMABILITY (solid/gas): N/A
EXPLOSION LIMITS: N/A
VAPOR PRESSURE: N/A
VAPOR DENSITY (AIR=1): Greater than 1.
SPECIFIC GRAVITY: 1.01
SOLUBILITY IN WATER: Completely soluble.
PARTITION COEFFICIENT: N/A
AUTO-IGNITION TEMPERATURE: N/A
DECOMPOSITION TEMPERATURE: N/A
VISCOSITY: Slight body

10 – STABILITY and REACTIVITY

STABILITY: Stable under normal conditions.
HAZARDOUS DECOMP.: This product not known to polymerize.
INCOMPATIBILITY: Do not mix with other chemicals.

11 – TOXICOLOGICAL INFORMATION

ROUTE(S) OF ENTRY: Ingestion. Not likely to be inhaled in dangerous amounts.
LISTED CARCINOGEN: None over 0.1%.
MEDICAL CONDITION AGGRAVATED: May aggravate pre-existing dermatitis.
INHALATION: Not likely to be inhaled in hazardous amounts. Maintain adequate ventilation in the work area.
INGESTION: This material can cause irritation to the stomach and esophagus if ingested.
EYES: May cause eye irritation.
SKIN (DERMAL): This product may cause irritation or redness of the skin.
ACUTE TOXICITY* (ORAL): >2000 mg/kg
ACUTE TOXICITY* (DERMAL): >2000 mg/kg

Safety Data Sheet

ACUTE TOXICITY* (INHALATION):.....>20,000 ppm V (Gas), >20 mg/l (Vapor), >5 mg/l (Dust)

*Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

12 – ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

13 –DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: As recommended by local, state and federal authorities.

14 – TRANSPORTATION INFORMATION

PROPER SHIPPING NAME:..... Not D.O.T. regulated.

HAZARD CLASS:.....

UN/NA NUMBER:

PACKAGING GROUP :.....

15 - REGULATIONS

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

16 – OTHER INFORMATION

NFPA HEALTH: 1

NFPA FLAMMABILITY: 0

NFPA REACTIVITY:..... 0

NFPA OTHER: None

ADDITIONAL:..... The information contained in this SDS is based on the data available to us from sources we believe to be reliable. No warranty or guaranty expressed or implied is made regarding the accuracy of this data or the results obtained from the reliance on this data. The manufacturer assumes no responsibility for injury from the use of this product. Be safe- read this product safety information and pass it on to all persons who may be exposed to this product. Federal law requires it. This product and/or all of its components are either included on or exempt from the TSCA Inventory of Chemical Substances.

REVISION DATE:..... 5/28/2015

Safety Data Sheet

1 – PRODUCT IDENTIFICATION

PRODUCT NAME: Maintain
PRODUCT TYPE: Liquid Acrylic Floor Finish
PRODUCT NUMBER: CS0725XXX (Last 3 characters vary with the packaging)
CONTROL NUMBER: CS0725XXX

COMPANY: **Simoniz USA, Inc.**
201 Boston Turnpike
Bolton, CT 06043
1-800-227-5536
www.simoniz.com
EMERGENCY PHONE: (800) 255-3924 (CHEM-TEL)

2 – HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE: Skin Irritation (2) Eye Irritation (2B) Skin Sensitizer (1B)

SYMBOLS:



SIGNAL WORD: WARNING!
HAZARD STATEMENT: Causes skin irritation. Causes eye irritation. May cause an allergic skin reaction.

PRECAUTIONARY STATEMENTS:

PREVENTION: Wash hands thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapours/spray. Contaminated work clothing should not be allowed out of the workplace.

RESPONSE: IF ON SKIN: Wash with plenty of water and soap. Specific treatment (see First AID Section on this label). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If skin irritation or a rash occurs: Get medical advice/attention.

STORAGE: Store in a dry place. Store in a closed container

DISPOSAL: Dispose of container and contents in accordance with local regulations.

Safety Data Sheet

3 – COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT	C.A.S. NUMBER
Water	7732-18-5
Acrylic Polymer	23035-88-5
Zinc Compounds	38714-47-5

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals

4 – FIRST-AID MEASURES

BREATHING (INHALATION): ... If victim shows signs of discomfort or irritation, remove to fresh air. If symptoms persist, get immediate medical attention.

SWALLOWING (INGESTION): . DO NOT INDUCE VOMITING! Drink a large quantity of water or milk. Do not attempt to give liquids to an unconscious person. Get immediate medical attention!

EYES: Ingestion. Not likely to be inhaled in dangerous amounts.

SKIN (DERMAL): Flush from skin and clothing with large amounts of fresh water. If irritation persists, consult physician. Wash contaminated clothing before wearing.

5 – FIRE-FIGHTING MEASURES

FLASHPOINT:..... This product is non-flammable.

EXTINGUISHING MEDIA:..... This product is non-flammable. Use extinguishing media suitable for materials already burning.

SPECIAL FIRE FIGHTING PROCEDURES: Firefighters working in areas where this product is present should be equipped with an approved, fully enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS:..... None known.

6 – ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: Dike to prevent spillage into streams or sewer systems. Consult local, state and federal authorities.

WASTE DISPOSAL: As recommended by local, state and federal authorities.

7 – HANDLING and STORAGE

STORAGE: Store in a cool, well ventilated area. Avoid overheating or freezing.

HANDLING: Do not place this product in an unmarked container. Avoid eye contact. Spilled material is slippery.

Safety Data Sheet

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION: Not usually needed. Vapors not normally harmful.

PROTECTIVE CLOTHING: Special protection not usually needed. Wear eye protection if product is likely to splash.

ADDITIONAL MEASURES: Do not place this product in an unmarked container. Avoid eye contact. Spilled material is slippery.

INGREDIENT	C.A.S. NUMBER	PEL
Water	7732-18-5	No limits established
Acrylic Polymer	23035-88-5	No limits established
Zinc Compounds	38714-47-5	5 mg/m3 TWA

9 – PHYSICAL / CHEMICAL PROPERTIES

APPEARANCE & ODOR: Hazy white liquid, slight solvent odor.

ODOR THRESHOLD: N/A

pH: 8.0-9.0

MELTING POINT: 210 degrees F.

FREEZING POINT: N/A

BOILING POINT: 210 degrees F.

BOILING POINT RANGE: N/A

FLASHPOINT: This product is non-flammable.

EVAPORATION RATE: N/A

FLAMMABILITY (solid/gas): N/A

EXPLOSION LIMITS: N/A

VAPOR PRESSURE: N/A

VAPOR DENSITY (AIR=1): Greater than 1.

SPECIFIC GRAVITY: 1.02

SOLUBILITY IN WATER: Completely soluble.

PARTITION COEFFICIENT: N/A

AUTO-IGNITION TEMPERATURE: N/A

DECOMPOSITION TEMPERATURE: N/A

VISCOSITY: Water thin

10 – STABILITY and REACTIVITY

STABILITY: Stable under normal conditions.

HAZARDOUS DECOMP.: This product not known to polymerize.

INCOMPATIBILITY: Do not mix with other chemicals.

11 – TOXICOLOGICAL INFORMATION

ROUTE(S) OF ENTRY: Ingestion. Not likely to be inhaled in dangerous amounts.

LISTED CARCINOGEN: None over 0.1%.

Safety Data Sheet

MEDICAL CONDITION AGGRAVATED:.....May aggravate pre-existing dermatitis.
INHALATION:..... Not likely to be inhaled in hazardous amounts. Maintain adequate ventilation in the work area.
INGESTION:..... This material can cause irritation to the stomach and esophagus if ingested.
EYES: May cause eye irritation.
SKIN (DERMAL): Not likely to irritate. Prolonged exposure to undiluted product may cause irritation.
ACUTE TOXICITY* (ORAL):..... >5000 mg/kg
ACUTE TOXICITY* (DERMAL):..... >5000 mg/kg
ACUTE TOXICITY* (INHALATION):..... >20,000 ppm V (Gas), >20 mg/l (Vapor), >5 mg/l (Dust)

*Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

12 – ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

13 –DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: As recommended by local, state and federal authorities.

14 – TRANSPORTATION INFORMATION

PROPER SHIPPING NAME:..... Not D.O.T. regulated.
HAZARD CLASS:.....
UN/NA NUMBER:
PACKAGING GROUP :.....

15 - REGULATIONS

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

16 – OTHER INFORMATION

NFPA HEALTH: 1
NFPA FLAMMABILITY:..... 0
NFPA REACTIVITY:..... 0
NFPA OTHER: None

Safety Data Sheet

ADDITIONAL:..... The information contained in this SDS is based on the data available to us from sources we believe to be reliable. No warranty or guaranty expressed or implied is made regarding the accuracy of this data or the results obtained from the reliance on this data. The manufacturer assumes no responsibility for injury from the use of this product. Be safe- read this product safety information and pass it on to all persons who may be exposed to this product. Federal law requires it. This product and/or all of its components are either included on or exempt from the TSCA Inventory of Chemical Substances.

REVISION DATE:..... 04/14/15

Section 1: IDENTIFICATION**Product Name:** Simple Green® Industrial Cleaner & Degreaser**Additional Names:****Manufacturer's Part Number:** **Please refer to Section 16***Recommended Use:** Cleaner & Degreaser for water tolerant surfaces.**Restrictions on Use:** Do not use on non-rinsable surfaces.**Company:** Sunshine Makers, Inc.
15922 Pacific Coast Highway
Huntington Beach, CA 92649 USA**Telephone:** 800-228-0709 • 562-795-6000 *Mon – Fri, 8am – 5pm PST***Fax:** 562-592-3830**Email:** info@simplegreen.com**Emergency Phone:** Chem-Tel 24-Hour Emergency Service: 800-255-3924**Section 2: HAZARDS IDENTIFICATION****This product is not classified as hazardous under 2012 OSHA Hazard Communication Standards (29 CFR 1910.1200).**OSHA HCS 2012Label Elements**Signal Word:** None**Hazard Symbol(s)/Pictogram(s):** None required**Hazard Statements:** None**Precautionary Statements:** None**Hazards Not Otherwise Classified (HNOC):** None**Other Information:** None Known**Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**

<u>Ingredient</u>	<u>CAS Number</u>	<u>Percent Range</u>
Water	7732-18-5	> 84.998%*
Ethoxylated Alcohol	68439-46-3	< 5%*
Sodium Citrate	68-04-2	< 5%*
Tetrasodium <i>N,N</i> -bis(carboxymethyl)-L-glutamate	51981-21-6	< 1%*
Sodium Carbonate	497-19-8	< 1%*
Citric Acid	77-92-9	< 1%*
Isothiazolinone mixture	55965-84-9	0.002%
Fragrance	Proprietary Mixture	< 1%*
Colorant	Proprietary Mixture	< 1%*

specific percentages of composition are being withheld as a trade secret*Section 4: FIRST-AID MEASURES****Inhalation:** Not expected to cause respiratory irritation. If adverse effect occurs, move to fresh air.**Skin Contact:** Not expected to cause skin irritation. If adverse effect occurs, rinse skin with water.**Eye Contact:** Not expected to cause eye irritation. If adverse effect occurs, flush eyes with water.**Ingestion:** May cause upset stomach. Drink plenty of water to dilute. See section 11.**Most Important Symptoms/Effects, Acute and Delayed:** None known.**Indication of Immediate Medical Attention and Special Treatment Needed, if necessary:** Treat symptomatically

Section 5: FIRE-FIGHTING MEASURES

Suitable & Unsuitable Extinguishing Media: Use Dry chemical, CO₂, water spray or “alcohol” foam. Avoid high volume jet water.
Specific Hazards Arising from Chemical: In event of fire, fire created carbon oxides may be formed.
Special Protective Actions for Fire-Fighters: Wear positive pressure self-contained breathing apparatus; Wear full protective clothing.

This product is non-flammable. See Section 9 for Physical Properties.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: *For non-emergency and emergency personnel:* See section 8 – personal protection. Avoid eye contact. Safety goggles suggested.

Environmental Precautions: Do not allow into open waterways and ground water systems.

Methods and Materials for Containment and Clean Up: Dike or soak up with inert absorbent material. See section 13 for disposal considerations.

Section 7: HANDLING AND STORAGE

Precautions for Safe Handling: Ensure adequate ventilation. Keep out of reach of children. Keep away from heat, sparks, open flame and direct sunlight. Do not pierce any part of the container. Do not mix or contaminate with any other chemical. Do not eat, drink or smoke while using this product.

Conditions for Safe Storage including Incompatibilities: Keep container tightly closed. Keep in cool dry area. Avoid prolonged exposure to sunlight. Do not store at temperatures above 109°F (42.7°C). If separation occurs, mix the product for reconstitution.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limit Values: No components listed with TWA or STEL values under OSHA or ACGIH.

Appropriate Engineering Controls: Showers, eyewash stations, ventilation systems

Individual Protection Measures / Personal Protective Equipment (PPE)

Eye Contact: Use protective glasses or safety goggles if splashing or spray-back is likely.
Respiratory: Use in well ventilated areas or local exhaust ventilations when cleaning small spaces.
Skin Contact: Use protective gloves (any material) when used for prolonged periods or dermally sensitive.
General Hygiene Considerations: Wash thoroughly after handling and before eating or drinking.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Green Liquid	Partition Coefficient: n-octanol/water:	Not determined
Odor:	Added sassafras odor	Autoignition Temperature:	Non-flammable
Odor Threshold:	Not determined	Decomposition Temperature:	109°F
pH ASTM D-1293:	8.5 – 9.5	Viscosity:	Like water
Freezing Point ASTM D-1177:	0-3.33°C (32-38°F)	Specific Gravity ASTM D-891:	1.01 – 1.03
Boiling Point & Range ASTM D-1120:	101°C (213.8°F)	VOCs:	<i>**Water & fragrance exemption in calculation</i>
Flash Point ASTM D-93:	> 212°F	SCAQMD 304-91 / EPA 24:	0 g/L 0 lb/gal 0%
Evaporation Rate ASTM D-1901:	½ Butyl Acetate @ 25°C	CARB Method 310**:	2.5 g/L 0.021 lb/gal 0.25%
Flammability (solid, gas):	Not applicable	SCAQMD Method 313:	Not tested
Upper/Lower Flammability or Explosive Limits:	Not applicable	VOC Composite Partial Pressure:	Not determined
Vapor Pressure ASTM D-323:	0.60 PSI @77°F, 2.05 PSI @100°F	Relative Density ASTM D-4017:	8.34 – 8.42 lb/gal
Vapor Density:	Not determined	Solubility:	100% in water

Section 10: STABILITY AND REACTIVITY

Reactivity:	Non-reactive.
Chemical Stability:	Stable under normal conditions 70°F (21°C) and 14.7 psig (760 mmHg).
Possibility of Hazardous Reactions:	None known.
Conditions to Avoid:	Excessive heat or cold.
Incompatible Materials:	Do not mix with oxidizers, acids, bathroom cleaners, or disinfecting agents.
Hazardous Decomposition Products:	Normal products of combustion - CO, CO ₂ .

Section 11: TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:	Inhalation -	Overexposure may cause headache.
	Skin Contact -	Not expected to cause irritation, repeated contact may cause dry skin.
	Eye Contact -	Not expected to cause irritation.
	Ingestion -	May cause upset stomach.

Symptoms related to the physical, chemical and toxicological characteristics: no symptoms expected under typical use conditions.

Delayed and immediate effects and or chronic effects from short term exposure: no symptoms expected under typical use conditions.

Delayed and immediate effects and or chronic effects from long term exposure: headache, dry skin, or skin irritation may occur.

Interactive effects: Not known.

Numerical Measures of Toxicity

Acute Toxicity:	Oral LD ₅₀ (rat)	> 5 g/kg body weight
	Dermal LD ₅₀ (rabbit)	> 5 g/kg body weight

Calculated via OSHA HCS 2012 / Globally Harmonized System of Classification and Labelling of Chemicals

Skin Corrosion/Irritation:	Non-irritant per Dermal Irritation® assay modeling. No animal testing performed.
Eye Damage/Irritation:	Minimal irritant per Ocular Irritation® assay modeling. No animal testing performed.
Germ Cell Mutagenicity:	Mixture does not classify under this category.
Carcinogenicity:	No ingredients trigger or classify under this category under NTP, IARC or OSHA.
Reproductive Toxicity:	Mixture does not classify under this category.
STOT-Single Exposure:	Mixture does not classify under this category.
STOT-Repeated Exposure:	Mixture does not classify under this category.
Aspiration Hazard:	Mixture does not classify under this category.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity:	Volume of ingredients used does not trigger toxicity classifications under the Globally Harmonized System of Classification and Labelling of Chemicals.
Aquatic:	Aquatic Toxicity - Low, based on OECD 201, 202, 203 + Microtox: EC ₅₀ & IC ₅₀ ≥100 mg/L. Volume of ingredients used does not trigger toxicity classifications under the Globally Harmonized System of Classification and Labelling of Chemicals.
Terrestrial:	Not tested on finished formulation.
Persistence and Degradability:	Readily Biodegradable per OCED 301D, Closed Bottle Test
Bioaccumulative Potential:	No data available.
Mobility in Soil:	No data available.
Other Adverse Effects:	No data available.

Section 13: DISPOSAL CONSIDERATIONS

Unused or Used Liquid: May be considered hazardous in your area depending on usage and tonnage of disposal – check with local, regional, and or national regulations for appropriate methods of disposal.

Empty Containers: May be offered for recycling.

Never dispose of used degreasing rinsates into lakes, streams, and open bodies of water or storm drains.

Section 14: TRANSPORT INFORMATION

U.N. Number: Not applicable **U.N. Proper Shipping Name:** Cleaning Compound, Liquid NOI

Transport Hazard Class(es): Not applicable

Packing Group: Not applicable

Environmental Hazards: Marine Pollutant - NO

Transport in Bulk (according to Annex II of MARPOL 73/78 and IBC Code): Unknown.

Special precautions which user needs to be aware of/comply with, in connection with transport or conveyance either within or outside their premises: None known.

U.S. (DOT) / Canadian TDG: Not Regulated for shipping. **ICAO/ IATA:** Not classified as Hazardous

IMO / IDMG: Not classified as Hazardous **ADR/RID:** Not classified as Hazardous

Section 15: REGULATORY INFORMATION

All components are listed on: TSCA and DSL Inventory.

SARA Title III: Sections 311/312 Hazard Categories – Not applicable.
 Sections 313 Superfunds Amendments and Reauthorizations Act of 1986 – Not applicable.
 Sections 302 – Not applicable.

Clean Air Act (CAA): Not applicable

Clean Water Act (CWA): Not applicable

State Right To Know Lists: No ingredients listed

California Proposition 65: No ingredients listed

Texas ESL:

Ethoxylated Alcohol	68439-46-3	60 µg/m ³ long term	600 µg/m ³ short term
Sodium Citrate	68-04-2	5 µg/m ³ long term	50 µg/m ³ short term
Sodium Carbonate	497-19-8	5 µg/m ³ long term	50 µg/m ³ short term
Citric Acid	77-92-9	10 µg/m ³ long term	100 µg/m ³ short term

Section 16: OTHER INFORMATION

<u>Size</u>	<u>UPC</u>	<u>Size</u>	<u>UPC</u>
22 oz. Trigger	043318130229	2.5 Gallon	043318000041
24 oz. Trigger	043318000034	5 Gallon	043318000010
32 oz.	043318130328	55 Gallon	043318000027
1 Gallon	043318000003	15 Gallon	043318000225
1 Gallon w/ Dilution Bottle	043318001253	260 Gallon	043318130663
1 Gallon w/ Dilution Bottle	043318480416	275 Gallon	043318000102
1 Gallon w/ Dilution Bottle	043318000003		

USA items listed only. Not all items listed. USA items may not be valid for international sale.


NFPA:

Health – None

Flammability – Non-flammable

Stability – Stable

Special - None

**Acronyms**

NTP	National Toxicology Program	IARC	International Agency for Research on Cancer
OSHA	Occupational Safety and Health Administration	CPSC	Consumer Product Safety Commission
TSCA	Toxic Substances Control Act	DSL	Domestic Substances List

Prepared / Revised By: Sunshine Makers, Inc., Regulatory Department.

This SDS has been revised in the following sections: Exact Isothiazolinone amount disclosed

DISCLAIMER: The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Safety Data Sheet

Spartan Chemical Company, Inc.

Revision Date: 29-Apr-2019

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: TERRA GLAZE
Product Number: 5810
Recommended Use: Floor Finish
Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.
1110 Spartan Drive
Maumee, Ohio 43537 USA
800-537-8990 (Business hours)
www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171
Transportation/Spill/Leak: CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Not Classified Not classified as hazardous by 29 CFR 1910.1200 (OSHA HazCom-GHS)

GHS Label Elements

Signal Word: No signal word
Symbols: None
Hazard Statements: No hazard statements
Precautionary Statements:
Prevention: Not Applicable
Response:
-Specific Treatment: See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Storage: Not Applicable

Disposal: Not Applicable

Hazards Not Otherwise Classified: Not Applicable

Other Information:

- May cause eye irritation.
- May cause skin irritation.
- May be harmful if swallowed.
- Inhalation of vapors or mist may cause respiratory irritation.
- Keep out of reach of children.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Acrylate Copolymer	65405-61-0	10-30
Ethoxydiglycol	111-90-0	3-7
Ethylene Copolymer	67892-91-5	1-5
Tributoxyethyl Phosphate	78-51-3	1-5

Zinc Ammonium Carbonate	38714-47-5	0.1-1
Fluorosurfactant	PROPRIETARY	<0.1
Dimethicone	63148-62-9	<0.1
Methylchloroisothiazolinone	26172-55-4	<0.1
Methylisothiazolinone	2682-20-4	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

- Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
- Skin Contact:** Wash with soap and water. If skin irritation occurs: Get medical attention.
- Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or physician if you feel unwell.
- Ingestion:** Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.
- Note to Physicians:** Treat symptomatically.

5. FIRE-FIGHTING MEASURES

- Suitable Extinguishing Media:** Product does not support combustion, Use extinguishing agent suitable for type of surrounding fire
- Specific Hazards Arising from the Chemical:** Dried product is capable of burning. Combustion products are toxic.
- Hazardous Combustion Products:** May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.
- Protective Equipment and Precautions for Firefighters:** Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

- Personal Precautions:** Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
- Environmental Precautions:** Do not rinse spill onto the ground, into storm sewers or bodies of water.
- Methods for Clean-Up:** Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

- Advice on Safe Handling:** Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.
- Storage Conditions:** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep from freezing.
- Suggested Shelf Life:** 18 months from date of manufacture.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- Occupational Exposure Limits:** None established.
- Engineering Controls:** Provide good general ventilation.
If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.
- Personal Protective Equipment**
- Eye/Face Protection:** Not required with expected use.
- Skin and Body Protection:** Not required with expected use.

Respiratory Protection:	Not required with expected use. If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered.
General Hygiene Considerations:	Wash hands and any exposed skin thoroughly after handling. See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid
Color:	White emulsion
Odor:	Acrylic odor
pH:	8.0-8.5
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	99 °C / 210 °F
Flash Point:	> 99 °C / > 210 °F ASTM D56
Evaporation Rate:	< 1 (Butyl acetate = 1)
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity:	1.029
Solubility(ies):	Miscible in water
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
Viscosity:	No information available.

10. STABILITY AND REACTIVITY

Reactivity:	This material is considered to be non-reactive under normal conditions of use.
Chemical Stability:	Stable under normal conditions.
Possibility of Hazardous Reactions:	Not expected to occur with normal handling and storage.
Conditions to Avoid:	Heat, flames and sparks.
Incompatible Materials:	Strong oxidizing agents. Strong acids.
Hazardous Decomposition Products:	May include carbon monoxide, carbon dioxide (CO ₂) and other toxic gases or vapors.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:	Eyes, Skin, Ingestion, Inhalation.
Symptoms of Exposure:	
-Eye Contact:	Pain and redness.
-Skin Contact:	Drying of the skin.
-Inhalation:	Nasal discomfort and coughing.
-Ingestion:	Pain, nausea, vomiting and diarrhea.
Immediate, Delayed, Chronic Effects	
Product Information:	Data not available or insufficient for classification.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral):	19953 mg/kg
ATEmix (dermal):	50157 mg/kg
ATEmix (inhalation-dust/mist):	68.4 mg/l

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available

Ethoxydiglycol 111-90-0	= 10502 mg/kg (Rat)	= 9143 mg/kg (Rabbit)	> 5240 mg/m ³ (Rat) 4 h
Tributoxyethyl Phosphate 78-51-3	= 3 g/kg (Rat)	> 16 mL/kg (Rabbit)	> 6.4 mg/L (Rat) 4 h
Dimethicone 63148-62-9	> 24 g/kg (Rat)	Not Available	Not Available
Methylchloroisothiazolinone 26172-55-4	= 481 mg/kg (Rat)	Not Available	= 1.23 mg/L (Rat) 4 h

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Ethoxydiglycol 111-90-0	Not Available	10000: 96 h Lepomis macrochirus mg/L LC50 static 19100 - 23900: 96 h Lepomis macrochirus mg/L LC50 flow-through 11400 - 15700: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 11600 - 16700: 96 h Pimephales promelas mg/L LC50 flow-through	Not Available	3940 - 4670: 48 h Daphnia magna mg/L EC50
Tributoxyethyl Phosphate 78-51-3	Not Available	10.4 - 12.0: 96 h Pimephales promelas mg/L LC50 flow-through	Not Available	Not Available
Methylchloroisothiazolinone 26172-55-4	0.11 - 0.16: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 0.03 - 0.13: 96 h Pseudokirchneriella subcapitata mg/L EC50 static	1.6: 96 h Oncorhynchus mykiss mg/L LC50 semi-static	Not Available	4.71: 48 h Daphnia magna mg/L EC50 0.12 - 0.3: 48 h Daphnia magna mg/L EC50 Flow through 0.71 - 0.99: 48 h Daphnia magna mg/L EC50 Static

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

Other Adverse Effects: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Dispose of in accordance with federal, state and local regulations.
Contaminated Packaging: Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT: Not Regulated
Proper Shipping Name: Non-Hazardous Products
Special Provisions: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.

IMDG: Not Regulated
Proper Shipping Name: Non-Hazardous Products

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product contains the following listed substances:

Ethoxydiglycol

CAS No 111-90-0 applies to R-(OCH₂CH₂)_n-OR', where n = 1, 2, or 3, R=Alkyl C7 or less, or R = Phenyl or Alkyl substituted phenyl, R' = H or Alkyl C7 or less, or OR' consisting of Carboxylic acid ester, Sulfate, Phosphate, Nitrate, or Sulfonate Chemical Category N230

SARA 311/312 Hazard Categories

Acute Health Hazard:	Yes
Chronic Health Hazard:	No
Fire Hazard:	No
Sudden release of pressure hazard:	No
Reactive Hazard:	No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

16. OTHER INFORMATION

NFPA	Health Hazards: 1	Flammability: 0	Instability: 0	Special: N/A
HMIS	Health Hazards: 1	Flammability: 0	Physical Hazards: 0	

Revision Date: 29-Apr-2019
Reasons for Revision: Section, 3, 11, and, 12

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



Safety Data Sheet

Spartan Chemical Company, Inc.

Revision Date: 26-Nov-2019

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: DUST MOP / DUST CLOTH TREATMENT (AEROSOL)

Product Number: 6099

Recommended Use: Cleaning agent

Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.
1110 Spartan Drive
Maumee, Ohio 43537 USA
800-537-8990 (Business hours)
www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171

Transportation/Spill/Leak: CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Flammable Aerosols
Gases Under Pressure

Category 1
Liquefied gas

GHS Label Elements

Signal Word:

Symbols:

Danger



Hazard Statements:

Extremely flammable gas
Contains gas under pressure; may explode if heated

Precautionary Statements:

Prevention:

Keep away from heat/sparks/open flames/hot surfaces. — No smoking
Do not spray on an open flame or other ignition source
Pressurized container: Do not pierce or burn, even after use
Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal

Response:

-Specific Treatment:

See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Storage:

Protect from sunlight. Do not expose to temperatures exceeding 122°F (50°C) Store in a well-ventilated place

Disposal:

Not Applicable

Hazards Not Otherwise Classified: Not Applicable

Other Information:

- May be harmful if swallowed.
- May cause skin irritation.
- May cause eye irritation.
- Inhalation of vapors or mist may cause respiratory irritation.
- Keep out of reach of children.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	40-70
C13-14 Alkane	64742-47-8	5-10
Mineral Oil	8042-47-5	5-10
Butane	106-97-8	3-7
Propane	74-98-6	1-5
Polyglyceryl-3 Oleate	9007-48-1	1-5
Sodium Benzoate	532-32-1	0.1-1
Fragrance	PROPRIETARY	0.1-1
Diethyl Phthalate	84-66-2	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

- Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
- Skin Contact:** Wash with soap and water. If skin irritation occurs: Get medical attention.
- Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or physician if you feel unwell.
- Ingestion:** Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.
- Note to Physicians:** Treat symptomatically.

5. FIRE-FIGHTING MEASURES

- Suitable Extinguishing Media:** Water spray (fog), Foam
- Specific Hazards Arising from the Chemical:** Extremely flammable aerosol. Exposure to high temperature may cause containers to burst. Bursting aerosol containers may be propelled from fire at high speed.
- Hazardous Combustion Products:** May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.
- Protective Equipment and Precautions for Firefighters:** Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Water may be used to cool closed containers to prevent pressure build-up and possible auto ignition or explosion when exposed to extreme heat. In the event of fire and/or explosion do not breathe fumes.

6. ACCIDENTAL RELEASE MEASURES

- Personal Precautions:** Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
- Environmental Precautions:** Do not rinse spill onto the ground, into storm sewers or bodies of water.
- Methods for Clean-Up:** Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on Safe Handling:	Handle in accordance with good industrial hygiene and safety practice. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Wash thoroughly after handling.
Storage Conditions:	NFPA 30B Level 1 Aerosol. Do not store in direct sunlight or above 122 F° / 50 C°. Exposure to high temperature may cause containers to burst. Keep out of the reach of children.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Butane 106-97-8	STEL: 1000 ppm	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m ³	TWA: 800 ppm TWA: 1900 mg/m ³
Propane 74-98-6	: See Appendix F: Minimal Oxygen Content	TWA: 1000 ppm TWA: 1800 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m ³	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m ³
Diethyl Phthalate 84-66-2	TWA: 5 mg/m ³	(vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³

Engineering Controls:	Provide good general ventilation. If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.
Personal Protective Equipment	
Eye/Face Protection:	Not required with expected use.
Skin and Body Protection:	Not required with expected use.
Respiratory Protection:	Not required with expected use. If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered.
General Hygiene Considerations:	Wash hands and any exposed skin thoroughly after handling. See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Aerosol
Color:	White emulsion
Odor:	Bland
pH:	8.0-9.0
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	132 °C / 270 °F (Product without propellant) Estimated
Flash Point:	< -58 °C / < -72 °F (Propellant-estimated)
Evaporation Rate:	< 1
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity:	0.95 (Product without propellant)
Solubility(ies):	No information available.
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
Viscosity:	No information available.

10. STABILITY AND REACTIVITY

Reactivity:	This material is considered to be non-reactive under normal conditions of use.
Chemical Stability:	Stable under normal conditions.

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.
Conditions to Avoid: Extremes of temperature and direct sunlight.
Incompatible Materials: Strong oxidizing agents. Strong acids.
Hazardous Decomposition Products: May include carbon monoxide, carbon dioxide (CO₂) and other toxic gases or vapors.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Eyes, Skin, Ingestion, Inhalation.
Symptoms of Exposure:
-Eye Contact: Pain and redness.
-Skin Contact: Drying of the skin.
-Inhalation: Nasal discomfort and coughing.
-Ingestion: Pain, nausea, vomiting and diarrhea.
Immediate, Delayed, Chronic Effects
Product Information: Data not available or insufficient for classification.
Target Organ Effects: Central nervous system.
Numerical Measures of Toxicity
The following acute toxicity estimates (ATE) are calculated based on the GHS document.
ATEmix (oral): 50505 mg/kg
ATEmix (dermal): 20202 mg/kg
ATEmix (inhalation-gas): 3021468 mg/l

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
C13-14 Alkane 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
Mineral Oil 8042-47-5	> 5000 mg/kg (Rat)	Not Available	Not Available
Butane 106-97-8	Not Available	Not Available	= 658 g/m ³ (Rat) 4 h
Propane 74-98-6	Not Available	Not Available	= 658 mg/L (Rat) 4 h
Sodium Benzoate 532-32-1	= 4070 mg/kg (Rat)	Not Available	Not Available
Diethyl Phthalate 84-66-2	= 8600 mg/kg (Rat)	> 11200 mg/kg (Rat)	> 4.64 mg/L (Rat) 6 h

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
C13-14 Alkane 64742-47-8	Not Available	45: 96 h Pimephales promelas mg/L LC50 flow-through 2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static	Not Available	Not Available
Mineral Oil 8042-47-5	Not Available	10000: 96 h Lepomis macrochirus mg/L LC50	Not Available	Not Available
Sodium Benzoate 532-32-1	Not Available	420 - 558: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static	Not Available	650: 48 h Daphnia magna mg/L EC50

Diethyl Phthalate 84-66-2	23: 72 h Desmodesmus subspicatus mg/L EC50 23: 72 h Desmodesmus subspicatus mg/L EC50 static 21: 96 h Desmodesmus subspicatus mg/L EC50 21: 96 h Desmodesmus subspicatus mg/L EC50 static 42 - 255: 72 h Pseudokirchneriella subcapitata mg/L EC50 2.11 - 4.29: 96 h Pseudokirchneriella subcapitata mg/L EC50 static	17: 96 h Pimephales promelas mg/L LC50 flow-through 16.8: 96 h Pimephales promelas mg/L LC50 static 22: 96 h Lepomis macrochirus mg/L LC50 flow-through 16.7: 96 h Lepomis macrochirus mg/L LC50 static 12: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	Not Available	36 - 74: 48 h Daphnia magna mg/L EC50 86: 48 h Daphnia magna mg/L EC50 Static
------------------------------	--	---	---------------	---

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

Other Adverse Effects: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Dispose of in accordance with federal, state and local regulations.
Contaminated Packaging: Pressurized container: Do not pierce or burn, even after use. Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT:

UN/ID No: UN1950

Proper Shipping Name: Aerosols

Hazard Class: 2.1

Special Provisions: This product meets the exception requirements of section 49 CFR 173.306 as a limited quantity and may be shipped as a limited quantity.

IMDG:

UN/ID No: UN1950

Proper Shipping Name: Aerosols

Hazard Class: 2.1

Additional information: Limited Quantity

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard: Yes

Chronic Health Hazard: No

Fire Hazard: No

Sudden release of pressure hazard: Yes

Reactive Hazard: No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

16. OTHER INFORMATION

NFPA
HMISHealth Hazards: 1
Health Hazards: 1Flammability: 1
Flammability: 2Instability: 0
Physical Hazards: 2

Special: N/A

Revision Date: 26-Nov-2019
Reasons for Revision: Section, 3, 8, 11, and, 12**Disclaimer:**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



Safety Data Sheet

Spartan Chemical Company, Inc.

Revision Date: 22-Oct-2019

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: SHINELINE EMULSIFIER PLUS
Product Number: 0084
Recommended Use: Stripping solution
Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.
1110 Spartan Drive
Maumee, Ohio 43537 USA
800-537-8990 (Business hours)
www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171
Transportation/Spill/Leak: CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Acute Toxicity - Oral: Category 4
Acute toxicity - Inhalation (Dusts/Mists) Category 4
Skin Corrosion/Irritation: Category 1 Sub-category B
Serious Eye Damage/Eye Irritation: Category 1
Corrosive to Metals: Category 1

GHS Label Elements

Signal Word:

Symbols:

Danger



Hazard Statements:

Harmful if swallowed.
Harmful if inhaled.
Causes severe skin burns and serious eye damage.
May be corrosive to metals.

Precautionary Statements:

Prevention:

Wash hands and any exposed skin thoroughly after handling.
Do not eat, drink or smoke when using this product
Use only outdoors or in a well-ventilated area
Do not breathe mist, vapors or spray.
Wear protective gloves. Wear eye / face protection. Wear protective clothing.
Keep in original or other corrosion resistant container.

Response:

-Eyes

IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

-Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse.

-Inhalation:	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
-Ingestion:	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
-Specific Treatment:	See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.
Spill:	Absorb spillage to prevent material damage.
Storage:	Store locked up. Store in corrosion resistant container.
Disposal:	Dispose of contents and container in accordance with local, state and federal regulations.
Hazards Not Otherwise Classified:	Not Applicable
Other Information:	<ul style="list-style-type: none">• Corrosive.• Harmful or fatal if swallowed.• Harmful contact may not cause immediate pain.• Take off and destroy contaminated shoes.• Keep out of reach of children.• NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	30-60
Butoxyethanol	111-76-2	10-30
Ethanolamine	141-43-5	1-5
Sodium Xylenesulfonate	1300-72-7	1-5
Sodium Hydroxide	1310-73-2	1-5
C9-11 Alkyl Glucoside	132778-08-6	1-5
Benzyl Benzoate	120-51-4	<0.1
Fragrance	PROPRIETARY	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

-Eye Contact:	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.
-Skin Contact:	Take off immediately all contaminated clothing and shoes. Rinse with water or shower for at least 15 minutes. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Wash contaminated clothing before reuse. Discard or destroy contaminated shoes.
-Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.
-Ingestion:	Rinse mouth. Do NOT induce vomiting. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Never give anything by mouth to an unconscious person.
Note to Physicians:	NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:	Product does not support combustion, Use extinguishing agent suitable for type of surrounding fire
Specific Hazards Arising from the Chemical:	Dried product is capable of burning. Combustion products are toxic.
Hazardous Combustion Products:	May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.
Protective Equipment and Precautions for Firefighters:	Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:
Environmental Precautions:
Methods for Clean-Up:

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Do not rinse spill onto the ground, into storm sewers or bodies of water. Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on Safe Handling:
Storage Conditions:
Suggested Shelf Life:

Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.
Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep from freezing.
Minimum of 2 years from date of manufacture.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³
Ethanolamine 141-43-5	STEL: 6 ppm TWA: 3 ppm	TWA: 3 ppm TWA: 6 mg/m ³ (vacated) TWA: 3 ppm (vacated) TWA: 8 mg/m ³ (vacated) STEL: 6 ppm (vacated) STEL: 15 mg/m ³	IDLH: 30 ppm TWA: 3 ppm TWA: 8 mg/m ³ STEL: 6 ppm STEL: 15 mg/m ³
Sodium Hydroxide 1310-73-2	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³ (vacated) Ceiling: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³

Engineering Controls:

Provide good general ventilation.
If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.
Eye wash stations and shower facilities should be readily accessible in areas where the product is handled.

Personal Protective Equipment
Eye/Face Protection:
Skin and Body Protection:

Wear splash goggles. For severe use-conditions, wear a face shield over the goggles.
Wear rubber or other chemical-resistant gloves and solvent / alkali resistant boots. The use of other protective equipment should be considered in order to prevent or minimize contact with this product.

Respiratory Protection:

Not required with expected use.
If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered.

General Hygiene Considerations:

Wash hands and any exposed skin thoroughly after handling.
See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid
Color:	Clear
Odor:	Fresh
pH:	13.5-14.0
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	100 °C / 212 °F
Flash Point:	> 100 °C / > 212 °F ASTM D56
Evaporation Rate:	< 1 (Butyl acetate = 1)
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity:	1.035
Solubility(ies):	Soluble in water
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
Viscosity:	No information available.

10. STABILITY AND REACTIVITY

Reactivity:	This material is considered to be non-reactive under normal conditions of use.
Chemical Stability:	Stable under normal conditions.
Possibility of Hazardous Reactions:	Contact with aluminum or other reactive metals may release hydrogen gas.
Conditions to Avoid:	Extremes of temperature and direct sunlight.
Incompatible Materials:	Strong oxidizing agents. Strong acids.
Hazardous Decomposition Products:	May include carbon monoxide, carbon dioxide (CO ₂) and other toxic gases or vapors.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:	Eyes, Skin, Ingestion, Inhalation.
Symptoms of Exposure:	
-Eye Contact:	Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause permanent damage.
-Skin Contact:	Pain, redness, blistering and possible chemical burn.
-Inhalation:	Irritation or damage to the mucus membranes of the respiratory tract. Nasal discomfort and coughing.
-Ingestion:	Damage or chemical burns to mouth, throat and stomach. Pain, nausea, vomiting and diarrhea.
Immediate, Delayed, Chronic Effects	
Product Information:	Data not available or insufficient for classification.
Target Organ Effects:	Blood. Central nervous system. -Eyes. hematopoietic system. kidney. Liver. Respiratory System. -Skin.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral):	1478 mg/kg
ATEmix (dermal):	3227 mg/kg
ATEmix (inhalation-dust/mist):	4.8 mg/l
ATEmix (inhalation-vapor):	7.9 mg/l

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available

Butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h
Ethanolamine 141-43-5	= 1720 mg/kg (Rat)	= 1000 mg/kg (Rabbit)	Not Available
Sodium Xylenesulfonate 1300-72-7	= 1000 mg/kg (Rat)	Not Available	Not Available
Sodium Hydroxide 1310-73-2	Not Available	= 1350 mg/kg (Rabbit)	Not Available
Benzyl Benzoate 120-51-4	= 500 mg/kg (Rat)	= 4000 mg/kg (Rabbit)	Not Available

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Butoxyethanol 111-76-2	Not Available	1490: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 2950: 96 h <i>Lepomis macrochirus</i> mg/L LC50	Not Available	1000: 48 h <i>Daphnia magna</i> mg/L EC50
Ethanolamine 141-43-5	15: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50	227: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 3684: 96 h <i>Brachydanio rerio</i> mg/L LC50 static 300 - 1000: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 114 - 196: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static 200: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through	Not Available	65: 48 h <i>Daphnia magna</i> mg/L EC50
Sodium Hydroxide 1310-73-2	Not Available	45.4: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static	Not Available	Not Available

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

Other Adverse Effects: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).

Contaminated Packaging: Dispose of in accordance with federal, state and local regulations.

US EPA Waste Number: D002

14. TRANSPORT INFORMATION

DOT:

UN/ID No: UN 1760

Proper Shipping Name: Corrosive liquids, n.o.s., (contains sodium hydroxide)

Hazard Class: 8

Packing Group: II

Special Provisions: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.

IMDG:

UN/ID No: UN 1760

Proper Shipping Name: Corrosive liquids, n.o.s., (contains sodium hydroxide)
Hazard Class: 8
Packing Group: II

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product contains the following listed substances:

Butoxyethanol

CAS No 111-76-2 applies to R-(OCH₂CH₂)_n-OR', where n = 1, 2, or 3, R=Alkyl C7 or less, or R = Phenyl or Alkyl substituted phenyl, R' = H or Alkyl C7 or less, or OR' consisting of Carboxylic acid ester, Sulfate, Phosphate, Nitrate, or Sulfonate
Chemical Category N230

SARA 311/312 Hazard Categories

Acute Health Hazard:	Yes
Chronic Health Hazard:	Yes
Fire Hazard:	No
Sudden release of pressure hazard:	No
Reactive Hazard:	No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

16. OTHER INFORMATION

NFPA	Health Hazards: 3	Flammability: 0	Instability: 0	Special: N/A
HMIS	Health Hazards: 3*	Flammability: 0	Physical Hazards: 0	

Revision Date: 22-Oct-2019
Reasons for Revision: Section, 2, 3, 8, and, 11

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Material Safety Data Sheet

24 Hour Assistance:
1-847-367-7700
Rust-Oleum Corp.
www.rustoleum.com

Section 1 - Chemical Product / Company Information

Product Name:	Varathane Ultra Professional Solventbased Floor Finish	Revision Date:	12/17/2004
Identification Number:	223210		
Product Use/Class:	Solventbased Pro Floor Finish		
Supplier:	Rust-Oleum Corporation 11 Hawthorn Parkway Vernon Hills, IL 60061 USA	Manufacturer:	Rust-Oleum Corporation 11 Hawthorn Parkway Vernon Hills, IL 60061 USA
Preparer:	Department, Regulatory		

Section 2 - Composition / Information On Ingredients

<u>Chemical Name</u>	<u>CAS Number</u>	<u>Weight % Less Than</u>	<u>ACGIH TLV-TWA</u>	<u>ACGIH TLV-STEL</u>	<u>OSHA PEL-TWA</u>	<u>OSHA PEL-CEILING</u>
Mineral Spirits	8052 -41-3	15.0	NE	NE	100 ppm	NE
Aluminum Complex Mixture	NOT AVAILABLE	5.0	100 PPM	N.E.	N.E.	N.E.

Section 3 - Hazards Identification

*** Emergency Overview ***: Harmful if inhaled. May affect the brain or nervous system causing dizziness, headache or nausea. Combustible liquid and vapor. Harmful if swallowed. Causes eye irritation. Vapors irritating to eyes and respiratory tract.

Effects Of Overexposure - Eye Contact: Causes eye irritation.

Effects Of Overexposure - Skin Contact: May cause skin irritation.

Effects Of Overexposure - Inhalation: High vapor concentrations are irritating to the eyes, nose, throat and lungs. May cause headaches and dizziness. Harmful if inhaled.

Effects Of Overexposure - Ingestion: Aspiration hazard if swallowed; can enter lungs and cause damage. Substance may be harmful if swallowed.

Effects Of Overexposure - Chronic Hazards: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage.

Primary Route(s) Of Entry: Skin Contact, Skin Absorption, Inhalation, Ingestion, Eye Contact

Section 4 - First Aid Measures

First Aid - Eye Contact: Hold eyelids apart and flush with plenty of water for at least 15 minutes. Get medical attention.

First Aid - Skin Contact: Wash with soap and water. Get medical attention if irritation develops or persists.

First Aid - Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.

First Aid - Ingestion: Aspiration hazard: Do not induce vomiting or give anything by mouth because this material can enter the lungs and cause severe lung damage. Get immediate medical attention.

Section 5 - Fire Fighting Measures

Flash Point: 140 F
()

LOWER EXPLOSIVE LIMIT: 0.6 %
UPPER EXPLOSIVE LIMIT : 11.2 %

Extinguishing Media: Carbon Dioxide, Dry Chemical, Foam, Water Fog

Unusual Fire And Explosion Hazards: Keep containers tightly closed.

Special Firefighting Procedures: Evacuate area and fight fire from a safe distance. Water may be used to cool closed containers to prevent pressure buildup and possible autoignition or explosion.

Section 6 - Accidental Release Measures

Steps To Be Taken If Material Is Released Or Spilled: Dispose of according to local, state (provincial) and federal regulations. Do not incinerate closed containers. Contain spilled liquid with sand or earth. DO NOT use combustible materials such as sawdust.

Section 7 - Handling And Storage

Handling: Avoid contact with eyes. Avoid breathing vapor or mist. Wash hands before eating. Follow all MSDS/label precautions even after container is emptied because it may retain product residues. Wash thoroughly after handling.

Storage: Keep away from heat, sparks, flame and sources of ignition. Keep containers tightly closed. Isolate from heat, electrical equipment, sparks and open flame. Keep container closed when not in use.

Section 8 - Exposure Controls / Personal Protection

Engineering Controls: Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Prevent build-up of vapors by opening all doors and windows to achieve cross-ventilation.

Respiratory Protection: A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use. A NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits.

Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

Skin Protection: Use impervious gloves to prevent skin contact and absorption of this material through the skin. Nitrile or Neoprene gloves may afford adequate skin protection.

Eye Protection: Use safety eyewear designed to protect against splash of liquids.

Other protective equipment: Refer to safety supervisor or industrial hygienist for further information regarding personal protective equipment and its application.

Hygienic Practices: Wash thoroughly with soap and water before eating, drinking or smoking.

Section 9 - Physical And Chemical Properties

Boiling Range:	105 - 999 F	Vapor Density:	Heavier than Air
Odor:	Solvent	Odor Threshold:	ND
Appearance:	Slightly hazy, particle free	Evaporation Rate:	Slower than Ether
Solubility in H2O:	None		
Freeze Point:	ND	Specific Gravity:	

Vapor Pressure:	ND	PH:	ND
Physical State:	Liquid		

(See section 16 for abbreviation legend)

Section 10 - Stability And Reactivity

Conditions To Avoid: Avoid all possible sources of ignition.

Incompatibility: Incompatible with strong oxidizing agents, strong acids and strong alkalies.

Hazardous Decomposition: When heated to decomposition it emits acrid smoke and irritating fumes. By open flame, carbon monoxide and carbon dioxide.

Hazardous Polymerization: Will not occur under normal conditions.

Stability: This product is stable under normal storage conditions.

Section 11 - Toxicological Information

Product LD50:

Product LC50:

Chemical Name

Mineral Spirits
Aluminum Complex Mixture

LD50

4900 mg/kg RAT
N.E.

LC50

NE
N.E.

Section 12 - Ecological Information

Ecological Information: Product is a mixture of listed components.

Section 13 - Disposal Information

Disposal Information: Dispose of material in accordance to local, state and federal regulations and ordinances. Do not allow to enter storm drains or sewer systems.

Section 14 - Transportation Information

DOT Proper Shipping Name: Paint
DOT Technical Name: ---
DOT Hazard Class: 3
DOT UN/NA Number: UN1263

Packing Group: III
Hazard Subclass: ----
Resp. Guide Page: 127

Section 15 - Regulatory Information

CERCLA - SARA Hazard Category

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

IMMEDIATE HEALTH HAZARD, CHRONIC HEALTH HAZARD, FIRE HAZARD

SARA Section 313:

Listed below are the substances (if any) contained in this product that are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

Toxic Substances Control Act:

Listed below are the substances (if any) contained in this product that are subject to the reporting requirements of TSCA 12(B) if exported from the United States:

U.S. State Regulations: As follows -

New Jersey Right-to-Know:

The following materials are non-hazardous, but are among the top five components in this product.

Chemical Name

1-chloro-4(trifluoromethyl)-benzine
Oil modified urethane
Fumed Aluminum Oxide

CAS Number

98-56-6
PROPRIETARY
1344.28-1

Pennsylvania Right-to-Know:

The following non-hazardous ingredients are present in the product at greater than 3%.

Chemical Name

1-chloro-4(trifluoromethyl)-benzine
Oil modified urethane

CAS Number

98-56-6
PROPRIETARY

California Proposition 65:

This product contains no known chemicals known by the State of California to cause cancer

This product contains no known chemicals known by the State of California to cause birth defects or other reproductive harm

International Regulations: As follows -**CANADIAN WHMIS:**

This MSDS has been prepared in compliance with Controlled Product Regulations except for the use of the 16 headings.

CANADIAN WHMIS CLASS: B3D2B

Section 16 - Other Information

HMIS Ratings:

Health: 2

Flammability: 2

Reactivity: 0

Personal Protection: X

VOLATILE ORGANIC COMPOUNDS, g/l: 275

REASON FOR REVISION:

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined

The information contained on this MSDS has been checked and should be accurate. However, it is the responsibility of the user to comply with all Federal, State, and Local laws and regulations.

Safety Data Sheet



1. Identification

Product Name:	Varathane Premium Wood Stain Quart	Revision Date:	12/11/2020
Product Identifier:	WPS1615990	Supersedes Date:	New SDS
Recommended Use:	Wood Stain / Oil Based		
Supplier:	Rust-Oleum Corporation 11 Hawthorn Parkway Vernon Hills, IL 60061 USA	Manufacturer:	Rust-Oleum Corporation 11 Hawthorn Parkway Vernon Hills, IL 60061 USA
Preparer:	Regulatory Department		
Emergency Telephone:	24 Hour Hotline: 847-367-7700		

2. Hazards Identification

Classification

Symbol(s) of Product



Signal Word

Danger

Possible Hazards

56% of the mixture consists of ingredient(s) of unknown acute toxicity.

GHS HAZARD STATEMENTS

Carcinogenicity, category 1B	H350	May cause cancer.
Flammable Liquid, category 3	H226	Flammable liquid and vapor.
Germ Cell Mutagenicity, category 1B	H340	May cause genetic defects.
STOT, repeated exposure, category 1	H372	Causes damage to organs through prolonged or repeated exposure.
Skin Sensitizer, category 1	H317	May cause an allergic skin reaction.

GHS LABEL PRECAUTIONARY STATEMENTS

P201	Obtain special instructions before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. NO SMOKING.
P233	Keep container tightly closed.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash hands thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P308+P313	IF exposed or concerned: Get medical advice/attention.
P314	Get medical advice/attention if you feel unwell.
P321	For specific treatment see label.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P370+P378	In case of fire: Use alcohol film forming foam, carbon dioxide, dry chemical, dry sand to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local, regional and national regulations.

GHS SDS PRECAUTIONARY STATEMENTS

P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P270	Do not eat, drink or smoke when using this product.
P363	Wash contaminated clothing before reuse.

3. Composition / Information on Ingredients**HAZARDOUS SUBSTANCES**

<u>Chemical Name</u>	<u>CAS-No.</u>	<u>Wt.% Range</u>	<u>GHS Symbols</u>	<u>GHS Statements</u>
Stoddard Solvent	8052-41-3	50-75	GHS08	H304-372
Titanium Dioxide	13463-67-7	10-25	Not Available	Not Available
Amorphous Silica	7631-86-9	1.0-2.5	GHS07	H332
Carbon Black	1333-86-4	0.1-1.0	Not Available	Not Available
Dipropylene Glycol Monomethyl Ether	34590-94-8	0.1-1.0	Not Available	Not Available
Methyl Ethyl Ketoxime	96-29-7	0.1-1.0	GHS05-GHS06	H302-312-317-318-331
Ethylbenzene	100-41-4	0.1-1.0	GHS02-GHS07-GHS08	H225-304-332-351-373
Soy Lecithin	8030-76-0	0.1-1.0	Not Available	Not Available
Naphtha, Hydrotreated Heavy	64742-48-9	0.1-1.0	GHS08	H304-340-350

4. First-Aid Measures

FIRST AID - EYE CONTACT: Immediately flush eyes with plenty of water for at least 15 minutes holding eyelids open. Get medical attention. Do NOT allow rubbing of eyes or keeping eyes closed.

FIRST AID - SKIN CONTACT: Wash skin with soap and water. Remove contaminated clothing. Get medical attention if irritation develops or persists.

FIRST AID - INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention. Do NOT use mouth-to-mouth resuscitation. If you experience difficulty in breathing, leave the area to obtain fresh air. If continued difficulty is experienced, get medical assistance immediately.

FIRST AID - INGESTION: If swallowed, get medical attention.

5. Fire-Fighting Measures

EXTINGUISHING MEDIA: Alcohol Film Forming Foam, Carbon Dioxide, Dry Chemical, Dry Sand, Water Fog

UNUSUAL FIRE AND EXPLOSION HAZARDS: Closed containers may explode when exposed to extreme heat due to buildup of steam. Keep containers tightly closed. Combustible liquid and vapor. No unusual fire or explosion hazards noted. Thermal decomposition produces acrolein, carbon monoxide, carbon dioxide, nitrogen oxides, and oxides of phosphorous.

SPECIAL FIREFIGHTING PROCEDURES: Evacuate area and fight fire from a safe distance. Use water spray to keep fire-exposed containers cool. Containers may explode when heated.

Special Fire and Explosion Hazard (Combustible Dust): No Information

6. Accidental Release Measures

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Remove all sources of ignition, ventilate area and remove with inert absorbent and non-sparking tools. Dispose of according to local, state (provincial) and federal regulations. Do not incinerate closed containers.

7. Handling and Storage

HANDLING: Wash thoroughly after handling. Wash hands before eating. Remove contaminated clothing and launder before reuse. Use only with adequate ventilation. Follow all SDS and label precautions even after container is emptied because it may retain product residues. Avoid breathing fumes, vapors, or mist. Avoid contact with eyes, skin and clothing.

STORAGE: Store in a dry, well ventilated place. Keep container tightly closed when not in use. Keep containers tightly closed. Isolate from heat, electrical equipment, sparks and open flame. Avoid excess heat.

Advice on Safe Handling of Combustible Dust: No Information

8. Exposure Controls / Personal Protection

Chemical Name	CAS-No.	Weight % Less Than	ACGIH TLV- TWA	ACGIH TLV- STEL	OSHA PEL-TWA	OSHA PEL- CEILING
Stoddard Solvent	8052-41-3	60.0	100 ppm	N.E.	500 ppm	N.E.
Titanium Dioxide	13463-67-7	15.0	10 mg/m3	N.E.	15 mg/m3	N.E.
Amorphous Silica	7631-86-9	5.0	N.E.	N.E.	50 µg/m3	N.E.
Carbon Black	1333-86-4	1.0	3 mg/m3	N.E.	3.5 mg/m3	N.E.
Dipropylene Glycol Monomethyl Ether	34590-94-8	1.0	100 ppm	150 ppm	100 ppm	N.E.
Methyl Ethyl Ketoxime	96-29-7	1.0	10 ppm	N.E.	N.E.	N.E.
Ethylbenzene	100-41-4	1.0	20 ppm	N.E.	100 ppm	N.E.
Soy Lecithin	8030-76-0	1.0	N.E.	N.E.	N.E.	N.E.
Naphtha, Hydrotreated Heavy	64742-48-9	1.0	N.E.	N.E.	N.E.	N.E.

PERSONAL PROTECTION

ENGINEERING CONTROLS: Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Prevent build-up of vapors by opening all doors and windows to achieve cross-ventilation.

RESPIRATORY PROTECTION: A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

SKIN PROTECTION: Use gloves to prevent prolonged skin contact. Nitrile or Neoprene gloves may afford adequate skin protection.

EYE PROTECTION: Use safety eyewear designed to protect against splash of liquids.

OTHER PROTECTIVE EQUIPMENT: Refer to safety supervisor or industrial hygienist for further guidance regarding types of personal protective equipment and their applications.

HYGIENIC PRACTICES: Wash thoroughly with soap and water before eating, drinking or smoking. Remove contaminated clothing immediately and launder before reuse.

Engineering Measures for Combustible Dust: No Information

9. Physical and Chemical Properties

Appearance:	Liquid	Physical State:	Liquid
Odor:	Solvent Like	Odor Threshold:	N.E.
Specific Gravity:	0.950	pH:	N.A.
Freeze Point, °C:	N.D.	Viscosity:	N.D.
Solubility in Water:	Negligible	Partition Coefficient, n-octanol/water:	N.D.
Decomposition Temp., °C:	N.D.	Explosive Limits, vol%:	0.6 - 36.0
Boiling Range, °C:	63.9 - 5,432	Flash Point, °C:	41
Flammability:	Supports Combustion	Auto-Ignition Temp., °C:	N.D.
Evaporation Rate:	Slower than Ether	Vapor Pressure:	N.D.
Vapor Density:	Heavier than Air		

(See "Other information" Section for abbreviation legend)

10. Stability and Reactivity

Conditions to Avoid: No Information

Incompatibility: Incompatible with strong oxidizing agents, strong acids and strong alkalies.

Hazardous Decomposition: When heated to decomposition, it emits acrid smoke and irritating fumes. Contains solvents which may form carbon monoxide, carbon dioxide, and formaldehyde.

Hazardous Polymerization: Will not occur under normal conditions.

Stability: This product is stable under normal storage conditions.

11. Toxicological Information

EFFECTS OF OVEREXPOSURE - EYE CONTACT: Substance causes moderate eye irritation.

EFFECTS OF OVEREXPOSURE - SKIN CONTACT: Substance may cause slight skin irritation.

EFFECTS OF OVEREXPOSURE - INHALATION: High gas, vapor, mist or dust concentrations may be harmful if inhaled. Avoid breathing fumes, spray, vapors, or mist. High vapor concentrations are irritating to the eyes, nose, throat and lungs. Prolonged or excessive inhalation may cause respiratory tract irritation.

EFFECTS OF OVEREXPOSURE - INGESTION: Irritating to the nose, throat and respiratory tract. Harmful if swallowed.

EFFECTS OF OVEREXPOSURE - CHRONIC HAZARDS: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Contains carbon black. Chronic inflammation, lung fibrosis, and lung tumors have been observed in some rats experimentally exposed for long periods of time to excessive concentrations of carbon black and several insoluble fine dust particles. Tumors have not been observed in other animal species (i.e., mouse and hamster) under similar circumstances and study conditions. Epidemiological studies of North American workers show no evidence of clinically significant adverse health effects due to occupational exposure to carbon black.

Carbon black is listed as a Group 2B-"Possibly carcinogenic to humans" by IARC and is proposed to be listed as A4- "not classified as a human carcinogen" by the American Conference of Governmental Industrial Hygienists. Significant exposure is not anticipated during brush application or drying. Risk of overexposure depends on duration and level of exposure to dust from repeated sanding of surfaces or spray mist and the actual concentration of carbon black in the formula. IARC lists Ethylbenzene as a possible human carcinogen (group 2B). Contains Titanium Dioxide. Titanium Dioxide is listed as a Group 2B-"Possibly carcinogenic to humans" by IARC. No significant exposure to Titanium Dioxide is thought to occur during the use of products in which Titanium Dioxide is bound to other materials, such as in paints during brush application or drying. Risk of overexposure depends on duration and level of exposure to dust from repeated sanding of surfaces or spray mist and the actual concentration of Titanium Dioxide in the formula. (Ref: IARC Monograph, Vol. 93, 2010)

PRIMARY ROUTE(S) OF ENTRY: Eye Contact, Ingestion, Inhalation, Skin Absorption, Skin Contact

ACUTE TOXICITY VALUES

The acute effects of this product have not been tested. Data on individual components are tabulated below:

<u>CAS-No.</u>	<u>Chemical Name</u>	<u>Oral LD50</u>	<u>Dermal LD50</u>	<u>Vapor LC50</u>
13463-67-7	Titanium Dioxide	>10000 mg/kg Rat	2500 mg/kg	N.E.
7631-86-9	Amorphous Silica	7900 mg/kg Rat	>5000 mg/kg Rabbit	25 mg/L
1333-86-4	Carbon Black	>15400 mg/kg Rat	N.E.	N.E.
34590-94-8	Dipropylene Glycol Monomethyl Ether	5350 mg/kg Rat	9500 mg/kg Rabbit	>20 mg/L
96-29-7	Methyl Ethyl Ketoxime	930 mg/kg Rat	1100 mg/kg Rabbit	>4.83 mg/L Rat
100-41-4	Ethylbenzene	3500 mg/kg Rat	15400 mg/kg Rabbit	17.4 mg/L Rat
64742-48-9	Naphtha, Hydrotreated Heavy	>6000 mg/kg Rat	>3160 mg/kg Rabbit	N.E.

N.E. - Not Established

12. Ecological Information**ECOLOGICAL INFORMATION:** Product is a mixture of listed components.**13. Disposal Information****DISPOSAL INFORMATION:** Do not incinerate closed containers. Dispose of material in accordance to local, state, and federal regulations and ordinances.**14. Transport Information**

	<u>Domestic (USDOT)</u>	<u>International (IMDG)</u>	<u>Air (IATA)</u>	<u>TDG (Canada)</u>
UN Number:	N.A.	1263	1263	N.A.
Proper Shipping Name:	Not Regulated	Paint	Paint	Not Regulated
Hazard Class:	N.A.	3	3	N.A.
Packing Group:	N.A.	III	III	N.A.
Limited Quantity:	No	Yes, >5L No	Yes, >5L No	No

15. Regulatory Information**U.S. Federal Regulations:****CERCLA - SARA Hazard Category**

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Flammable (gases, aerosols, liquids, or solids), Carcinogenicity, Respiratory or Skin Sensitization, Specific target organ toxicity (single or repeated exposure), Germ cell mutagenicity

SARA Section 313

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

<u>Chemical Name</u>	<u>CAS-No.</u>
Ethylbenzene	100-41-4

Toxic Substances Control Act

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(b) if exported from the United States:

No TSCA 12(b) components exist in this product.

U.S. State Regulations:**California Proposition 65**

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

16. Other Information**HMIS RATINGS**

Health: 2* **Flammability:** 2 **Physical Hazard:** 0 **Personal Protection:** X

NFPA RATINGS

Health: 2 **Flammability:** 2 **Instability:** 0

Volatile Organic Compounds: 517 g/L

SDS REVISION DATE: 12/11/2020

REASON FOR REVISION:

Legend: N.A. - Not Applicable, N.D. - Not Determined, N.E. - Not Established

Rust-Oleum Corporation believes, to the best of its knowledge, information and belief, the information contained herein to be accurate and reliable as of the date of this safety data sheet. However, because the conditions of handling, use, and storage of these materials are beyond our control, we assume no responsibility or liability for personal injury or property damage incurred by the use of these materials. Rust-Oleum Corporation makes no warranty, expressed or implied, regarding the accuracy or reliability of the data or results obtained from their use. All materials may present unknown hazards and should be used with caution. The information and recommendations in this material safety data sheet are offered for the users' consideration and examination. It is the responsibility of the user to determine the final suitability of this information and to comply with all applicable international, federal, state, and local laws and regulations.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



WINDEX® CLEANER ORIGINAL

Version 1.3

Print Date 03/09/2018

Revision Date 01/23/2018

SDS Number 350000014153

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : WINDEX® CLEANER ORIGINAL

Recommended use : Hard Surface Cleaner

Restrictions on use : Use only as directed on label

Manufacturer, importer, supplier : S.C. Johnson & Son, Inc.
1525 Howe Street
Racine WI 53403-2236

Telephone : +1-800-558-5252

Emergency telephone number : 24 Hour Medical Emergency Phone: (866)231-5406
24 Hour International Emergency Phone: (703)527-3887
24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

This product does not meet the criteria for classification in any hazard class according to regulation OSHA 29 CFR 1910.1200.

Labelling

Precautionary statements

Other hazards : None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product does not contain hazardous chemicals at or above a reportable level as defined by OSHA 29 CFR 1910.1200

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



WINDEX® CLEANER ORIGINAL

Version 1.3

Print Date 03/09/2018

Revision Date 01/23/2018

SDS Number 350000014153

4. FIRST AID MEASURES

Description of first aid measures

Eye contact : No special requirements

Skin contact : No special requirements

Inhalation : No special requirements.

Ingestion : No special requirements

Most important symptoms and effects, both acute and delayed

Eyes : No adverse effects expected when used as directed.

Skin effect : No adverse effects expected when used as directed.

Inhalation : No adverse effects expected when used as directed.

Ingestion : No adverse effects expected when used as directed.

Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific hazards during firefighting : Container may melt and leak in heat of fire.

Further information : Fight fire with normal precautions from a reasonable distance. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing apparatus.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



WINDEX® CLEANER ORIGINAL

Version 1.3

Print Date 03/09/2018

Revision Date 01/23/2018

SDS Number 350000014153

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions** : Wash thoroughly after handling.
- Environmental precautions** : Outside of normal use, avoid release to the environment.
- Methods and materials for containment and cleaning up** : Dike large spills.
Clean residue from spill site.

7. HANDLING AND STORAGE

- Handling**
- Precautions for safe handling** : Avoid contact with skin, eyes and clothing.
For personal protection see section 8.
KEEP OUT OF REACH OF CHILDREN AND PETS.
- Advice on protection against fire and explosion** : Normal measures for preventive fire protection.
- Storage**
- Requirements for storage areas and containers** : Keep container closed when not in use.
- Other data** : Stable under normal conditions.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

ACGIH or OSHA exposure limits have not been established for this product or reportable ingredients unless noted in the table above.

Personal protective equipment

- Respiratory protection** : No special requirements.
- Hand protection** : No special requirements.
- Eye protection** : No special requirements.
- Skin and body protection** : No special requirements.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



WINDEX® CLEANER ORIGINAL

Version 1.3

Print Date 03/09/2018

Revision Date 01/23/2018

SDS Number 350000014153

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

Color : blue

Odour : floral

Odour Threshold : Test not applicable for this product type

pH : 10.7
at (25 C)

Melting point/freezing point : 0 C

Initial boiling point and boiling range : 100 C

Flash point : does not flash

Evaporation rate : Test not applicable for this product type

Flammability (solid, gas) : Does not sustain combustion.

Upper/lower flammability or explosive limits : Test not applicable for this product type

Vapour pressure : Calculated 31.7 hPa

Vapour density : Test not applicable for this product type

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



WINDEX® CLEANER ORIGINAL

Version 1.3

Print Date 03/09/2018

Revision Date 01/23/2018

SDS Number 350000014153

Relative density	: 1.00 g/cm ³ at 25 C	
Solubility(ies)	: soluble	
Partition coefficient: n-octanol/water	: Test not applicable for this product type	
Auto-ignition temperature	: Test not applicable for this product type	
Decomposition temperature	: Heating can release hazardous gases.	
Viscosity, dynamic	: similar to water	
Viscosity, kinematic	: similar to water	
Oxidizing properties	: Test not applicable for this product type	
Volatile Organic Compounds Total VOC (wt. %)*	: 0.2 % - additional exemptions may apply *as defined by US Federal and State Consumer Product Regulations	
Other information	: None identified	:

10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under recommended storage conditions.
Possibility of hazardous reactions	: If accidental mixing occurs and toxic gas is formed, exit area immediately. Do not return until well ventilated.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**WINDEX® CLEANER ORIGINAL**

Version 1.3

Print Date 03/09/2018

Revision Date 01/23/2018

SDS Number 350000014153

- Conditions to avoid** : Direct sources of heat.
- Incompatible materials** : Do not mix with bleach or any other household cleaners.
Strong bases
- Hazardous decomposition products** : Thermal decomposition can lead to release of irritating gases and vapours.

11. TOXICOLOGICAL INFORMATION

- Acute oral toxicity** : LD50 > 5000 mg/kg
- Acute inhalation toxicity** : LC50 > 10 mg/L
- Acute dermal toxicity** : LD50 > 5000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**WINDEX® CLEANER ORIGINAL**

Version 1.3

Print Date 03/09/2018

Revision Date 01/23/2018

SDS Number 350000014153

Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical Condition : None known.

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

No environmental data required.

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

Land transport

Not classified as dangerous in the meaning of transport regulations.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**WINDEX® CLEANER ORIGINAL**

Version 1.3

Print Date 03/09/2018

Revision Date 01/23/2018

SDS Number 350000014153

Sea transport

Not classified as dangerous in the meaning of transport regulations.

Air transport

Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Notification status : All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).

California Prop. 65 : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

State Right To Know

No components are subject to the Massachusetts Right to Know Act.		
No components are subject to the Minnesota "Right To Know" Act		
No components are subject to the New Jersey "Right To Know" Act		
Pennsylvania RTKL	Water	7732-18-5
	Ammonium Hydroxide	1336-21-6

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**WINDEX® CLEANER ORIGINAL**

Version 1.3

Print Date 03/09/2018

Revision Date 01/23/2018

SDS Number 350000014153

16. OTHER INFORMATION**HMIS Ratings**

Health	1
Flammability	0
Reactivity	0

NFPA Ratings

Health	1
Fire	0
Reactivity	0
Special	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
-------------	--



Zep Commercial Sales & Service
A unit of Zep Inc.
P.O. Box 1060
Cartersville, GA 30120

MI067

Material Safety Data Sheet

Section 1. Chemical Product and Company Identification

Product name Heavy Duty Degreaser
Product code RMPDEG
Date of issue 05/21/09 Supersedes

Emergency Telephone Numbers

For MSDS Information:
Compliance Services 404-352-1680

For Medical Emergency
(877) 541-2016 Toll Free - All Calls Recorded

For Transportation Emergency
CHEMTREC: (800) 424-9300 - All Calls Recorded
In the District of Columbia (202) 483-7616

Prepared By
Compliance Services
1420 Seaboard Industrial Blvd.
Atlanta, GA 30318

Section 2. Hazards Identification

Emergency overview

CAUTION

CAUSES EYE AND SKIN IRRITATION.
HARMFUL IF ABSORBED THROUGH SKIN.
HARMFUL IF SWALLOWED.

*Hazard Determination System (HDS): Health, Flammability, Reactivity



NOTE: MSDS data pertains to the product as delivered in the original shipping container(s). Risk of adverse effects are lessened by following all prescribed safety precautions, including the use of proper personal protective equipment.

Acute Effects

Routes of Entry

Eye contact. Absorbed through skin. Inhalation. Ingestion.

- Eyes** Causes eye irritation. Liquid in eye may cause irritation with possible damage if not rinsed immediately.
- Skin** May cause skin irritation. Harmful if absorbed through the skin. Skin inflammation is characterized by itching, scaling, reddening or, occasionally, blistering.
- Inhalation** Inhalation of the spray or mist may produce severe irritation of respiratory tract, characterized by coughing, choking or shortness of breath. Inhalation of high concentrations of vapor may affect the central nervous system.
- Ingestion** May be harmful if swallowed. Ingestion may cause gastrointestinal irritation and diarrhea.

Chronic effects

Overexposure of this product by inhalation or absorption can produce central nervous system depression resulting in headache, nausea and/or dizziness. Repeated or prolonged exposure to the substance can produce damage to blood, kidneys, liver, upper respiratory tract.

Carcinogenicity Ingredients: Not listed as carcinogen by OSHA, NTP or IARC.

Additional Information: See Toxicological Information (Section 11)

Section 3. Composition/Information on Ingredients

Name of Hazardous Ingredients	CAS number	% by Weight
SODIUM METASILICATE; silicic acid (H ₂ -Si-O ₃) disodium salt; water glass	6834-92-0	1 - 5
ETHYLENE GLYCOL MONOBUTYL ETHER; 2-butoxyethanol; butyl cellosolve	111-76-2	1 - 5

Section 4. First Aid Measures

- Eye Contact** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention immediately.
- Skin Contact** In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Get medical attention.
- Inhalation** Move exposed person to fresh air. If irritation persists, get medical attention.
- Ingestion** Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Section 5. Fire Fighting Measures

National Fire Protection Association (U.S.A.)



Flash Point	None.
Flammable Limits	Not applicable.
Flammability	Non-combustible.
Fire hazard	No specific hazard.
Fire-Fighting Procedures	Use an extinguishing agent suitable for the surrounding fire. Fire-fighters should wear appropriate protective equipment.

Section 6. Accidental Release Measures

Spill Clean up	Put on appropriate personal protective equipment (see section 8). Stop leak if without risk. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
-----------------------	--

Section 7. Handling and Storage

Handling	Put on appropriate personal protective equipment (see section 8). Avoid contact with eyes, skin and clothing. Avoid breathing vapors, spray or mists. Use only with adequate ventilation. Do not ingest. Empty containers retain product residue and can be hazardous. Do not reuse container.
Storage	Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Keep out of the reach of children.

Section 8. Exposure Controls/Personal Protection**Product name**

SODIUM METASILICATE; silicic acid (H₂-Si-O₃) disodium salt; water glass
 ETHYLENE GLYCOL MONOBUTYL ETHER; 2-butoxyethanol; butyl cellosolve

Exposure limits

Supplier Suggested (United States).
 CEIL: 2 mg/m³ Form:
 ACGIH TLV (United States). Skin
 TWA: 20 ppm 8 hour(s). Form:
 OSHA PEL (United States). Skin
 TWA: 50 ppm 8 hour(s). Form:

Personal Protective Equipment (PPE)

Eyes	Safety glasses.
Body	Wear appropriate protective clothing to prevent skin contact. Chemical-resistant gloves.
Respiratory	Use with adequate ventilation. A respirator is not needed under normal and intended conditions of product use.

**Section 9. Physical and Chemical Properties**

Physical State	Liquid.	Color	Colorless to light yellow.
pH	12.75 - 13.25	Odor	Lemon-like. [Slight]
Boiling Point	100°C (212°F)	Vapor Pressure	Not determined.
Specific Gravity	1.032	Vapor Density	Not determined.
Solubility	Soluble in water in any proportion.	Evaporation Rate	Not determined.
		VOC (Consumer)	36 (g/l). 0.30 lbs/gal 3.5%

Section 10. Stability and Reactivity

Stability and Reactivity	The product is stable.
Incompatibility	Reactive or incompatible with the following materials: oxidizing materials and acids.
Hazardous Polymerization	Will not occur.
Hazardous Decomposition Products	carbon oxides (CO, CO ₂)

Section 11. Toxicological Information**Acute Toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
Sodium Metasilicate	LD50 Oral	Rat	1153 mg/kg	-
	LD50 Oral	Mouse	770 mg/kg	-
Ethylene Glycol Monobutyl Ether	LD50 Dermal	Guinea pig	>2000 mg/kg	-
	LD50 Oral	Guinea pig	1200 mg/kg	-
	LC50 Inhalation Vapor	Guinea pig	>633 ppm	1 hours

Section 12. Ecological Information**Environmental Effects** No applicable toxicity data**Aquatic Ecotoxicity**

Not available.

Section 13. Disposal Considerations**Waste Information**

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities for additional information.

Waste Stream Code: D002

Classification: - (Hazardous waste.)

Origin: - (RCRA waste.)

Section 14. Transport Information

Regulatory Information	UN number	Proper shipping name	Classes	PG*	Label
DOT Classification	Not regulated.	- None.	Not a DOT controlled material (United States).		
TDG Classification	Not regulated.	- None.	Not a TDG-controlled material.	-	

NOTE: DOT classification applies to most package sizes. For specific container size classifications or for size exceptions, refer to the Bill of Lading with your shipment.

PG* : Packing group

Section 15. Regulatory Information**U.S. Federal Regulations**

SARA 313 toxic chemical notification and release reporting:

Product name

Ethylene Glycol Monobutyl Ether (Glycol Ethers)

Clean Water Act (CWA) 307: No products were found.

Clean Water Act (CWA) 311: No products were found.

Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

All Components of this product are listed or exempt from listing on TSCA Inventory.

State Regulations**California Prop 65**

No products were found.

Canada**WHMIS (Canada)**

Class D-2B: Material causing other toxic effects (Toxic).

Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although these ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.